Machinery[®] CATALOGUE



£

WINTER EDITION | JANUARY - MARCH 2024

www.sip-group.com



Welcome to our Winter 2024 issue

SIP INDUSTRIAL PRODUCTS LIMITED

For over 55 years, SIP Industrial Products Limited has been a flagship supplier of high-quality equipment and machinery to the ever-growing engineering, construction, automotive & agricultural marketplaces.

As an ISO 9001 approved machinery specialist, SIP offer quality, value and choice, making sure you have the right product for the task in hand. This Winter issue is packed full of new and seasonal products, as well as some amazing package deals!



NEW PRODUCTS





NEW PRODUCTS



SIP DIRECT-DRIVE AIR COMPRESSORS

SIP QT 6ltr LOW NOISE AIR COMPRESSOR

Enhancing our innovative range of **QT Low Noise air compressors**, this durable and compact 6ltr model offers outstanding portability and is perfect for air tools and light workshop tasks.


PAGES 76-77
FOR INFO

SIP DDVT 3HP 50ltr V-TWIN AIR COMPRESSOR

Built a with a V-Twin pump configuration for greater air production efficiency and cooling, this versatile compressor delivers a high piston displacement of 14CFM resulting in 8CFM of free air delivery.

PAGES 81 & 82 FOR INFO





SIP 8" x 2" BENCH GRINDER / LINISHER

Complementing our comprehensive range of metal preparation and finishing products, the SIP 8" x 2" Bench Grinder/Linisher is a dual process metalwork machine ideal for grinding, shaping and smoothing metal workpieces or sharpening workshop tools.

Suitable for ferrous metals including mild steel and tool steels, plus copper and brass.







PRODUCT FOCUS

Learn more about new additions to our comprehensive range of professional woodworking equipment.

Ideal for those working in domestic or commercial premises as well as dedicated workshops





Professional woodcutting for workshop areas with limited floor space.



460mm



SIP INDOOR & OUTDOOR ELECTRIC UNIVERSAL HEATERS



Item No	MODEL	INPUT	HEAT SETTINGS	HEATING OUTPUT	FEATURES	WEIGHT	EX. VAT	INC. VAT
09585	SIP Halogen Univeral Heater	230v (13A)	1	2kW (6,820 BTU/hr)	Wall / Stand Mount	1.7kg	£87.99	£105.59
09586	SIP Halogen Universal Heater with Remote Control	230v (13A)	2	1kW (3,412 BTU/hr) 2kW (6,820 BTU/hr)	Wall / Stand Mount	1.7kg	£99.99	£119.99
09589	SIP Halogen Universal Heater Stand	For use with Heaters 09585 & 09586, adjust height position from 1.1mtr to 1.8mtr				tr	£23.99	£28.79
09585P	SIP Halogen Universal Heater + Stand						£111.98	£134.38
09586P	SIP Halogen Universal Heater with remote + Stand						£123.98	£148.78
09587	SIP Hanging Universal Heater with Remote Control	230v (13A)	1	1.5kW (5,118BTU/hr)	Hanging	2.26kg	£87.99	£105.59
09588	SIP Free-Standing Universal Heater	230v (13A)	1	2kW (6,820BTU/hr)	Floor Standing Carbon Fibre Element	4kg	£139.99	£167.99





Item No	MODEL	FUEL	BATTERY	HEAT OUTPUT	HEATING AREA	FUEL USAGE	RUNTIME*	EX. VAT	INC. VAT
09267	SIP FIREBALL 350 Cordless	Propane	18v DC 5.2Ah	34,128 BTU/hr (10kW)	230m³ (8,122ft³)	1.09kg/hr	8hrs	£149.99	£179.99
09269	SIP FIREBALL 515 Cordless	Propane	18v DC 5.2Ah	51,182 BTU/hr (15kW)	345m³ (12,181ft³)	1.09kg/hr	8hrs	£189.99	£227.99
09279	SIP FIREBALL 1050 Cordless	Propane	18v DC 5.2Ah	102,387 BTU/hr (30kW)	500m³ (17,401ft³)	2.18kg/hr	6hrs	£229,99	£275.99

*based on a single charge



SIP 18V 5.2Ah Lithium Battery Pack

For use with 09267, 09269 & 09279 Fireball Cordless Propane Heaters



Item No: PW25	-00013
£83.99	EX.VAT
£100.79	INC.VAT







Ideal for garages & medium sized workshops

LIGHTWEIGHT WITH CARRY HANDLE HIGHLY PORTABLE

INTEGRATED FRONT SAFETY GRILLE OPERATOR SAFETY IN MIND

HEAVY-DUTY POWDER-COATED FINISH FOR DURABILITY AND LONGER LIFE

IGNITER FOR RAPID STARTING

GAS VALVE

REGULATOR & HOSE INCLUDED NO ADDED EXPENSE!





Item No	MODEL	FUEL	INPUT	HEAT OUTPUT	HEATING AREA	FUEL USAGE	WEIGHT	EX. VAT	INC. VAT
09287	SIP FIREBALL 342	Propane	230v (13A)	34,121 BTU/hr (10kW)	230m³ (8,122ft³)	0.73kg/hr	3.8kg	£109.99	£131.99
09288	SIP FIREBALL 512	Propane	230v (13A)	51,182 BTU/hr (15kW)	345m³ (12,181ft³)	1.09kg/hr	3.8kg	£124.99	£149.99
09289	SIP FIREBALL 1030	Propane	230v (13A)	102,364 BTU/hr (30kW)	690m³ (24,367ft³)	2.18kg/hr	5.8kg	£174.99	£209.99
09291	SIP FIREBALL 1706	Propane	230v (13A)	170,607 BTU/hr (50kW)	1145m³ (40,435ft³)	3.63kg/hr	7kg	£217.99	£261.59











Lightweight & portable carry handle - highly portable, ideal for site work, garages and medium-sized workshops Variable output for efficient gas burning - cost saving!

OPTIONAL WHEEL KIT & HANDLE AVAILABLE (09285): allows for multiple units to be stacked; see below for price For use with: 09274, 09275 & 09276

OPTIONAL WHEEL KIT & HANDLE AVAILABLE (09286): allows for multiple units to be stacked; see below for price For use with: 09277

09278: WHEEL KIT & HANDLE INCLUDED

HEAVY-DUTY CORROSION-RESISTANT STAINLESS STEEL CASING; DURABLE AND LONGER LIFE

FREE-STANDING LEGS FOR STABILITY

INTEGRATED FRONT SAFETY GRILLE OPERATOR SAFETY IN MIND

IGNITER FOR RAPID STARTING

CARRY HANDLE; EASY PORTABILITY

VARIABLE OUTPUT CONTROLLED BY REGULATOR FOR EFFICIENT GAS BURNING







Item No	MODEL	FUEL	INPUT	HEAT OUTPUT	HEATING AREA	FUEL USAGE	WEIGHT	EX. VAT	INC. VAT
09274	SIP FIREBALL 1071DV	Propane	230v / 110v	51,787 - 107,000 BTU/hr (15.2 - 31.4kW)	718m³ (25,355ft³)	1 - 2kg/hr	13.1kg	£329.99	£395.99
09275	SIP FIREBALL 1602DV	Propane	230v / 110v	74,202 - 160,000 BTU/hr (21.7 - 46.9kW)	1074m³ (37,927ft³)	1.45 - 2.98kg/hr	14.7kg	£399.99	£479.99
09276	SIP FIREBALL 2261DV	Propane	230v / 110v	106,995 - 226,000 BTU/hr (31.4 - 66.2kW)	1517m³ (53,572ft³)	2.1 - 4.27kg/hr	17.2kg	£499.99	£599.99
09277	SIP FIREBALL 2901DV	Propane	230v / 110v	130,277 - 290,000 BTU/hr (38.2 - 85kW)	1946m³ (68,722ft³)	2.5 - 5.28kg/hr	19.2kg	£549.99	£659.99
09278	SIP FIREBALL 3711DV	Propane	230v / 110v	158,767 - 371,000 BTU/hr (46.5 - 108.7kW)	2490m³ (87,934ft³)	3.09 - 6.89kg/hr	28.5kg	£799.99	£959.99

SIP Fireball Wheel Kit

For use with Fireball heaters: 09274, 09275 & 09276.

For increased manoeuvrability and allows for heaters to be stacked for increased heat output in confined spaces.



Item No: 09	285
£43.59	EX.VAT
£52.31	INC.VAT

SIP Fireball Wheel Kit

For use with 09277 Fireball 2901DV.

For increased manoeuvrability and allows for heaters to be stacked for increased heat output in confined spaces.



Item No: 09	9286
£49.09	EX.VAT
£58.91	INC.VAT



SIP FIREBALL RADIANT PROPANE HEATERS

Compact and portable infrared heating solutions designed to heat work spaces quickly and effectively. No mains supply needed.



	Item No	MODEL	FUEL	HEAT OUTPUT	FUEL USAGE	HOSE LENGTH	WHEEL KIT	LOW NOISE	EX. VAT	INC. VAT
	09314	SIP FIREBALL RP15 RADIANT	Propane	15,000 BTU/hr (4.7kW)	0.34kg/hr	1.5mtr	-	-	£69.99	£83.99
П	09315	SIP FIREBALL RP35 RADIANT	Propane	35,000 BTU/hr (10.25kW)	0.74kg/hr	2mtr	✓	✓	£169.99	£203.99
	09316	SIP FIREBALL RP125 RADIANT	Propane	125,000 BTU/hr (36.6kW)	2.60kg/hr	3mtr	✓	✓	£259.99	£311.99



Compact and lightweight - ideal for small workshops, garages and offices



HEAT OUTPUT SETTING CONTROL

THERMOSTATICALLY-CONTROLLED; AUTOMATIC CUT OFF; ENERGY-SAVING

HEAVY-DUTY POWDER-COATED FINISH FOR DURABILITY AND LONGER LIFE

INTEGRATED LEGS FOR STABILITY

INTEGRATED CARRY HANDLE; EASY PORTABILITY

PTC ELEMENT (POSITIVE THERMAL COEFFICIENT); FOR SAFER TEMPERATURE CONTROL



Item No	MODEL	INPUT	HEAT OUTPUT	HEAT SETTINGS	TILT ADJUST	WEIGHT	EX. VAT	INC. VAT
09128	SIP FIREBALL Turbofan 2000	230v (13A)	6,820 BTU/hr (2kW)	Fan / 1000w / 2000w	✓	1.7kg	£43.59	£52.31
09215	SIP FIREBALL Turbofan 3001	230v (13A)	9,556 BTU/hr (2.8kW)	Fan / 1400w / 2800w	✓	3.4kg	£69.99	£83.99







Ideal for garages & medium-sized workshops

09220

THERMOSTATICALLY-CONTROLLED; AUTOMATIC CUT OFF; ENERGY-SAVING

HEAT OUTPUT SETTING CONTROL

INTEGRATED CARRY HANDLE; EASY PORTABILITY

PTC ELEMENT (POSITIVE THERMAL COEFFICIENT); FOR SAFER TEMPERATURE CONTROL

INTEGRATED LEGS FOR STABILITY



09293

THERMOSTATICALLY-CONTROLLED; AUTOMATIC CUT OFF; ENERGY-SAVING

HEAT OUTPUT SETTING CONTROL

INTEGRATED LEGS & CARRY HANDLE; EASY PORTABILITY

ROBUST COILED HEATING ELEMENT

HEAVY-DUTY POWDER-COATED FINISH FOR DURABILITY AND LONGER LIFE

09299



THERMOSTATICALLY-CONTROLLED; AUTOMATIC CUT OFF; ENERGY-SAVING

HEAT OUTPUT SETTING CONTROL

INTEGRATED LEGS & CARRY HANDLE; EASY PORTABILITY

ROBUST COILED HEATING ELEMENT HEAVY-DUTY POWDER-COATED FINISH FOR DURABILITY AND LONGER LIFE

fireball



09220

		(NODOC)						
Vo	MODEL	INPUT	HEAT OUTPUT	HEAT SETTINGS	TILT ADJUST	WEIGHT	EX. VAT	INC. VAT
0	SIP FIREBALL Turbofan 5000	400v - 3ph (16A)	17,064 BTU/hr (5kW)	Fan / 3300w / 5000w	✓	4.3kg	£109.99	£131.99
9	SIP FIREBALL Turbofan 9001	400v - 3ph (16A)	30,706 BTU/hr (9kW)	Fan / 4500w / 9000w	✓	11.4kg	£184.99	£221.99
8	SIP FIREBALL Turbofan 15000	400v - 3ph (32A)	51,193 BTU/hr (15kW)	Fan / 5000w / 10,000w / 15,000w	Х	14.5kg	£309.99	£371.99



SIP FIREBALL DIESEL/PARAFFIN & KEROSENE SPACE HEATERS

Built with heavy-duty components to ensure long product life and easy-to-use smart design features

- Powerful heating capacity for effective coverage
- Integrated thermostat delivers flexible temperature control
- Carry handle and wheel mounted options available
- Ideal for heating workshops, garage spaces and warehouse areas













COMPACT FLOOR STANDING DESIGN WITH CARRY HANDLE FOR PORTABILITY **POWERFUL AIR PUMP FOR EFFICIENT FUEL TRANSFER HEAVY-DUTY POWDER-COATED FINISH FOR ADDED DURABILITY IDEAL FOR HEATING MEDIUM-SIZED WORKSHOP & GARAGE SPACES**







EASY-TO-READ FUEL GAUGE (ITEM NO: 09590 - 09598)



► SIP XD75, XD100

RUGGED FULL-FRAME DESIGN FOR ADDED PROTECTION FITTED WITH HEAVY-DUTY PNEUMATIC TYRES FOR OUTSTANDING MOBILITY **POWERFUL AIR PUMP FOR EFFICIENT FUEL TRANSFER AIR PRESSURE GAUGE INDICATES CONSTANT FUEL SUPPLY HEAVY-DUTY POWDER-COATED FINISH FOR ADDED DURABILITY**

IDEAL FOR HEATING MEDIUM-SIZED WORKSHOP & GARAGE SPACES











	09592
	0959
P PRESSURE GAUGE 0: 09592 - 09596)	

3.00	FIREBALL CARRENT CONTROL OF THE PROPERTY OF TH

Item No	MODEL	FUEL	INPUT	HEAT OUTPUT	HEATING AREA	FUEL USAGE	FUEL TANK	WEIGHT	EX. VAT	INC. VAT
09590	SIP FIREBALL XD50F	Diesel/Paraffin/Kerosene	230v	50,000 BTU/hr (15kW)	350m³ (12,360ft³)	1.4ltr/hr	18ltr	16.6kg	£259.99	£311.99
09591	SIP FIREBALL XD75F	Diesel/Paraffin/Kerosene	230v	75,000 BTU/hr (22kW)	530m³ (18,717ft³)	1.9ltr/hr	18ltr	16.6kg	£279.99	£335.99
09592	SIP FIREBALL XD75	Diesel/Paraffin/Kerosene	230v	75,000 BTU/hr (22kW)	530m³ (18,717ft³)	1.9ltr/hr	26ltr	19.7kg	£299.99	£359.99
09593	SIP FIREBALL XD100	Diesel/Paraffin/Kerosene	230v	100,000 BTU/hr (30kW)	700m³ (24,720ft³)	2.8ltr/hr	26ltr	19.7kg	£369.99	£443.99

► SIP XD140, XD175, XD215

RUGGED FULL-FRAME DESIGN FOR ADDED PROTECTION FITTED WITH HEAVY-DUTY PNEUMATIC TYRES FOR OUTSTANDING MOBILITY POWERFUL AIR PUMP FOR EFFICIENT FUEL TRANSFER

AIR PRESSURE GAUGE INDICATES CONSTANT FUEL SUPPLY

REMOTE SENSOR FOR ACCURATE TARGET TEMPERATURE SETTING

HEAVY-DUTY POWDER-COATED FINISH FOR ADDED DURABILITY

IDEAL FOR HEATING LARGE-SIZED WORKSHOPS, GARAGE SPACES & WAREHOUSE AREAS



REMOTE TARGET TEMPERATURE SENSOR (ITEM NO: 09595 - 09598)



► SIP XD275, XD350

RUGGED FULL-FRAME DESIGN FOR ADDED PROTECTION

FITTED WITH HEAVY-DUTY PNEUMATIC TYRES FOR OUTSTANDING MOBILITY

POWERFUL DANFOSS GEAR PUMP FOR EFFICIENT FUEL TRANSFER

REMOTE SENSOR

FOR ACCURATE TARGET TEMPERATURE SETTING

EXTERNAL FUEL FILTER

FOR EASY MAINTENANCE & SERVICING

HEAVY-DUTY POWDER-COATED FINISH

FOR ADDED DURABILITY

IDEAL FOR HEATING LARGE-SIZED WORKSHOPS, GARAGE SPACES & WAREHOUSE AREAS



HEAVY-DUTY DANFOSS GEAR PUMP (ITEM NO: 09597 & 09598)



EXTERNAL FUEL FILTER (ITEM NO: 09597 & 09598)











FUEL PUMP INSTALLED

Item No	MODEL	FUEL	INPUT	HEAT OUTPUT	HEATING AREA	FUEL USAGE	FUEL TANK	WEIGHT	EX. VAT	INC. VAT
09594	SIP FIREBALL XD140	Diesel/Paraffin/Kerosene	230v	140,000 BTU/hr (41kW)	1060m³ (37,434ft³)	3.8ltr/hr	65ltr	28.7kg	£399.99	£479.99
09595	SIP FIREBALL XD175	Diesel/Paraffin/Kerosene	230v	175,000 BTU/hr (51kW)	1230m³ (43,437ft³)	4.8ltr/hr	65ltr	28.7kg	£449.99	£539.99
09596	SIP FIREBALL XD215	Diesel/Paraffin/Kerosene	230v	215,000 BTU/hr (63kW)	1500m³ (52,972ft³)	5.7ltr/hr	65ltr	28.7kg	£499.99	£599.99
09597	SIP FIREBALL XD275 Gear Pump	Diesel/Paraffin/Kerosene	230v	275,000 BTU/hr (80kW)	1930m³ (68,157ft³)	7.5ltr/hr	80ltr	38.8kg	£679.99	£815.99
09598	SIP FIREBALL XD350 Gear Pump	Diesel/Paraffin/Kerosene	230v	350,000 BTU/hr (105kW)	2460m³ (86,874ft³)	9.5ltr/hr	80ltr	38.8kg	£779.99	£935.99

DANFOSS FUEL PUMP INSTALLED

SIP PROFESSIONAL DIESEL/PARAFFIN/KEROSENE HEATERS

















HEAVY-DUTY CORROSION-RESISTANT STAINLESS STEEL CASING; DURABLE FOR LONGER LIFE

WHEEL KIT & HANDLE; EASY PORTABILITY

HEAVY-DUTY AIR PUMP; PROVEN TECHNOLOGY - LOW MAINTENANCE

EXTERNAL FUEL FILTER; FOR EASY MAINTENANCE





Item No	MODEL	FUEL	INPUT	HEAT OUTPUT	HEATING AREA	FUEL USAGE	FUEL TANK	WEIGHT	EX. VAT	INC. VAT
09041	SIP FIREBALL P660S	Diesel/Paraffin	230v (13A)	73,110 BTU/hr (21.4kW)	461m³ (16,400ft³)	2.1ltr/hr	17ltr	20kg	£449.99	£539.99
09043	SIP FIREBALL P1280S	Diesel/Paraffin	230v (13A)	131,512 BTU/hr (38.5kW)	900m³ (31,143ft³)	3.81ltr/hr	42ltr	30kg	£669.99	£803.99
09047	SIP FIREBALL P1645S	Diesel/Paraffin	230v (13A)	164,850 BTU/hr (49kW)	1154m³ (41,214ft³)	4.81ltr/hr	42ltr	39kg	£799.99	£959.99

REAR CONTROL PANEL WITH ON/OFF SWITCH & CONNECTOR FOR OPTIONAL FIREBALL THERMOSTAT; SEE BELOW







SHOCKPROOF POLYTHENE FUEL TANK; ANTI-CORROSIVE; EXTENDED LIFESPAN



SIP DIESEL/PARAFFIN/KEROSENE INFRARED HEATERS





Highly portable, ideal for garages and medium-sized workshops

INFRARED HEATING ELEMENTS; Direct Heating of People & Objects For Efficient Energy Use

HEAVY-DUTY POWDER-COATED FINISH FOR DURABILITY AND LONGER LIFE 5 LEVELS SAFETY FUNCTION: TIP-OVER SENSOR, OVERHEATING PREVENTION SENSOR, FLAME DETECTOR, AIR PRESSURE DETECTOR, MOTOR THERMAL PROTECTOR





Item No	MODEL	FUEL	INPUT	HEAT OUTPUT	FUEL USAGE	FUEL TANK	EX. VAT	INC. VAT
09311	SIP FIREBALL 74XRDT Infrared	Diesel/Paraffin	230v (13A)	70,000 BTU/hr (20kW)	1.4ltr/hr	12ltr	£449.99	£539.99
09312	SIP FIREBALL 1822 Infrared	Diesel/Paraffin	230v (13A)	120,000 BTU/hr (35.2kW)	3.44ltr/hr	40ltr	£999.99	£1199.99

HANDLE & WHEEL-MOUNTED FOR EASY MOVEMENT



Item No	MODEL	FUEL	INPUT	HEAT OUTPUT	FUEL USAGE	FUEL TANK	EX. VAT	INC. VAT
09296	SIP FIREBALL 1830 Infrared	Diesel/Paraffin	230v (13A)	88,294 BTU/hr (25.8kW)	2.04ltr/hr	43ltr	£1139.99	£1367.99
09156	SIP FIREBALL 1850 Infrared	Diesel/Paraffin	230v (13A)	155,737 BTU/hr (45kW)	3.6ltr/hr	65ltr	£1689.99	£2027.99





Slimline mobile dehumidifier with 5 operating modes

SIP 20 LITRE DEHUMIDIFIER

Our multi-purpose, portable unit is designed to effectively remove excessive air moisture from a variety of indoor spaces.

Featuring five operating modes, this dehumidifier functions to manage humidity levels across a variety of applications for year-round use.

Target Humidity Mode - sets the percentage humidity level to reduce moisture in the air

Air Clean Mode - ideal for removing travelling odours, the 2-speed fan can be adjusted for comfort

Auto Mode - this function sets the air humidity to equal the level in the room or space

Dry Clothes Mode - for quick & effective drying applications to draw moisture from clothes and fabrics

Defrost Mode - perfect for colder rooms and spaces, this setting can automatically engage to ensure a constant temperature

DEHUMIDIFYING RATE	20ltr/day (30°C 80%) / 10ltr/day (27°C 60%)
WATER TANK CAPACITY	6.5ltr
MAX. AIR FLOW	195m³/hr
GAS TYPE	Refrigerant R290 60g
LOW NOISE LEVEL	48dB(A)









Mobile air conditioning unit with 4 operating modes

SIP 4-in-1 AIR CONDITIONER

Designed to effectively circulate cool and hot air to maintain a consistent temperature in a variety of indoor spaces, including homes, offices and workshops.

Featuring four low noise operating modes, the 4-in-1 Air Conditioner can function as an air conditioner, dehumidifier, cooling fan and heater offering year-round application use.

AUTO-SWING FOR LARGER AIR COVERAGE

Heating mode - delivers an adjustable output of 8,000BTU/hr for max. temp of 31°C

Cool mode - offers an adjustable target temperature down to 15°C Dehumidifier mode - max. capacity of 1.2ltr/hr

 $\textbf{Fan mode} \ - \ operates \ as \ a \ cooling \ fan \ without \ engaging \ the \ climate \ control \ functions$

Remote control - allows the dehumidifier to be operated at distance for added user convenience

DEHUMIDIFYING CAPACITY	1.2ltr/hr (30°C 80%) / 0.6ltr/hr (27°C 60%)
COOLING CAPACITY	10,000 BTU/hr (2.9kW)
HEATING CAPACITY	8,000 BTU/hr (2.3kW)
MAX. AIR FLOW / AREA	380m³/hr / 18mtr³
GAS TYPE	Refrigerant R290 210g
LOW NOISE LEVEL	65dB(A)

 Item No: 05647

 £319.99
 EXVAT

 £383.99
 INC.VAT

1.5M EXPANDING AIR DUCT WITH FAN TAIL & WINDOW ADAPTOR



TO PLACE AN ORDER: 📞 01509 500500



SIP AIR VENTILATORS & DUCTING SIP FLOOR FANS AND WHEEL MOUNTED DRUM FANS

You Tube



Supply air ventilation for a wide range of industries; workshops, below ground applications, loft spaces etc.

Efficiently remove odours and stale air from the work areas.

SCAN HERE HEAVY-DUTY CONSTRUCTION EFFECTIVE INTAKE SUCTION FOR LARGE AIR VOLUME FRONT & REAR SAFETY GRILLES FOR ADDITIONAL PROTECTION 05645 05641

SIP Ventilator Ducting

Supplied in 5mtr (10" & 12") & 10mtr (16") lengths, multiple sections can be joined together.

- Concertina design for easy storage
- Heavy-duty PVC construction





Item No	MODEL	INPUT SUPPLY	MOTOR POWER	FAN Ø	FAN SPEED	AIR FLOW (max)	NOISE LEVEL	EX. VAT	INC. VAT
05641	SIP 10" Ventilator	230v	300w	10" (250mm)	2800rpm	2700m³/hr	66dB(A)	£119.99	£143.99
05643	SIP 12" Ventilator	230v	500w	12" (300mm)	2800rpm	3900m³/hr	69dB(A)	£134.99	£161.99
05645	SIP 16" Ventilator	230v	1100w	16" (400mm)	2800rpm	7200m³/hr	79dB(A)	£349.99	£419.99



Item No	MODEL	INPUT SUPPLY	MOTOR	FAN Diameter	NO. OF SPEEDS	SPEED RANGE	NOISE LEVEL	EX. VAT	INC. VAT
05633	SIP 18" Heavy-Duty Oscillating Pedestal Fan	230v (13A)	100w	457mm (18")	3	900 / 1100 / 1300rpm	66dB(A)	£99.99	£119.99
05613	SIP 20" Heavy-Duty Floor Fan	230v (13A)	111w	508mm (20")	3	850 / 1100 / 1350rpm	75dB(A)	£74.99	£89.99
05635	SIP 20" Heavy-Duty Orbital Floor Fan	230v (13A)	120w	508mm (20")	3	900 / 1100 / 1300rpm	68dB(A)	£99.99	£119.99
05637	SIP 24" Heavy-Duty Drum Fan	230v (13A)	120w	609mm (24")	3	900 / 1100 / 1300rpm	67dB(A)	£159.99	£191.99
05639	SIP 30" Heavy-Duty Drum Fan	230v (13A)	123w	762mm (30")	2	850 / 950rpm	73dB(A)	£229.99	£275.99
05640	SIP 30" Heavy-Duty Drum Fan - 110v	110v (16A)	120w	762mm (30")	2	850 / 950rpm	72dB(A)	£249.99	£299.99
05636	SIP 30" Industrial Drum Fan	230v (13A)	315w	762mm (30")	2	880 / 960rpm	84dB(A)	£289.99	£347.99
05638	SIP 36" Industrial Drum Fan	230v (13A)	410w	915mm (36")	2	860 / 950rpm	84dB(A)	£339.99	£407.99

SIP 12V PROFESSIONAL AGM BOOSTER PACKS



AGM (ABSORBENT GLASS MAT) **BOOSTER PACKS**

ADVANTAGES:

- · Purpose-designed & manufactured batteries: high cranking rate
- Robust ABS casing: shockproof
- · Quality leads & clamps: increased performance
- · Proven technology: reliability

- Reverse polarity alarm: audible alert for workshop environments
- 12V DC power take-off: powers devices direct from the booster



SIP Rescue Pac 1600

- Rechargeable AGM portable rescue pack for boost starting cars
- 12v DC portable power supply power devices direct from the booster
- · LED charge rate indication
- Rugged, durable design
- 12 month warranty on maintained batteries only



SIP Pro Boosters 2512, 2513 & 3100



- Rechargeable AGM portable professional booster for boost starting cars
- 12v DC portable power supply power devices direct from the booster
- Copper-cored cables and heavy-duty clamps for increased performance
- · LED charge rate indication
- · Robust ABS casing durable and shockproof

- Supplied with mains charger (07165)
- Supplied with mains FAST charger (07172 & 07173)
- 12 month warranty on maintained batteries only







ITEM No.	03936	07165	07172	07173
MODEL	SIP Rescue Pac 1600 12v	SIP Pro Booster 2512 12v	SIP Pro Booster 2513 12v	SIP Pro Booster 3100 12v
BOOST PEAK RATE	1600A	2500A	2500A	3100A
CRANKING/START RATE	700A	850A	1000A	1170A
BATTERY VOLTAGE	12v	12v	12v	12v
BATTERY CAPACITY	True 22Ah	True 22Ah	True 22Ah	True 25Ah
OUTPUT SOCKET	12v DC	12v DC	12v DC	12v DC
PROTECTION	-	Reverse polarity	Reverse polarity	Reverse polarity
FREQUENT USAGE WITH				
EX. VAT	£179.99	£299.99	£319.99	£379.99
INC VAT	£215.00	£350 00	£383 00	£455.00

SIP Rescue Pac 3000

- Rechargeable AGM portable rescue pack for boost starting cars & trucks
- 2x 12v DC portable power supply power devices direct from the booster
- · LED charge rate indication
- · Rugged, durable design
- Heavy-duty leads and clamps and rear storage hooks





SIP Pro Boosters 5024, 6200 & 6400

- Rechargeable AGM portable professional booster for boost starting cars & trucks
- 12v DC portable power supply power devices direct from the booster
- Copper-cored cables and heavy-duty clamps for increased performance
- Digital voltmeter

07192






Pro Booster 5024







Safety fuse protection

Robust ABS casing

- Extendible handle and wheels (07178)

Supplied with mains <u>FAST</u> charger



ITEM No.	03937	07192	07174	07178
MODEL	SIP Rescue Pac 3000 12v/24v	SIP Pro Booster 5024 12v/24v	SIP Pro Booster 6200 12v/24v	SIP Pro Booster 6400 12v/24v
BOOST PEAK RATE	3000A (12v) / 1500A (24v)	5000A (12v) / 2500A (24v)	6200A (12v) / 3100A (24v)	6400A (12v) / 3200A (24v)
CRANKING/START RATE	1200A (12v) / 600A (24v)	1680A (12v) / 840A (24v)	1880A (12v) / 940A (24v)	3050A (12v) / 1525A (24v)
INTERNAL BATTERY VOLTAGE	12v / 24v	12v / 24v	12v / 24v	12v / 24v
BATTERY CAPACITY	True 2x 22Ah	True 2x 22Ah	True 2x 25Ah	True 2x 33Ah
OUTPUT SOCKET	2x 12v DC	12v DC	12v DC	12v DC
PROTECTION	Reverse polarity alarm & indication	Reverse polarity alarm & indication	Reverse polarity alarm & indication	Reverse polarity alarm & indication
FREQUENT USAGE WITH				
EX. VAT	£309.99	£829.99	£1069.99	£1189.99
INC. VAT	£371.99	£995.99	£1283.99	£1427.99

SIP PROFESSIONAL HYBRID & CAPACITOR BOOSTER PACKS



HYBRID (AGM/CAPACITOR) **BOOSTER PACKS**

ADVANTAGES:

- Hybrid Capacitor / AGM battery design: Increased cranking duration via AGM battery - high current capacitor boost
- · Lighter weight: compared to normal AGM packs (9 13kg)
- Longer AGM battery life: capacitors provide engine crank AGM battery charges capacitors
- Reverse polarity alarm
- 12V DC power take-off powers devices direct from the booster



SIP SC Pro Hybrid Boosters 3, 5 & 7

- Hybrid Design; Increased cranking duration via AGM battery & high current capacitor boost
- 12v DC portable power supply power devices direct from the booster
- · LED charge rate indication
- · Heavy-duty cables & clamps
- · Lightweight & compact design
- Supplied with fully automatic charger







ITEM No.	07130	07132	07134
MODEL	SIP SC Pro Booster Hybrid 3 12v	SIP SC Pro Booster Hybrid 5 12v	SIP SC Pro Booster Hybrid 7 12v
BOOST PEAK RATE	3500A (12v)	3600A (12v)	8000A (12v)
CRANKING/START RATE	1200A (12v)	1400A (12v)	1500A (12v)
CAPACITORS	6x 600F Ultra-capacitors	6x 600F Ultra-capacitors	5x 1500F Ultra-capacitors
BATTERY CAPACITY	True 15Ah*	True 22Ah*	True 15Ah*
OUTPUT SOCKET	12v DC	12v DC	12v DC
PROTECTION	Safety Fuse	Safety Fuse	Safety Fuse
WEIGHT	9.5kg	13.6kg	12.6kg
FREQUENT USAGE WITH	200		
EX. VAT	£359.99	£479.99	£749.99
INC. VAT	£431.99	£575.99	£899.99

^{*12} month warranty on AGM battery only

CAPACITOR (ULTRA-CAPACITOR) HAND-HELD BOOSTER PACKS

ADVANTAGES:

- Lightweight capacitor energy cell

- No internal battery: maintenance-free

· Ready for use in as little as 140 seconds



SIP 600A, 1000A & 1600A Capacitor Boosters

- Boost-start small and large engines, including cars, vans, tractors and machinery.
- Uses a lightweight, compact energy cell which offers reliable performance without the weight of a typical battery booster or the need to jump-start from another vehicle battery.
- Easy to use and maintenance-free, they are ready to boost in around two minutes.



ITEM No.	07001	07003	07005	
MODEL	SIP 600A 12v Capacitor Booster	SIP 1000A 12v Capacitor Booster	SIP 1600A 12v Capacitor Booster	
BOOST PEAK RATE	600A	1000A	1600A	
CRANKING/START RATE	300A You Tube	500A You Tube	800A You Tube	
INPUT	> 6v DC	> 6v DC	> 6v DC	
OUTPUT	12v Engine Start	12v Engine Start	12v Engine Start	
CAPACITOR CHARGE TIME (based on 70Ah battery)	60sec SCAN HERE	90sec SCAN HERE	140sec SCAN HERE	
WEIGHT	0.68kg	1kg	1.75kg	
FREQUENT USAGE WITH	6	200		
EX. VAT	£99.99	£139.99	£179.99	
INC. VAT	£119.99	£167.99	£215.99	



CAPACITOR (ULTRA-CAPACITOR) PRO BOOSTER PACKS

ADVANTAGES:

- · High current superconductor design
- · No internal battery: maintenance-free
- Fast recharge: 15 seconds from a running vehicle
- · Unlimited shelf life

- High quality leads & clamps: for increased performance
- Long product lifespan: over 1 million life cycles
- Lightweight: range from 4 to 20kg





SIP SC Pro Boosters 4000, 8000, 9800 (12v)

- Rechargeable capacitor professional booster high current superconductor design suitable for boosting cars and small vans
- · LED charge rate indication

07103

• ON/OFF switch and built-in safety fuse on positive clamp








0

07104

SC Booster 8000



- Rechargeable capacitor professional booster high current, superconductor design suitable for boosting cars and HGV's
- Digital voltmeter



Lightweight & compact designSupplied with fully automatic charger

 Extendible handle and wheels (07106)











					POZ SA POJEBNA
ITEM No.	07101	07103	07104	07107	07106
MODEL	SIP SC Pro Booster 4000 12v	SIP SC Pro Booster 8000 12v	SIP SC Pro Booster 9800 12v	SIP SC Pro Booster 18000 12v/24v	SIP SC Pro Booster 18002XP 12v/24v
BOOST PEAK RATE	4000A	8000A	9800A	18000A (12v) / 9000A (24v)	18000A (12v) / 9000A (24v)
CRANKING/START RATE	1200A	1400A	2200A	4400A (12v) / 3400A (24v)	4400A (12v) / 3400A (24v)
CAPACITORS	12x 600F Ultra-capacitors	18x 800F Ultra-capacitors	6x 3400F Ultra-capacitors	10x 3400F Ultra-capacitors	10x 3400F Ultra-capacitors
PROTECTION	Reverse polarity alarm & indication	Reverse polarity alarm & indication			
WEIGHT	3.8kg	5kg	9.75kg	14.7kg	20.2kg
FREQUENT USAGE WITH					
		0-00-0	U-10 10-10 L	10 10 kg -0-10 10 10 10 10 10 10 10 10 10 10 10 10 1	**************************************
FY VAT	£440 00	£579 99	£899 99	£1099 99	£1199 99

SC Booster 9800

SIP BATTERY CHARGERS





SIP CHARGESTAR Smart 18 Battery Charger & Maintainer

03981

- · 230v (13A) input supply 3-stage charge programme: WET, AGM and GEL batteries
- 6v / 12v charging voltages 40 to 160Ah rated battery capacity
- 100% rated output
- · Fast / deep charge mode
- · 12A max. charging current
- Overcharge / short circuit protection



SIP CHARGESTAR 2DV Multi-Stage Charger

- 230v (13A) input supply
- 40w power
- 6v / 12v charging voltages
- 2A max, rated voltage
- 1.2 14Ah @ 6v / 1.2Ah 100Ah 12v

SCAN HERE

- 7-stage charging cycleIP65 rating
- 3x adaptor leads
- · Reverse polarity protection















- 12v / 24v dual charging voltage
- 85Ah (05530 P24) / 110Ah (05531 P32) max. rated battery capacity
- 2 powerful charging rate settings
- 8.5A rated output / 12.5A max. rated output (05530 P24) 11A rated output / 16A max. rated output (05531 - P32)
- Heavy-duty charge leads and clips
- Reliable reverse polarity protection
- · Integrated ammeter for clear levels
- · Perfect for garages and workshops



£319.99 EX.VAT

£383.99







13A 230v



Item No: 05531 £129.99 FX.VAT £155.99

CALCIUM

START STOP





- · Plugs into SIP Battery Tester T11
- Scan barcodes to print them directly to receipts



TO PLACE AN ORDER: (C) 01509 500500



SIP ADVANCED BATTERY CHARGERS

GX ADVANCED BATTERY CHARGERS

The GX is the ultimate battery charging, support and diagnostic tool. Combine intelligent charging, maintenance, supply, reconditioning and testing into one simple process with these easy-to-use wall-mountable Advanced Battery Chargers.

CHARGER FEATURES

MULTI-STEP MICROPROCESSOR CONTROLLED CHARGING

AUTOMATIC MAINTENANCE MODE

CAN-BUS COMPATIBLE (EXCEPT 03574)

RECONDITIONED MODE

SUPPLY MODE

TEST MODE

LEAD MODE

LITHIUM MODE

EXTENDS BATTERY LIFE

SPARK PROTECTED

ENERGY EFFICIENT



DIGITAL INTERFACE CLEAR AND EASY-TO-USE



ALL LEAD ACID

THE STATE OF ST











EASY-TO-USE & WALL-MOUNTABLE





ITEM No.	03572	03573	03574
MODEL	Advanced Battery Charger GX5	Advanced Battery Charger GX10	Advanced Battery Charger GX15
VOLTAGE	12v	12v	12/24v
AMPS	5A	10A	15A
CHARGING STEPS	8	10	10
INPUT VOLTAGE V/Hz	110-240v @ 50-60Hz	230v @ 50-60Hz	230v @ 50-60Hz
CABLE LENGTH	180cm	200cm	200cm
Can-Bus COMPATIBLE	✓	✓	x
RECONDITIONED MODE	✓	✓	✓
ACCESSORIES	Quick connector, clamps, eyelets, 12V DC car adaptor	Quick connector, clamps, eyelets, 12V DC car adaptor	Quick connector, clamps, eyelets
IP RATING	65	65	20
USAGE			
USAUE			
EX. VAT	£59.99	£129.99	£179.99
INC. VAT	£71.99	£155.99	£215.99



SIP CHARGESTAR D15 & D40 DIGITAL BATTERY CHARGERS

Powerful and portable digital battery chargers, designed for charging all types of lead acid batteries. Featuring an intelligent microprocessor with automatic charging cycles, this range makes battery charging easier, faster and safer.



- Designed for both 12v & 24v Lead Acid batteries
- Battery type auto-detect intelligently recognises 12v or 24v versions
- Powerful and portable solutions, suitable for car and commercial vehicles
- Features microprocessor controlled automatic charging cycles
- Built-in safety & protection features to maximise user safety







ITEM No.	03506	03556
MODEL	SIP CHARGESTAR D15	SIP CHARGESTAR D40
INPUT SUPPLY	220-240v AC, 50-60Hz, 220w MAX.	220-240v AC, 50-60Hz, 750w MAX.
CHARGING VOLTAGE	12v	12v/24v
MAX. CHARGING CURRENT	15A	40A (@12v) / 20A (@24v)
CHARGING STEPS	6	8
BATTERY TYPE AUTO DETECT	Х	✓
INTELLIGENT MICROPROCESSOR	✓	✓
ALTERNATOR TEST FUNCTION	Х	✓
RECONDITIONED MODE	✓	✓
REVERSE POLARITY PROTECTION	√	✓
IP RATING	20	20
USAGE		
EX. VAT	£69.99	£139.99



SIP STARTMASTER DIGITAL STARTER/CHARGERS



Powerful bench-top and wheel mounted digital starter chargers, designed for charging and boosting both Lead Acid and Lithium-Ion batteries types.

- Low 1v voltage detection improves likelihood of recovering batteries unwilling to power
- Automatically diagnoses battery condition and voltage before beginning a charging cycle
- Battery type auto-detect intelligently recognises 12v or 24v versions
- Features microprocessor controlled automatic charging cycles



ITEM No.	03584	03585	03586	03587
MODEL	SIP STARTMASTER DSC200B	SIP STARTMASTER DSC250B	SIP STARTMASTER DSC350B	SIP STARTMASTER DSC600B
INPUT SUPPLY	230v 50Hz	230v 50Hz	230v 50Hz	230v 50Hz
BATTERY VOLTAGE	6v/12v/24v	12v/24v	12v/24v	12v/24v
FUNCTIONS		10 Stage Charging	g, Boost & Support	
		JUMP	START	
START VOLTAGE	> 1V	> 1V	> 1V	> 1V
START INPUT (5sec)	20A (4.5kW)	26A (6kW)	32A (7.5kW)	44A (10kW)
RECOMMENDED PLUG (not supplied)	230v (32A)	230v (32A)	230v (32A)	230v (63A)
MAX. START CURRENT	200A	280A	400A	620A
		CHAF	RGING	
BATTERY TYPES	All 6v/12v/24v Lead-acid 12v 4-cell Lithium-Ion LiFeP04	All 12v/24v Lead-acid 12v 4-cell Lithium-Ion LiFeP04	All 12v/24v Lead-acid 12v 4-cell Lithium-lon LiFeP04	All 12v/24v Lead-acid 12v 4-cell Lithium-Ion LiFeP04
CHARGING INPUT CONTINUOUS	4A (1000W)	4A (1000W)	5A (1400W)	8A (2000W)
RECOMMENDED PLUG (not supplied)	230v (13A)	230v (13A)	230v (13A)	230v (13A)
CHARGING CURRENT	5A (6v) / 10A (12v) / 10A (24v)	5A - 15A (12v & 24v)	5A - 20A (12v & 24v)	10A - 30A (12v & 24v)
BOOST CHARGING CURRENT (5min max.)	25A (6v) / 25A (12v) / 20A (24v)	25A	35A	50A
BATTERY CAPACITY	350Ah	350Ah	350Ah	550Ah
CHARGE USAGE				
EX. VAT	£209.99	£289.99	£349.99	£549.99
INC. VAT	£251 99	£34799	£419 99	£659.99

SIP CHARGERS & STARTER CHARGERS

SIP STARTMASTER P300 Starter Charger

- 230v (13A) input supply
- 12v charging voltage
- 150A max. boost rate
- 150Ah max. battery capacity
- 20A max, charging current
- 2 different charge rate settings
- · Ideal for workshops and garages











- Short circuit/overload protections

- Reverse polarity protection
- BOOST START JUMP START YOUR CAR



SIP STARTMASTER P440 Starter Charger

- 230v (13A) input supply
- 12v/24v charging voltages
- 220A max. boost rate

MADE IN

- 180Ah max. battery capacity
- 33A max. charging current
- Ideal for workshops and garages
- Clear and easy-to-read ammeter
- Short circuit / overload protections
- 2 different charge rate settings BOOST START JUMP START YOUR CAR

13A 230v



ALL LEAD ACID

£199.99 EX.VAT £239.99

£827.99

SIP PROFESSIONAL STARTMASTERS

Wheel-mounted professional battery starter/chargers, suitable for professional-grade applications and tradespeople.

Tough, wheel-mounted steel case for added durability. Supplied with heavy-duty charge leads

BOOST START - JUMP START YOUR CAR

and crocodile clips.











ITEM No.	05534	05536	05537	05538	05539
MODEL	SIP STARTMASTER PW520	SIP STARTMASTER PW600	SIP STARTMASTER PW760	SIP STARTMASTER PWT1000	SIP STARTMASTER PWT1400
INPUT SUPPLY	230v 50Hz	230v 50Hz	230v 50Hz	230v 50Hz	230v 50Hz
BATTERY VOLTAGE	12/24v	12/24v	12/24v	12/24v	12/24v
FUNCTIONS		3 Charge Settings & Boost		6 Charge Set	tings & Boost
			JUMP START		
START INPUT	5.8kW	6.3kW	8.5kW	11.2kW	15.2kW
RECOMMENDED PLUG (not supplied)	230v (32A)	230v (32A)	230v (32A)	230v (63A)	230v (63A)
MAX. START CURRENT (fully discharged battery)	260A	300A	380A	500A	700A
			CHARGING		
RECOMMENDED PLUG (not supplied)	230v (13A)	230v (13A)	230v (13A)	230v (13A)	230v (13A)
MAX. CHARGING CURRENT	42A (12v) / 21A (24v)	45A (12v) / 22.5A (24v)	57A (12v) / 28.5A (24v)	68A (12v) / 34A (24v)	90A (12v) / 45A (24v)
MAX. BATTERY CAPACITY	200Ah	280Ah	340Ah	370Ah	400Ah
CHARGE USAGE					
EX. VAT	£309.99	£334.99	£419.99	£537.99	£689.99







01936	01938	01940
SIP Variable Speed Cast Iron Midi Wood Lathe	SIP 12"x 36" Swivel Head Wood Lathe	SIP 14"x 43" Swivel Head Wood Lathe
230v (13A)	230v (13A)	230v (13A)
550w (0.75hp)	550w (0.75hp)	750w (1hp)
500 - 3500rpm (variable)	500 - 2000rpm (variable)	500 - 2000rpm (variable)
432mm	900mm	1100mm
305mm	300mm	350mm
3/4" x 16TPI	¾" x 16TPI	3/4" x 16TPI
32kg	77kg	130kg
-	-	Cast iron leg stand included
£399.99	£549.99	£799.99
	SIP Variable Speed Cast Iron Midi Wood Lathe 230v (13A) 550w (0.75hp) 500 - 3500rpm (variable) 432mm 305mm 34" x 16TPl 32kg -	SIP Variable Speed Cast Iron Midi Wood Lathe SIP 12"x 36" Swivel Head Wood Lathe 230v (13A) 230v (13A) 550w (0.75hp) 550w (0.75hp) 500 - 3500rpm (variable) 500 - 2000rpm (variable) 432mm 900mm 305mm 300mm ¾"x16TPl ¾"x16TPl 32kg 77kg - -

25



SIP 10" Sliding Compound Mitre Saw with Laser

- Input voltage: 230v (13A) Heavy-duty, high torque 2kW (2.7hp) motor
- Belt-drive for powerful and smooth performance Sliding action for extended range
- · Laser for greater cutting accuracy
- · Adjustable depth stop tenoning & trenching tasks
- Dust collection bag
- · No load blade speed: 5500rpm
- High quality Ø 254mm Ø x 30mm bore x 40TCT saw blade
- Mitre Table Angles: -45° / 0° / +45°
- Bevel Angles: Up to 45° (Left & Right)
- · Cutting Capacity:

Straight Cut at 0°x 0°: 340mm x 80mm Mitre Cut at 45°x 0°: 240mm x 80mm Bevel Cut at 0°x 45°: 340mm x 50mm











SIP 12" Sliding Compound Mitre Saw with Laser

- Input voltage: 230v (13A) Heavy-duty, high torque 1.8kW (2.4hp) motor
- Belt-drive for powerful and smooth performance Sliding action for extended range
- · Laser for greater cutting accuracy
- Adjustable depth stop tenoning & trenching tasks
- · Dust collection bag
- No load blade speed: 3800rpm
- High quality Ø 305mm x 30mm bore x 40TCT
- Mitre Table Angles: -45° / 0° / +45°
- Bevel Angles: Up to 45° (Left & Right)
- Cutting Capacity:













SIP 10" Table Saw with Stand

- 230v (13A) input supply
- Powerful 1.8kW (2.4hp) motor
- Large versatile cutting capacities: 65mm depth of cut @ 45° 85mm depth of cut @ 90°
- 5000rpm no-load blade speed
- 2x side extensions, 940 x 640mm
- 0° to 45° full blade tilting capability
- 'Quick-Lock' length rip fence

- Mitre guide and push stick included
- Built-in 35mm dust extraction port
- · Rise and fall tilting arbor
- Integrated NVR switch









UNIQUE

_ _ 13A 230v





Eliminate sawdust from indoor wood cutting tasks. An innovation for professionals working in domestic or commercial premises, the 2-in-1 Table Saw features an integrated dust extractor which collects up to 95% of the sawdust it creates.

An extendable cutting table and adjustable tilting saw blade add greater versatility to the job, whilst a compact all-in-one design allows the saw to be easily transported between work sites.

- Integrated Dust Extractor
- Versatile Cutting Capacity
- **Extendable Cutting Table**
- **Outstanding Portability**



Integrated dust extractor with easy-change collection bag





Compact all-in-one unit can be easily moved between jobs - WEIGHS ONLY 16KG






1000W (EXTRACTOR)

2 MOTORS





SIP 2-in-1 Table Saw



- INDOOR WOOD CUTTING! - CLEAN WORK AREA! - LESS MESS!



- **Skirting boards**
- **Architrave**
- **Panelling**
- Floor boards
- **Wood, MDF composites** & laminates

SIP Wheel Kit

£99.99

£119.99

- Designed to position and manoeuvre woodworking machines around the workshop

· Ideal for environments requiring added workspace flexibility





SIP PROFESSIONAL COMPACT 10" CAST IRON TABLE SAW

Compact design for smaller footprint in the workshop, helping to minimise lost floor space

- Sliding carriage (sold separately) offers added stability and woodcutting accuracy
- Extendable table area 635mm x 1000mm
- Cast iron table, adjustable blade height & tilt, mitre setting, fence & extraction port
- Table size: 635mm(D) x 420mm(W) (with extension table) 635mm(D) x 1000mm(W)
- Saw blade: bore size 254mm, Ø30mm
- Powerful 2200W (3hp) 230v induction motor
- Blade speed 4000rpm
- Max. depth of cut 80mm @ 90°
- Max. depth of cut 65mm @ 45°
- Cutting width (with extension table) 750mm
- Table Dimension 1450 x 1000 x 1000mm
- Net Weight (including floor stand) 107kg








- Compatible with: 01332, 01444, 01445, 01446 & 01456







- 230v (16A) input supply
- Powerful 3000w (4hp) induction motor
- Accurate 0° 45° arbour with blade lock
- Fine adjustment saw blade rise and fall with lock
- Maximum depth of cut: 80mm @ 45° / 100mm @ 90°
- 12" TCT blade supplied as standard
- 'T' slotted heavy-duty cast mitre guide and push stick included
- Quick adjust rip fence with 'Quick-lock' micro adjust
- 100mm Ø dust extraction outlet
- · Cabinet stand included

Item No: 01448
REAR EXTENSION TABLE
FOR 12" TABLE SAW
£87.19 EXMAT
£104.63 INC.VAT



SIP WOOD BANDSAWS / SCROLL SAW / BISCUIT JOINTER



SIP Premium 10" Wood Bandsaw

- Solid cast steel table for accurate cutting 350 x 330mm
- 0° 45° tilting table
- Steel frame construction
- 230v (13A) input supply
- Powerful 370w (0.5hp) motor
- 245mm throat width
- 100mm max. cutting height
- 1750mm blade length
- 6 13mm blade width
- 1 speed 13mtr/sec
- · Fully adjustable blade tensioning
- Integrated rip fence and bearing guide
- Mitre gauge

13A 230v

£329.99 EX.VAT

£395.99

SOLID CAST

STEEL TABLE & STAND INCLUDED

- 100mm dust extraction outlet
- Magnetic NVR switch



SIP PROFESSIONAL 12" Wood Bandsaw

- Solid cast steel table for accurate cutting 400 x 500mm
- 0° 45° tilting table
- · Steel frame construction
- 230v (13A) input supply
- Powerful 750w (1hp) motor
- 300mm throat width
- 175mm max. cutting height
- 2240mm blade length
- 6 15mm blade width
- 2 speed 6mtr/sec, 12mtr/sec
- · Fully adjustable blade tensioning
- Integrated rip fence and bearing guide
- Mitre gauge

13A 230v

£719.99

- 100mm dust extraction outlet
- Magnetic NVR switch





SIP 16" Scroll Saw with Flexi-Drive Shaft



- 90w motor
- Flexible work light

EX.VAT

£203.99



SIP Biscuit Jointer

- 230v (13A) input supply
- Powerful 900w (1.2hp) motor
- 35mm max. cutting depth: 00 / 10 / 20 depth adjustments
- Adjustable 0° to 90° tilting fence
- · Plastic guard protects surfaces
- · Ideal for biscuit insertion/joints
- · Integrated dust extraction bag
- Supplied in blow-moulded case Solid and durable construction
- · Lightweight weighs 3.2kg!



£49.99 EX.VAT £59.99



SIP PROFESSIONAL 14" Wood Bandsaw

Heavy-Duty

- Large 535 x 435mm solid cast steel 0° - 45° tilting table
- 230v (13A) input supply
- Powerful 1500w (2hp) motor
- 355mm throat width
- 235mm max. cutting height
- 2750mm blade length
- 6 25mm blade width
- 2 speeds 8mtr/sec, 14mtr/sec
- Rack & pinion rise and fall
- · Fully adjustable blade tensioning
- · Integrated rip fence with bearing guide
- Heavy-duty cast mitre fence
- Cast mitre guage
- Dust extraction
- Magnetic NVR switch
- Stand included

SIP PROFESSIONAL 16" Wood Bandsaw

Heavy-Duty

- Large 535 x 435mm solid cast steel
 0° 45° tilting table
- 230v (13A) input supply
- Powerful 2200w (2hp) motor
- 405mm throat width
- 254mm max. cutting height
- 3345mm blade length
- 10 25mm blade width

- 2 speeds 7mtr/sec, 14mtr/sec
- Rack & pinion rise and fall
- · Fully adjustable blade tensioning
- Integrated rip fence with bearing guide
- · Heavy-duty cast mitre fence
- Cast mitre gauge
- Dust extraction
- Magnetic NVR switch













RIP FENCE WITH BEARING GUIDE







RIP FENCE WITH BEARING GUIDE

П	Item No	DESCRIPTION	EX. VAT	INC. VAT
н				
п	09440	SIP Bandsaw Blade - 1750 x 6.3 x 0.35mm 6TPI (for 01475)	£11.99	£14.39
1	09442	SIP Bandsaw Blade - 1750 x 9.5 x 0.35mm 6TPI (for 01475)	£12.99	£15.59
ı	09444	SIP Bandsaw Blade - 1750 x 12.7 x 0.52mm 4TPI (for 01475)	£15.29	£18.35
ı	09446	SIP Bandsaw Blade - 2240 x 6.3 x 0.35mm 6TPI (for 01477)	£13.99	£16.79
ı	09448	SIP Bandsaw Blade - 2240 x 9.5 x 0.52mm 6TPI (for 01477)	£16.39	£19.67
П	09450	SIP Bandsaw Blade - 2240 x 12.7 x 0.52mm 4TPI (for 01477)	£17.49	£20.99
П	06925	SIP Bandsaw Blade - 2750 x 6 x 0.25mm 6TPI (for 01444)	£33.79	£40.55
1	06930	SIP Bandsaw Blade - 2750 x 12 x 0.65mm 6TPI (for 01444)	£19.99	£23.99
1	06927	SIP Bandsaw Blade - 2750 x 19 x 0.80mm 6TPI (for 01444)	£31.59	£37.91
	06931	SIP Bandsaw Blade - 2750 x 25 x 0.9mm 4TPI (for 01444)	£35.99	£43.19
ı	06932	SIP Bandsaw Blade - 3345 x 13 x 0.65mm 6TPI (for 01445)	£22.89	£27.47
1	06933	SIP Bandsaw Blade - 3345 x 25 x 0.9mm 4TPI (for 01445)	£42.49	£50.99
	06849	SIP Assorted Scroll Saw Blades - 10 pack (for 01947)	£12.99	£15.59



SIP PLANERS / THICKNESSERS / SANDERS



Supplied with 2 large aluminium adjustable sanding tables and one mitre guide for

increased accuracy

Dust extraction/collection

SIP 8" x 5" Planer Thicknesser

- 230v (13A) input supplyPowerful 1500w (2hp) motor
- 9000rpm cutter block speed
- 204mm planer width
- 740mm table length
- 2.5mm max. cutting depth
- 90 135° fence tilt
- THICKNESSING:
- 5 120mm timber size thicknessing
- 204mm max. timber width6.4mtr/min feed speed
- · 2mm max. depth of cut
- Fitted with dust extraction port



SIP 10" x 5" Planer Thicknesser

- 230v (13A) input supply
- Powerful 1500w (2hp) motor
- 9000rpm cutter block speed
- · 252mm planer width
- 920mm table length
- 2.5mm max. cutting depth
- 90 135° fence tilt

THICKNESSING:

- 5 120mm timber size thicknessing
- · 252mm max. timber width
- 6.4mtr/min feed speed
- · 2mm max. depth of cut
- Fitted with dust extraction port

SIP 4" x 8" Belt/Disc Sander

- 230v (13A) input supply
- Powerful 500w motor
- 0° to 45° disc workable tilt
- 0° to 90° belt tilt
- 100 x 914mm sanding belt, 200mm sanding disc

- fast belt changes









BUILT-IN DUST EXTRACTION



750w (1hp) brushless motor 150 x 1220mm (6" x 48") belt size 250mm (10") disc size

SIP 6" x 10" Belt/Disc Sander

- 0° to 45° disc workable tilt
- 0° to 90° belt tilt

- 230v (13A) input supply

- 2980rpm disc speed
- · 470mtr/min belt speed
- Supplied with 2 adjustable sanding tables and mitre guide



- 230v (13A) input supplyPowerful 800w S1 motor
- 305mm (12") disc size
- · 1490rpm disc speed · Grit 60 sanding disc

£199.99

£239.99

EX.VAT


- 410 x 175 x 25mm table working area
- 0 45° downwards table tilt
- 0 60° (both directions) mitre gauge





EX.VAT





SIP BENCH MORTICERS

SIP Heavy-Duty Bench Morticer

- 230v (13A) input supply - 750w (1hp) motor

• 1400rpm speed • 210mm chisel stroke



- 230v (13A) input supply 340 x 150mm table size
- 370w (0.5hp) motor
- 1400rpm speed
- 76mm chisel stroke
- 6 12mm (1/4" 1/2") chisel capacity
- 65mm max. chisel
 - to fence
 - 3/4" standard bush size
 - · Cast iron construction

SIP Bench Morticer with Sliding Table

- 230v (13A) input supply 100mm max. chisel
- 370w (0.5hp) motor
- · 1400rpm speed
- · 130mm chisel stroke
- 6 16mm (1/4" 5/8") chisel capacity
- Table movement: 100mm (lateral) /

£429.99 EX.VAT







NVR SWITCH

• 6 - 26mm (1/4" - 1") width chisel capacity · Cast iron construction · Table movement:

145mm (longitúdinal)

with Cabinet

- 210mm max. chisel

to table

· Cabinet stand



SCAN HERE



£869.99 £1043.99

NVR SWITCH













TO PLACE AN ORDER: (III) WWW.sip-group.com



Item No	01923	01963	01968	01969	01954	01956
MODEL	SIP 50Ltr Dust & Chip Collector	SIP 1HP Portable Single Bag Dust Collector	SIP Single Bag Dust Collector c/w Floor Attachment	SIP 1HP Single Bag Dust Collector c/w Floor Attachment	SIP 2HP Single Bag Dust Collector	SIP 3HP Double Bag Dust Collector
INPUT SUPPLY	230v (13A)	230v (13A)	230v (13A)	230v (13A)	230v (13A)	230v (16A)
MOTOR TYPE	1100w (brushed)	750w (brushless induction)	550w (brushless induction)	750w (brushless induction)	1500w (brushless induction)	2200w (brushless induction)
MAX. AIR FLOW VOLUME	183m³/hr	850m³/hr	1200m³/hr	850m³/hr	2500m³/hr	3900m³/hr
FAN DIAMETER	80mm	230mm	230mm	230mm	300mm	305mm
CAPACITY	50ltr	56ltr	57ltr	57ltr	153ltr	2x 153ltr
INLET DIAMETER	100mm	100mm	100mm	100mm	1x 125mm or 2x 100mm	1x 150mm or 3x 100mm
FILTRATION	0.5 micron (cartridge)	5 micron (bag)	5 micron (bag)	5 micron (bag)	5 micron (bag)	2x 5 micron (bag)
ADDITIONAL Features	5 PIECE ADAPTOR 2mtr Hose Cartridge & Paper Bag Filtration	COMPACT WHEEL-MOUNTED CHASSIS 4X CASTOR WHEELS	WHEEL-MOUNTED FLOOR VACUUM ATTACHMENT HOSE EXTRACTION	WHEEL-MOUNTED FLOOR VACUUM ATTACHMENT HOSE EXTRACTION	WHEEL-MOUNTED TWIN INLET ADAPTOR RUN TWO MACHINES WITH ONE COLLECTOR	WHEEL-MOUNTED TRIPLE INLET ADAPTOR RUN THREE MACHINES WITH ONE COLLECTOR
EX. VAT	£119.99	£189.99	£199.99	£229.99	£289.99	£399.99
INC. VAT	£143.99	£227.99	£239.99	£275,99	£347.99	£479.99







Item No	01964	01990	01992	01994
MODEL	SIP 1HP Wall-Mounted Single Cartridge Dust Collector	SIP 1HP Single Cartridge Dust Collector c/w Floor Attachment PACKAGE	SIP 2HP Single Cartridge Dust Collector PACKAGE	SIP 3HP Double Cartridge Dust Collector PACKAGE
INPUT SUPPLY	230v (13A)	230v (13A)	230v (13A)	230v (16A)
MOTOR TYPE	750w (brushless induction)	750w (brushless induction)	1500w (brushless induction)	2200w (brushless induction)
MAX. AIR FLOW VOLUME	850m³/hr	850m³/hr	2500m³/hr	3900m³/hr
FAN DIAMETER	230mm	230mm	300mm	305mm
CAPACITY	56ltr	57ltr	153ltr	2x 153ltr
INLET DIAMETER	100mm	100mm	1x 125mm or 2x 100mm	1x 150mm or 3x 100mm
FILTRATION	1 micron (cartridge)	c/w 1 micron (cartridge 62605)	c/w 1 micron (cartridge 62606)	c/w 2x 1 micron (cartridges 62606)
ADDITIONAL Features	WALL-MOUNTED HIGH FILTRATION FOR FINE PARTICLES INCLUDING MDF	WHEEL-MOUNTED HIGH FILTRATION FOR FINE PARTICLES INCLUDING MDF FLOOR VACUUM ATTACHMENT	WHEEL-MOUNTED HIGH FILTRATION FOR FINE PARTICLES INCLUDING MDF TWIN INLET ADAPTOR RUN TWO MACHINES WITH ONE COLLECTOR	WHEEL-MOUNTED HIGH FILTRATION FOR FINE PARTICLES INCLUDING MDF TRIPLE INLET ADAPTOR RUN THREE MACHINES WITH ONE COLLECTOR
EX. VAT	£319.99	£349.99	£489.99	£729.99
INC VAT	£383 00	£/110 00	£58799	£875.99



£35,99

FX VAT



- 230v (13A) input supply Powerful 2.2kW (3hp) motor 5 Ton splitting force
- Log capacity: 50 250mm diameter, 520mm maximum length
- · Integrated handle and large wheels for extra portability
- Ram lock for optimum safety
- · Cutting wedge automatically returns to starting position after the log is split



REMOVABLE WHEELS FOR USE WITH OPTIONAL SPLITTER STAND (01972)

13A 230v

Item No: 01976

£289.99 EX.VAT £347.99 INC.VAT 3HP (2.2KW) MOTOR

5 TON SPLITTING FORCE

LOG CAPACITY 50 - 250MM Ø / 520MM MAX. LENGTH

NVR switch



- 230v (13A) input supply
- Powerful 3kW (4hp) motor
- 7 Ton splitting force
- Log capacity: 80 300mm diameter, 100 550mm maximum length
- Integrated handle and large wheels for extra portability
- Ram lock for optimum safety



=)

E529.99 EX.VAT £635.99 INC.WAT

4HP (3KW) MOTOR

7 TON SPLITTING FORCE

LOG CAPACITY 80 - 300MM Ø / 100 - 550MM LENGTH

NVR SWITCH



SIP WOODWORKING ACCESSORIES

SIP Single Roller Stand

- 80kg load capacity
- · Precision-made, fully adjustable single roller
- 400mm roller length

Item No: 01379

£49.99

£59.99

£179.99

£215.99

EX.VAT

• 700 - 1100mm adjustable height



SIP Adjustable V-Type Roller Ball Stand

100KG

CAPACITY

- 100kg load capacity
- 2 sets of 4 rollers
- Each roller set tilts and locks at 45° independently
- 700 1150mm fully adjustable





SIP Heavy-Duty 5 Roller Stand

- 100kg load capacity
- 5 rollers
- 680 to 1150mm fully adjustable





SIP WOODWORKING ACCESSORIES

		_	
Item No	DESCRIPTION	EX. VAT	INC. VAT
06851	SIP Woodworking Chuck Set - 54mm Ø	£159.99	£191.99
06857	SIP 6 Piece Wood Chisel	£112.29	£134.75
01935	SIP 5 Piece Dust Collector Adaptor (for 01923, 01968, 01969, 01954, 01956, 01992, 01994)	£23.99	£28.79
07740	SIP Sanding Belt - 4" x 36" 120 Grit Fine (for 01946)	£16.39	£19.67
07744	SIP Sanding Belt - 4" x 36" 60 Grit Coarse (for 01946)	£16.39	£19.67
WD01-01693	SIP Sanding Belt - 6" x 48" 80 Grit Coarse (for 01927)	£22.89	£27.47
WD01-01692	SIP Sanding Belt - 6" x 48" 60 Grit Coarse (for 01927)	£23.99	£28.79
06839	SIP Sanding Disc - 8" Medium (for 01946)	£11.99	£14.39
06841	SIP Sanding Disc - 8" Coarse (for 01946)	£11.99	£14.39
06843	SIP Sanding Disc - 8" Fine (for 01946)	£11.99	£14.39
06862	SIP Sanding Disc - 10" Medium (for 01927)	£12.99	£15.59
06847	SIP Sanding Disc - 12" P80 (velcro back) (for 01933)	£7.69	£9.23
06896	SIP Sanding Disc - 12" Medium (for 01933)	£10.89	£13.07
07773	SIP Circular Saw Blade - 10" TCT 40T (for 01511)	£42.49	£50.99
06128	SIP Circular Saw Blade - 254 x 30mm TCT 40T (for 01986)	£36.99	£44.39
06122	SIP Circular Saw Blade - 305 x 30mm TCT 40T (for 01505)	£47.99	£57.59
WD01-01445	SIP Planer Blades - 6" Pair (for 01557)	£31.59	£37.91
WD01-01581	SIP Planer Blades - 8" Pair (for 01558)	£37.99	£45.59
62564	SIP Coarse Filter Bag - 35 micron (for 01964)	£24.99	£29.99
66376	SIP Coarse Filter Cotton Bag (for 01954, 01956)	£24.99	£29.99
66371	SIP Plastic Collection Bag - 0.153m³ (for 01954, 01956)	£5.49	£6.59
62565	SIP Poly Collection Bag (for 01964)	£5.49	£6.59



£259.99

£3<u>11.99</u>

NEW RANGE







SIP PETROL-POWERED INVERTER GENERATORS

Reasons to Choose an SIP Inverter Generator

Outstanding Functionality

Smart power solution, perfect for outdoor and leisure applications. Powers devices such as smartphones, laptops, portable lighting and small appliances.

Clean, Safe & Stable Supply

4th generation digital inverter technology with pure sine wave output ensures a reliable supply.

Thermally protected inverter module for added user safety.

Greater Fuel Economy

and mobility.

Fitted with an integrated economy control switch for low loads. Helps to reduce fuel consumption for greater efficiency.

Quiet, Compact and Portable

Considerably quieter than traditional power generators. Compact design with great portability







OTHER ELECTRONIC DEVICES





25400





25401





9
INTEGRATED WHEELS AND HANDLE

Item No	25400	25401	25402
MODEL	SIP ISG1101 Digital Inverter Generator	SIP ISG2202 Digital Inverter Generator	SIP ISG3303 Digital Inverter Generator
OUTPUT SUPPLY	1x 230v AC & 1x 12v DC	2x 230v AC & 1x 12v DC	2x 230v AC & 1x 12v DC
MAXIMUM PEAK OUTPUT	1100w	2000w	3000w
CONTINUOUSLY RATED OUTPUT	1000w	1800w	2700w
USB OUTPUT	2x 5v 2A	2x 5v 2A	2x 5v 2A
ENGINE	60cc	78.5cc	149cc
FUEL TYPE	Unleaded Petrol	Unleaded Petrol	Unleaded Petrol
FUEL TANK CAPACITY	2.4ltr	4ltr	6ltr
MAX. RUN TIME	6hrs	8hrs	10hrs
NOISE LEVEL* (at 7 metres running at 1/4 load)		58dB	68dB
WEIGHT	13.75kg	20kg	28kg
EX. VAT	£299.99	£549.99	£799.99
INC. VAT	£359.99	£659.99	£959.99

SIP PETROL-POWERED GENERATORS

SIP MEDUSA T952 Compact Generator

- Up to 750w peak output, 650w continuously rated
- 60cc, 2hp, 2 stroke petrol engine EURO V
- 1x 230v (13A) AC socket & 1x 12v DC battery charging (up to 40Ah batteries)
- 4ltr fuel tank capacity
- Up to 6.5hrs running time
- · Capable of powering small power tools, and work lights etc.

720W PEAK OUTPUT

PETROL POWERED

UP TO 6.5hrs RUNTIME

VOLT METER

OUTPUT SOCKETS: 230V, 13A (AC) 1X 12V (DC)

SIP MEDUSA T2500W Generator

- Up to 2200w peak output, 2000w continuously rated
- 212cc, 4 stroke, air-cooled, OHV petrol engine EURO V
- 2x 230v (13A) AC sockets & 1x 12v DC battery charging (up to 40Ah batteries)
- Automatic Voltage Regulator (AVR)
- 15ltr fuel tank capacity
- Up to 10hrs running time
- · Low oil pressure alert system





SIP MEDUSA T3000W Generator

- Up to 3000w peak output, 2700w continuously rated
- 212cc, 4 stroke, air-cooled, OHV petrol engine EURO V 1x 230v (16A) AC, 1x 110v (16A) AC sockets &
- 1x 12v DC battery charging (up to 40Ah batteries) - Automatic Voltage Regulator (AVR)
- 15ltr fuel tank capacity
- · Up to 8hrs running time
- · Low oil pressure alert system

3000W PEAK OUTPUT

UP TO 8hrs RUNTIME

LONG RANGE FUEL TANK

A.V.R.
(AUTO VOLTAGE REGULATION)
STABLE OUTPUT FOR SENSITIVE
EQUIPMENT

SIP MEDUSA T5500W Generator

- Up to 5500w peak output, 5000w continuously rated
- 390cc (13hp), 4-stroke, air-cooled, OHV petrol engine EURO V
- 1x 230v (32A), 1x 110v (32A) AC sockets & 1x 12v DC battery charging (up to 8.3A)
- Includes AVR (Automatic Voltage Regulator)
- 25ltr fuel tank Up to 8hrs running time
- · Low oil pressure alert system
- · Wheel-mounted, full frame design with integrated handles
- Electric start (battery included)

ELECTRIC START

5500W PEAK OUTPUT

UP TO 8hrs RUNTIME

LONG RANGE FUEL TANK







SIP GENERATOR PLUGS & ADAPTORS

SIP 13A/16A Socket Adaptor (230v)

- Suitable for 13A and 16A sockets
- Durable heavy-duty plastic casing
- Manufactured for long life



£29.99 EX.VAT £35.99

SIP 16A Socket Plug (230v)

- Suitable for 16A sockets
- · Durable heavy-duty plastic casing Manufactured for long life



£4.99 EX.VAT £5.99

SIP PROFESSIONAL KOHLER® ENGINE PETROL-POWERED GENERATORS







Our range of KOHLER® engine petrol generators boast fantastic power output and 3 year manufacturer engine warranty. These generators are robust and reliable comprising of a HEAVY-DUTY MAINTENANCE-FREE ALTERNATOR, CAST IRON CYLINDER AND RUGGED FRAME.

- Quad Clean[™] heavy-duty cyclonic air cleaner which forces large particles of contaminants out of the engine
- · Engineered for enhanced durability · Oversized mufflers, steel-forged crankshafts and oversized ignition systems
- Engine designed in the USA Electric start option available (see below for details)

HEAVY-DUTY COMMERCIAL USE

SIP MEDUSA MGKP3.5FF

SIP MEDUSA MGKP7FF

SIP MEDUSA MGKP7FE





OUTPUT SUPPLY

1x 110v (16A)

1x 230v (16A)

1x 110v (16A) / 1x 230v (16A)

1x 110v (32A) / 1x 230v (32A)

1x 110v (16A) / 1x 230v (16A)

1x 110v (32A) / 1x 230v (32A)



4.1ltr

7.5ltr


3hrs

2.8hrs

8.5hrs

ELECTRIC

START



PREMIER QUALITY

LONG RANGE FUEL **TANK OPTION**

DUAL VOLTAGE 110V / 230V OUTPUT







FRAME Type	EX. VAT	INC. VAT	
Full Frame	£619.99	£743.99	
Full Frame	£1249.99	£1499.99	

		<u> </u>	
Item No	KOHLER PETROL ENGINE MAINTENANCE SERVICE KITS	EX. VAT	INC. VAT
04480A	SERVICE KIT for CH270 - 7HP	£44.69	£53.63
04482A	SERVICE KIT for CH395 - 7HP and CH440 - 14HP	£47.99	£57.59



KOHLER® 7HP

207CC

KOHLER® 14HP

429CC

KOHLER® 14HP



£1499.99



£1799.99

SIP PROFESSIONAL HONDA™ ENGINE PETROL-POWERED GENERATORS

MAX. PEAI OUTPUT

3.75kVA

7.5kVA

7.5kVA

3.5kVA

7kVA

7kVA

Our popular HONDA™ engines are powerful, reliable and are covered by a 3 year manufacturer engine warranty.

These generators are robust comprising of a HEAVY-DUTY MAINTENANCE-FREE ALTERNATOR, CAST IRON CYLINDER AND RUGGED FRAME.

- Splash-fed oil lubrication system Low oil shutdown prevents engine damage
- Cast iron cylinder liner Hot spark electronic ignition available (see below for details)



Honda" GX Engines Reliability, excellent build quality, compact design, low oil alert





LONG RANGE FUEL TANK OPTION

DUAL VOLTAGE 110V / 230V OUTPUT





INC. VAT

£863.99

£899.99

£1919.99

£2159.99

	^
mecc alte	(u.k.) Ltd.
	ALTERNATORS

Item No	MODEL	OUTPUT SUPPLY Sockets	MAX. PEAK OUTPUT	CONT. RATED MAX. OUTPUT	ENGINE	FUEL TANK Size	RUN TIME	FRAME TYPE	EX. VAT
04462	SIP MEDUSA MGHP3.5FF	1x 110v (16A) 1x 230v (16A)	3.75kVA	3.5kVA	HONDA™ GX200 196CC	3.6ltr	2.6hrs	Full Frame	£719.99
04468	SIP MEDUSA MGHP3.5FLR	1x 110v (16A) 1x 230v (16A)	3.75kVA	3.5kVA	HONDA™ GX200 196CC	15ltr Long Range	9hrs	Full Frame	£749.99
04476	SIP MEDUSA MGHP6.0FLR	1x 110v (16A) / 1x 230v (16A) 1x 110v (32A) / 1x 230v (32A)	7.2kVA	6kVA	HONDA™ GX390 389CC	25ltr Long Range	8.5hrs	Full Frame	£1599.99
04478	SIP MEDUSA MGHP6.0FELR	1x 110v (16A) / 1x 230v (16A) 1x 110v (32A) / 1x 230v (32A)	7.2kVA	6kVA	HONDA™ GX390 389CC	25ltr Long Range	8.5hrs	ELECTRIC START	£1799.99

Item No	HONDA ENGINE MAINTENANCE SERVICE KITS	EX. VAT	INC. VAT
14552	AIR FILTER for HONDA™ GX160 / GX200 / GP200	£24.99	£29.99
14553	AIR FILTER for HONDA™ GX240 / GX270 / GP270	£31.59	£37.91
14564	AIR FILTER for HONDA™ GX340 / GX390 / GP390	£38.19	£45.83
14594	SPARK PLUG for HONDA™ GP and GX Engines	£7.69	£9.23











SIP SILENCED DIESEL-POWERED GENERATORS

SIP MEDUSA T5500 Silenced Diesel Generator

This mobile power supply solution is suitable for workshops, general construction and mobile hospitality. Other uses include powering machinery, tools and

Enclosed in a heavy-duty silenced metal cabinet, it delivers an overall runtime of 15hrs at 50% load from a 16ltr fuel tank.

 Output: Peak 5.5kVA/5.5kW - Continuous 5kVA/5kW (1000 hour intermittent use)

- 110v and 230v supply with AVR (Automatic Voltage Regulator)
- Heavy-duty silenced generator cabinet
- Digital display indicates volts and running time
- Fitted with large wheels for rough terrain surfaces

ELECTRIC START

5.5kW PEAK OUTPUT

UP TO 7.5hrs RUNTIME

16LTR FUEL TANK

A.V.R. AUTO VOLTAGE REGULATION STABLE OUTPUT EQUIPMENT



*2 years or 1000 working hours warranty valid on intermittent use only'







IDEAL AS A MOBILE POWER SUPPLY





SIP MEDUSA T14000 Silenced Diesel Generator

Offering greater power output and an Automatic Transfer Switch, this silenced generator provides additional functionality for stand-by applications.

Ensuring supply continues running when power is interrupted, it provides runtime of 18hrs at 50% load from a 35ltr fuel tank.

Output: Peak 13.7kVA/11kW. Continuous 12.5kVA/10kW (1000 hour intermittent use)

- 230v & x2 400v supply with AVR (Automatic Voltage Regulator)
- Heavy-duty silenced generator cabinet
- Digital display indicates volts and running time
- · Automatic transfer switch
- · Fitted with castor wheels for indoor mobility

ELECTRIC START

11kW PEAK OUTPUT

UP TO 9hrs RUNTIME

35LTR FUEL TANK

A.V.R.AUTO VOLTAGE REGULATION STABLE OUTPUT FOR SENSITIVE EQUIPMENT











IDEAL FOR STAND-BY APPLICATIONS



OUTPUT SUPPLY

1x 110v

1x 230v

1x 230v

2x 400v

5.5kVA / 5.5kW

13.7kVA / 11kW

5kVA / 5kW

12.5kVA / 10kW

0.9ltr FURO V

Single Cylinder

ENGINE	FUEL TANK Size	RUN Time	SOUND POWER (LwA)	
0.5ltr EURO V Single Cylinder	16ltr	7.5hrs	97dB(A)	

112dB(/

*2 years or 1000 working hours warranty valid on intermittent use only'

35ltr

D LwA)	EX. VAT	INC. VAT
A)	£1499.99	£1799.99
A)	£3999.99	£4799.99

Euro 5 Compliant Engines to meet emissions directive for non-road mobile machinery

SIP MEDUSA T5500 Silenced Diesel Generator

SIP MEDUSA T14000 Silenced Diesel Generator

SIP ELECTRIC SUBMERSIBLE WATER PUMPS







- 230v (13A) input supply
- 400w (0.5p) motor
- · 6mtr max. pump head
- 9,000ltr/hr flow rate
- · 5mm particle diameter
- · 7mtr operating depth
- 25 40mm Ø / 1" BSP outlet diameter
- Float switch prevents the pump from running dry
- · 9mtr power cable



SIP SUB 3075-FS Dirty Water Pump

- 230v (13A) input supply
- 750w (1hp) motor
- 8mtr max. pump head
- 14,100ltr/hr flow rate
- · 35mm particle diameter
- · 7mtr operating depth
- 25 40mm Ø / 1" BSP outlet diameter
- Float switch prevents the pump from running dry
- 10mtr power cable

£69.99 EX.VAT FLOAT SWITCH; Auto Cut On/Off

SIP 3/4" Water Butt Pump

- Designed specifically for extracting water from butts
- 230v (13A) input supply
- 300w (1hp) motor

You Tube

- 11mtr max. pump head
- 2,200ltr/hr flow rate
- · Ideal for garden applications with a sturdy and long aluminium swan neck for all popular butt sizes
- · Supplied with a quick fit connector and tap
- · Fitted with a float switch to turn off the pump when the water level is low
- 10mtr power cable

Item No: 06908		
£59.99	EX.VAT	
£65.99	INC.VAT	

FLOAT SWITCH

Item No: 06865			
£49.99	EX.VAT		
£59.99	INC.VAT		







SIP SUB 3010-SS Heavy-Duty Dirty Water Pump

- 230v (13A) input supply
- 1000w (1.3hp) motor
- 9mtr max. pump head
- 18,000ltr/hr flow rate
- 35mm particle diameter
- 7mtr operating depth
- Stainless steel body
- 25 40mm Ø / 1" BSP outlet diameter
- Float switch prevents the pump from running dry
- 10mtr power cable

SIP SUB 3075-SS Heavy-Duty Dirty Water Pump

- 230v (13A) input supply
- 750w (1hp) motor
- 8mtr max. pump head
- 16,500ltr/hr flow rate
- 35mm particle diameter
- 7mtr operating depth
- 25 40mm Ø / 1" BSP outlet diameter
- · Stainless steel casing & base
- Float switch prevents the pump from running dry
- · 10mtr power cable



FLOAT SWITCH; AUTO CUT ON/OFF

SUITABLE FOR DIRTY WATER





FLOAT SWITCH; AUTO CUT ON/OFF

SUITABLE FOR DIRTY WATER



TO PLACE AN ORDER: (C) 01509 500500

SIP ELECTRIC SURFACE-MOUNTED WATER PUMPS



SIP EP2M Electric Surface Water Pump

- 230v (13A) input supply
- Powerful 550w (0.7hp) motor
- 8mtr max. suction head
- 40mtr max. pumping head
- 40ltr/min max. water flow rate
- · Heavy-duty cast iron housing
- Brass impeller with easy access
- · Thermal overload protection
- 1" suction outlet diameter
- · 2x couplers included
- · Ideal for general pumping and draining





40 METRE MAX. PUMPING HEAD

SIP 1" Stainless Steel Self-Priming Surface-Mounted Pump

- 230v (13A) input supply
- Powerful 1200w motor
- 8mtr max. suction head
- 50mtr max, pumping head
- 4800ltr/hr max. water flow rate
- 1" outlet / inlet diameter
- 35°C max. water temperature
- · Hand-portable and lightweight design; just 9kg
- · Heavy-duty corrosion-resistant stainless steel pump
- Pump driven by a powerful 1200w motor
- Versatile pump perfect for a variety of domestic and professional applications







50 METRE MAX.

SIP 1" Stainless Steel **Surface-Mounted Booster Pump**

· Pump designed for boosting and maintaining water pressure

Suitable for fixed installation from mains water supply or from ponds, and external supplies for garden and agricultural applications

- 230v (13A) input supply
- Powerful 1000w motor
- · 8mtr max. suction head - 45mtr max, pumping head
- 4500ltr/hr max. water flow rate
- · Water pressure is maintained using a fitted pressure switch; controlled between 1.4 - 2.8bar (20 - 40.6psi)
- · 1" outlet / inlet diameter
- 35°C max. water temperature
- · Heavy-duty corrosion-resistant stainless steel
- · Heavy-duty braided pump connector hose
- · Pump motor switches on/off depending on demand
- · 20ltr tank





45 METRE MAX. PUMPING HEAD

Inlet filer & NRV foot valve

EX. VAT Item No TYPE PW11-00600 Inlet Filter for 06907 £19.99 PW11-00601 NRV Foot Valve for 06907 £4.99





PETROL POWERED



SIP PETROL / DIESEL POWERED WATER PUMPS



TOUGH CAST IRON IMPELLER AND VOLUTE HOUSING

LOW OIL SHUTDOWN (04913, 03933, 04919)






Item No	MODEL	MOTOR / ENGINE	MAX. PUMPING HEAD	WATER FLOW RATE	MAX. SUCTION HEAD	OUTLET DIAMETER	EX. VAT	INC. VAT
04913	SIP 1" Petrol Pump	SIP 2.6hp	30mtr	116ltr/min 7m³/hr	7mtr	25mm (1")	£159.99	£191.99
03933	SIP 2" Petrol Pump	SIP 7hp	30mtr	550ltr/min 33m³/hr	7mtr	50mm (2")	£179.99	£215.99
04919	SIP 3" Petrol Pump	SIP 7hp	28mtr	1000ltr/min 60m³/hr	7mtr	80mm (3")	£199.99	£239.99
04917	SIP 3" Diesel Pump (ELECTRIC START)	SIP 8.7hp	26mtr	1000ltr/min 60m³/hr	6mtr	80mm (3")	£799.99	£959.99

Euro 5 Compliant Engines to meet emissions directive for non-road mobile machinery

SIP SUCTION & LAYFLAT DELIVERY HOSES



Item No	DIAMETER	BEND RADIUS	TYPE	LENGTH	EX. VAT	INC. VAT
07602	1"	105mm	Suction	10mtr	£27.29	£32.75
07623	2"	205mm	Suction	10mtr	£78.49	£94.19
07321	3"	320mm	Suction	10mtr	£119.89	£143.87

Item No	DIAMETER	TYPE	LENGTH	EX. VAT	INC. VAT
07671	1"	Layflat - Delivery	10mtr	£23.99	£28.79
07615	11/4"	Layflat - Delivery	10mtr	£29.49	£35.39
07630	11/2"	Layflat - Delivery	10mtr	£32.69	£39.23
07631	11/2"	Layflat - Delivery	100mtr	£131.89	£158.27
07621	2"	Layflat - Delivery	10mtr	£35.99	£43.19
07622	2"	Layflat - Delivery	100mtr	£155.89	£187.07
07692	3"	Layflat - Delivery	10mtr	£42.49	£50.99



Perfect for releasing seized fixings, components and parts from vehicles. Also suitable for a variety of manufacturing and heavy-duty processes.

Easy to control and highly efficient, our new range safely reaches temperatures of up to 1000°C in 30 seconds and offer greater levels of safety compared to oxy-acetylene methods.

Features including liquid cooled induction cable and torch maximise product life and ensure user safety.



Item No	01156	01157	01158
MODEL	SIP 1500w Induction Heater Kit	SIP 3700w Induction Heater	SIP 10000w Induction Heater
INPUT SUPPLY	230v (13A)	230v (16A)	400v 3-Phase
INDUCTION POWER	1.5kW	3.7kW	10kW
POWER STEPS	Fixed	Infinitely Variable	Multi-level
HEAT RANGE	800°C (maximum)	1000°C (maximum)	1000°C (maximum)
INDUCTION CABLE LENGTH	850mm	2mtr	5mtr
POWER CABLE LENGTH	3mtr	3mtr	5mtr
COOLING SYSTEM	Fan Cooled Torch	Liquid Cooled Torch, Induction Cable & Inverter Unit	Liquid Cooled Torch & Induction Cable
COOLANT TANK CAPACITY	n/a	2.5ltr	10ltr
INVERTER VENTILATION	Cooling Fan	Twin Cooling Fans	Six Cooling Fans
EX. VAT	£649.99	£2499.99	£6299.99
INC. VAT	£779.99	£2999.99	£7559.99



SIP INVERTER INDUCTION HEATERS

















Item No	FOR ITEM: 01156 (1500w)	EX. VAT	INC. VAT
HY02-00931	Induction Flexi Coil - 800mm	£34.99	£41.99
HY02-00936	Induction Coil Straight - 19/220mm	£21.99	£26.39
HY02-00939	Induction Coil Straight - 26/220mm	£24.99	£29.99
HY02-00942	Induction Coil Straight - 45/220mm	£25.99	£31.19

Item No	FOR ITEM: 01157 (3700w)	EX. VAT	INC. VAT
HY02-00943	Pad Coil Holder Extender	£66.99	£80.39
HY02-00944	Pad Coil Inclined	£279.99	£335.99
HY02-00945	Pad Coil Flat	£279.99	£335.99

NEW IMPROVED RANGE

SIP PROFESSIONAL PILLAR DRILLS






NEW
PRODUCTS

Ideal for preparing and finishing a variety of work piece materials including ferrous and non-ferrous metals, soft and hard woods and high-density plastics.





Item No	01710	01711	01712	01713	01714	01715	01716	01717	01718
MODEL	SIP B13 5-Speed 350w	SIP B16 12-Speed 450w	SIP B16 16-Speed 550w	SIP B20 16-Speed 750w	SIP F16 16-Speed 550w	SIP F20 16-Speed 750w	SIP F20 12-Speed 750w	SIP F20 12-Speed 1100w	SIP F20 12-Speed 1100w 400v
TYPE	Bench	Bench	Bench	Bench	Floor	Floor	Floor	Floor	Floor
INPUT SUPPLY	230v (13A)	230v (13A)	230v (13A)	230v (13A)	230v (13A)	230v (13A)	230v (13A)	230v (13A)	400v (3 phase)
MOTOR	350w	450w	550w	750w	550w	750w	750w	1100w	1100w
SPEED RANGE	580 - 2650rpm	300 - 2550rpm	220 - 2800rpm	150 - 3000rpm	220 - 2800rpm	150 - 3000rpm	280 - 2380rpm	150 - 2500rpm	150 - 2500rpm
SPEED SETTINGS	5	12	16	16	16	16	12	12	12
DRILL BIT SIZE Ø	1.5 - 13mm	3 - 16mm	3 - 16mm	5 - 20mm	3 - 16mm	5 - 20mm	5 - 20mm	5 - 20mm	5 - 20mm
MAX. DRILLING CAPACITY	13mm	16mm	16mm	20mm	16mm	20mm	25mm	32mm	32mm
SPINDLE TAPER	B16	B16	MT2	MT2	MT2	MT2	MT3	MT4	MT4
SWING	210mm	260mm	325mm	360mm	316mm	360mm	350mm	506mm	506mm
MAX. SPINDLE STROKE	50mm	60mm	80mm	80mm	80mm	80mm	80mm	120mm	120mm
OVERALL HEIGHT	580mm	840mm	975mm	1000mm	1570mm	1575mm	1575mm	1720mm	1720mm
EX. VAT	£129.99	£199.99	£319.99	£379.99	£339.99	£399.99	£479.99	£799.99	£829.99
INC. VAT	£155.99	£239.99	£383.99	£455.99	£407.99	£479.99	£575.99	£959.99	£995.99





SIP 65mm Chuck Guard

(for 01716)

68328



£17.49

£20.99

Metal-cutting circular saws designed for industrial applications.



	Item No	01554	01565
MOTOR 1.1kW (1.5hp) 750w (1hp) / 1.3kW (1.7hp)	MODEL		
BLADE SPEEDS 42rpm 18rpm @ 1hp / 36rpm @ 1.7hp CUTTING @ 90°: 60mm (round) / 75 x 45mm (box) @ 90°: 100mm (round) / 140 x 90mm (box) @ 45°: 55mm (round) / 55 x 45mm (box) @ 45°: 90mm (round) / 100 x 90mm (box)	INPUT SUPPLY	230v (13A)	400v (5A)
CUTTING @ 90°: 60mm (round) / 75 x 45mm (box) @ 90°: 100mm (round) / 140 x 90mm (box) @ 45°: 55mm (round) / 55 x 45mm (box) @ 45°: 90mm (round) / 100 x 90mm (box)	MOTOR	1.1kW (1.5hp)	750w (1hp) / 1.3kW (1.7hp)
CAPACITY @ 45°: 55mm (round) / 55 x 45mm (box) @ 45°: 90mm (round) / 100 x 90mm (box)	BLADE SPEEDS	42rpm	18rpm @ 1hp / 36rpm @ 1.7hp
BLADE SIZE 250mm max. 315mm max.		. , , , , ,	@ 90°: 100mm (round) / 140 x 90mm (box) @ 45°: 90mm (round) / 100 x 90mm (box)
	BLADE SIZE	250mm max.	315mm max.
EX. VAT £1599.99 £2299.99	EX. VAT	£1599.99	£2299.99
INC. VAT £1919.99 £2759.99	INC. VAT	£1919.99	£2759.99



SIP robust cut-off saw solution

Item No	01307
MODEL	SIP 14" Abrasive Cut-Off Saw
INPUT SUPPLY	230v (13A)
MOTOR	2000w
BLADE SPEEDS	3800rpm
CUTTING CAPACITY	@ 90°: 130mm (round) / 120 x 120mm (box) / 180 x 85mm (rect.) / 130 x 130mm (angle) @ 45°: 110mm (round) / 90 x 90mm (box) 100 x 80mm (rect.) / 90 x 90mm (angle)
BLADE SIZE	355mm (14")
EX. VAT	£169.99
INC. VAT	£203.99

SIP METAL-CUTTING CIRCULAR SAW BLADES & DISCS

Item No	DESCRIPTION	EX. VAT	INC. VAT
06891	SIP 14" Abrasive Disc (for 01307)	£7.69	£9.23
05210	SIP Blade - 250 x 2.0 x 32mm Z160 T5 (for 01554)	£76.29	£91.55
05212	SIP Blade - 250 x 2.0 x 32mm Z200 T4 (for 01554)	£76.29	£91.55
05199	SIP Blade - 315 x 2.5 x 40mm Z160 T5 (for 01565)	£139.99	£167.99



Metal-cutting bandsaws designed for professional heavy-duty applications.

All bandsaws supplied with Bi-Metal, Vari-pitch blades





Item No	MODEL	INPUT SUPPLY	MOTOR	SPEEDS	•	CUTTING CAPACI	ГҮ	FEATURES	EX. VAT	INC. VAT
01572	SIP 6" Swivel Head Saw	230v (13A)	370w (0.5hp)	3 speeds 20/29/50mtr/min	@ 0°: 110mm @ 45°: 85mm	@ 0°: 110 x 110mm @ 45°: 85mm	@ 0°: 110 x 150mm @ 45°: 85 x 110mm	SWIVEL BOW	£529.99	£635.99
01593	SIP 8" Swivel Head Saw	230v (13A)	1.1kW (1.5hp)	4 speeds 22/33/45/65mtr/min		@ 0°: 178 x 178mm @ 45°: 127 x 127mm	@ 0°: 178 x 210mm @ 45°: 85 x 140mm	SWIVEL BOW	£1899.99	£2279.99





Item No	MODEL	INPUT SUPPLY	MOTOR	SPEEDS	•	CUTTING CAPACI	TY	FEATURES	EX. VAT	INC. VAT
01594	SIP 12" 230v Saw (1ph)	230v (13A)	1.1kW (1.5hp)	4 speeds 22/33/45/65mtr/min		@ 0°: 178 x 178mm @ 45°: 127 x 127mm	@ 0°: 178 x 305mm @ 45°: 120 x 125mm	-	£1459.99	£1751.99
01595	SIP 12" 400v Saw (3ph)	400v (5A)	0.75kW (1hp)	4 speeds 22/33/45/65mtr/min		@ 0°: 178 x 178mm @ 45°: 127 x 127mm		-	£1599.99	£1919.99
01573	SIP 12" 230v Gear-Drive Saw	230v (13A)	1.1kW (1.5hp)	3 speeds 39/55/67mtr/min		@ 0°: 180 x 180mm @ 45°: 110 x 110mm	@ 0°: 178 x 305mm @ 45°: 110 x 180mm	GEAR Driven	£1599.99	£1919.99

Metal-cutting bandsaws designed for professional heavy-duty applications.

All bandsaws supplied with Bi-Metal, Vari-pitch blades



01597

ADJUSTABLE HYDRAULIC RAM DAMPENER; FO SMOOTH CUTTING DESCENT AND

COOLANT SYSTEM; EXTENDS BLADE LIFE AND COOLS THE CUTTING AREA

LARGE ADJUSTABLE VICE; IDEAL FOR LARGE STEEL SECTIONS, FOR STRAIGHT & ANGLE CUTS HEAVY-DUTY CAST IRON BOW; REDUCED VIBRATION, INCREASED ACCURACCY

4 SPEED BELT-DRIVEN GEARBOX

SINGLE & THREE PHASE HEAVY-DUTY MOTOR MODELS; FOR PROFESSIONAL WORKSHOPS



SAFETY FEATURE 24V CONTROL CIRCUIT








Item No	MODEL	INPUT SUPPLY	MOTOR	SPEEDS	•	CUTTING CAPACIT	ſΥ	FEATURES	EX. VAT	INC. VAT
01599	SIP 18" 230v Saw (1ph)	230v (13A)	1.5kW (2hp)	4 speeds 29/50/73/95mtr/min			@ 90°: 127 x 457mm @ 45°: 150 x 190mm	-	£4199.99	£5039.99
01597	SIP 18" 400v Saw (3ph)	400v (5A)	1.5kW (2hp)	4 speeds 29/50/73/95mtr/min			@ 90°: 127 x 457mm @ 45°: 150 x 190mm	-	£4499.99	£5399.99







CAST IRON VICE WITH QUICK RELEASE HANDLE; IDEAL FOR REPETITIVE CUTTING



CAST IRON SWIVEL BOW HEAD AND QUICK ANGLE ADJUSTMENTS UP TO 60°







Item No	MODEL	INPUT SUPPLY	MOTOR	SPEEDS	•	CUTTING CAPACIT	Y	BLADE SIZE	EX. VAT	INC. VAT
01520	SIP 8" Swivel Head Pull-Down Saw	230v (13A)	1.1kW (1.5hp)	80mtr/min	@ 90°: 170mm @ 60°: 70mm @ 45°: 120mm	@ 90°: 170 x 170mm @ 60°: 60 x 60mm @ 45°: 110 x 110mm	@ 90°: 170 x 200mm @ 60°: 60 x 60mm @ 45°: 110 x 110mm	20 x 0.9 x 2085mm	£1799.99	£2159.99
01524	SIP 10" Swivel Head Pull-Down Saw	230v (13A)	1.1kW (1.5hp)	72mtr/min	@ 60°: 90mm	@ 90°: 200 x 200mm @ 60°: 100 x 100mm @ 45°: 160 x 160mm	@ 60°: 85 x 85mm	27 x 0.9 x 2455mm	£2479.99	£2975.99

MODEL

SIP 10" Vari-Speed Swivel Head Saw

Item No

01526

SIP PROFESSIONAL PULL-DOWN METAL-CUTTING BANDSAWS



Metal-cutting bandsaws designed for professional heavy-duty applications.

All bandsaws supplied with Bi-Metal, Vari-pitch blades



CUTTING CAPACITY

@ 0°: 200mm

@ 30°: 180mm @ 45°: 160mm @ 60°: 100mm @ 0°: 260 x 140mm

@ 30°: 200 x 140mm @ 30°: 160 x 140mm @ 45°: 160 x 140mm @ 60°: 120 x 140mm

27 x 0.9 x 3160mm

INPUT SUPPLY

> 230v (13A)

MOTOR

1.1kW

(1.5hp)

SPEEDS

Variable

0 - 90mtr/min

@ 0°: 220mm

@ 30°: 190mm @ 45°: 160mm @ 60°: 100mm

Item No	DESCRIPTION	EX. VAT	INC. VAT
WK04-00650	SIP Blade - 1630 x 12.5 x 0.64mm Carbon Steel 16 TPI (for 01572)	£29.99	£35.99
07739	SIP Blade - 2362 x 20 x 0.9mm M42 5/8 TPI (for 01593, 01594, 01595)	£36.99	£44.39
01427	SIP Blade - 3280 x 27 x 0.9mm M42 4/6 TPI (for 01597, 01599)	£58.89	£70.67
WK04-00400	SIP Blade - 2085 x 20 x 0.9mm M42 4/6 TPI (for 01520)	£38.19	£45.83
WK04-00401	SIP Blade - 2455 x 27 x 0.9mm M42 4/6 TPI (for 01524)	£49.99	£59.99
WK04-00651	SIP Blade - 2450 x 27 x 0.9mm M42 4/6 TPI (for 01526)	£79.99	£95.99
WK04-00652	SIP Blade - 2360 x 19 x 0.9mm M42 4/6 TPI (for 01573)	£59.99	£71.99
WK04-00653	SIP Blade - 3160 x 27 x 0.9mm M42 4/6 TPI (for 01530)	£109.99	£131.99




EX. VAT

£3359.99

£2799.99



SIP PROFESSIONAL PULL-DOWN METAL-CUTTING BANDSAWS



@ 45°(L): 210mm

@ 45°(L): 180mm

SIP METAL LINISHERS & METAL DUST COLLECTOR



SIP belt linishers designed for trade & professional applications. Supplied as standard with zirconium bonded linisher belt for improved finishing on all types of metals including stainless steel.





SIP Metal Dust Collector

Delivers powerful airflow for at-source metal grinding extraction in workshop or manufacturing environments Compatible with a variety of grinding, linishing and fettling equipment, this easy-to-manoeuvre dust collector is suitable for processing ferrous and non-ferrous metals and stainless steel

- 230v (13A) input supply
- 750w (1hp) brushless induction motor
- 1100mtr³/hr maximum airflow
- 2x 100mm outlets each side of unit
- Easy-access waste collection tray
- · Supplied with flame-retardant filler bag



Item No	01960	01948	01949
MODEL	SIP 4" Belt Linisher	SIP Heavy-Duty 3" Belt Linisher	SIP Heavy-Duty 6" Belt Linisher
INPUT SUPPLY	230v (13A)	400v (3ph)	400v (3ph)
MOTOR	1.5kW (2hp)	3kW (4hp)	3kW (4hp)
BELT SIZE	1200 x 100mm / P60	2000 x 75mm / P80	2000 x 150mm / P80
BELT SPEED	19mtr/s	34mtr/s	34mtr/s
FLAT GRINDING	860mm	530mm	530mm
CONTACT WHEEL	125 x 100mm	200 x 75mm	225 x 150mm
WORKING HEIGHT	800mm	475 - 1240mm	475 - 1240mm
WEIGHT	40kg	75kg	100kg
EX. VAT	£499.99	£799.99	£999.99
INC. VAT	£599 99	£959 99	£1199 99

SIP REPLACEMENT LINISHER BELTS

Item No	DESCRIPTION	EX. VAT	INC. VAT
WK05-00467	SIP 710 x 50mm Aluminium Oxide Belt P80 (for 01459)	£3.99	£4.79
WK05-00286	SIP 1220 x 80mm Zirconium Belt P80 (for 01960)	£13.49	£16.19
08662	SIP 2000 x 75mm Zirconium Belt P80 (for 01948)	£14.19	£17.03
08668	SIP 2000 x 150mm Aluminium Oxide Belt P60 (for 01949)	£29.49	£35.39
08670	SIP 2000 x 150mm Aluminium Oxide Belt P80 (for 01949)	£26.19	£31.43
08678	SIP 2000 x 150mm Zirconium Belt P80 (for 01949)	£28.39	£34.07





SIP 3-in-1 Metal Shear, Folder & Pyramid Roller

The SIP 3-in-1 Metal Shear, Folder & Pyramid Roller is ideal for cutting, folding and rolling sheet metal sections. This includes mild steel, aluminium, coated steels and stainless steel.

METAL SHEAR

- 760mm bed width
- 1mm maximum shearing thickness
- · Holding clamp fitted
- Adjustable backstop for measuring depth of cut

METAL FOLDER

- 90° maximum bending angle
- 1mm maximum bending thickness
- Ideal for steel box fabrication and enclosures
- Adjustable folding formers for production of various sized items
- Easy-access waste collection tray
- Supplied with flame-retardant filer bag

PYRAMID ROLLER

- Ø39mm minimum rolling diameter
- 1mm maximum rolling
- Ideal for forming metal tubes, ducting and rings
- Safety cover guard for user safety and storage



SIP METAL BUFFER POLISHER & PROFESSIONAL BENCH GRINDER/LINISHERS



				The state of the s	
Item No	07698	01459	07625	07628	07650
MODEL	SIP 8" Metal Buffer Polisher	SIP 8"x 2" Bench Grinder/Linisher	SIP 6" Professional Bench Grinder	SIP 8" Professional Bench Grinder	SIP 10" Professional Bench Grinder
INPUT SUPPLY	230v 50Hz	230v 50Hz	230v 50Hz	230v 50Hz	230v 50Hz
MOTOR	550w S2 30mins / 370w S1	550w S2 30mins / 370w S1	370w S2 30mins / 250w S1	550w S2 30mins / 370w S1	750w S2 30mins / 550w S1
WHEEL SPEED	2980rpm	2980rpm	2980rpm	2980rpm	2980rpm
WHEEL DIAMETER	8" (200mm)	8" (200mm)	6" (150mm)	8" (200mm)	10" (250mm)
WHEEL WIDTH	%" (10mm)	3⁄8" (10mm)	¾" (20mm)	1" (25mm)	1" (25mm)
BORE SIZE	%" (15.88mm)	%" (15.88mm)	½" (12.7mm)	%" (15.88mm)	¾" (20mm)
BELT SIZE / GRIT	n/a	710 x 50mm / P60	n/a	n/a	n/a
ADDITIONAL FEATURES	2x MOP wheels for 1st & 2nd finishing	Integrated work light	Wire Wheel included	Wire Wheel included	n/a
EX. VAT	£99.99	£129.99	£109.99	£129.99	£219.99
INC. VAT	£119.99	£155.99	£131.99	£155.99	£263.99



AVAILABLE SIP HG1800CBW CORDLESS Battery Inverter Welder Lithium-lon 740Wh 230v AC +/- 10% 1.5hrs 74V 8A

ELECTRICITY IS

10A - 150A

10A - 180A **DUTY CYCLE** 180A @ 10% / 130A @ 20% / 60A @100% CONTINUOUS WELDING CAPACITY
(ON FULL CHARGE) 20x 2.5mm rods @ 85A 14x 3.2mm rods @ 115A 6x 4mm rods @ 160A WEIGHT 11.6kg

LEADS

BATTERY POWERED

MODEL

BATTERY TYPE

BATTERY CAPACITY

CHARGER VOLTAGE

CHARGING CURRENT

BATTERY OUTPUT VOLTAGE

WELDING CURRENT RANGE

EX. VAT £1599.99 £1919.99





3 WELDING MODES: ARC, ARC WITH VRD & LIFT-TIG





INTEGRATED CONTROL PANEL PROTECTION VISOR



SUPPLIED WITH FAST CHARGER



These dual-process inverter welders are portable and lightweight and come complete with electrode holder, welding cable, earth cable and clamp. They are also available with a digital display, which indicates current amperage output.



Item No	05705	05707	05711	05715	05732
MODEL	SIP T1400 ARC Inverter	SIP T1600 ARC Inverter	SIP HG1401DA Inverter	SIP HG2001DA Inverter	SIP HG2600DA Inverter
INPUT SUPPLY	230v (13A)	230v (16A)	230v (13A)	230v (20A)	230v (22A)
CURRENT OUTPUT	20 - 140A	20 - 160A	20 - 140A	20 - 200A	30 - 250A
DUTY CYCLE	140A @ 20% 13A 230v	160A @ 20%	140A @ 60% 13A 230v	200A @ 60% 32A 230v	250A @ 60% 32A 230v
ELECTRODE DIAMETER	1.6 - 3.2mm	1.6 - 4mm	1.6 - 3.2mm	1.6 - 5mm	1.6 - 5mm
APPROX. WELDING THICKNESS	1.5 - 7mm	1.5 - 8mm	1.5 - 7mm	1.5 - 9mm	1.5 - 10.5mm
DIGITAL DISPLAY	Х	x			✓
WEIGHT	3.8kg	3.8kg	4.8kg	6.5kg	9.8kg
ADDITIONAL FEATURES	SCRATCH-TIG THERMAL OVERLO ON-DEMANI GENERATOR	OAD PROTECTION ID COOLING	VOLTAGE REDUCTION DEVICE (VRD) LIFT-TIG FUNCTION THERMAL OVERLOAD PROTECTION GENERATOR FRIENDLY		
EX. VAT	£129.99	£139.99	£189.99	£229.99	£369.99
INC. VAT	£155.29	£167.99	£227.99	£275.99	£443.99

SIP PROFESSIONAL DUAL VOLTAGE ARC/MMA INVERTER WELDER

SIP HG2001DV ARC Inverter Welder

- 230v (20A) / 110v (16A) supply
- 25A 120A output current range (110v) 25A - 200A output current range (230v)
- · Hot-Start, Arc Force and electrode selection from Rutile / Basic to Cellulosic
- · Integrated PFC (Power Factor Correction) reduces mains power consumption and is incorporated in the welders electronic design
- Switchable Voltage Reduction Device (VRD)
- · Reliable Lift-TIG torch starting function
- · Anti-stick circuitry and easier controls
- · Digital display for easy measurement

- Added thermal overload protections
- · Generator friendly and super lightweight
- 2mtr electrode lead / 2mtr earth lead



IMPROVED FEATURES

Hot-Start, Arc Force & electrode selection from Rutile / Basic to Cellulosic



230V







GENERATOR FRIENDLY

TO PLACE AN ORDER: (III) WWW.SIP-group.com

SIP PROFESSIONAL WELDING GENERATORS - KOHLER® POWERED

EX. VAT





PETROL POWERED



SIP PROFESSIONAL WELDING GENERATORS - HONDA™ GX POWERED

£1599.99

£1919.99



Item No	25017	25169	25020	25172
MODEL	SIP P200W-AC	SIP P200W-AC ES	SIP P200W-DC	SIP P200W-DC ES
ENGINE	HONDA™ GX390 OHV	HONDA™ GX390 OHV	HONDA™ GX390 OHV	HONDA™ GX390 OHV
OUTPUT CURRENT	AC	AC	DC	DC
WELDING POWER	60 - 200A	60 - 200A	50 - 200A	50 - 200A
APPROX. WELD THICKNESS	1.5 - 8mm	1.5 - 8mm	1.5 - 8mm	1.5 - 8mm
ELECTRODE SIZE	1.6 - 5mm	1.6 - 5mm	1.6 - 5mm	1.6 - 5mm
GENERATOR OUTPUT	7kVA	7kVA	4kVA	4kVA
FUEL TANK CAPACITY	7.3ltr	7.3ltr	7.3ltr	7.3ltr
APPROX. RUNTIME (FULL LOAD)	2.45hrs	2.45hrs	2.45hrs	2.45hrs
ADDITIONAL FEATURES	-	ELECTRIC START	-	ELECTRIC START
EX. VAT	£1799.99	£2099.99	£2199.99	£2499.99
INC. VAT	£2159.99	£2519.99	£2639.99	£2999.99

Product features include:

- Ready to use in gasless mode
- Thermal overload indication
- · Heavy-duty casing for added durability

and convenience at value-for-money prices.



READY TO USE IN GASLESS MODE

Item No	05710	05736	05756
MODEL	SIP T126-MIG Gasless	SIP T136-MIG Gas/Gasless	SIP T166-MIG Gas/Gasless
INPUT SUPPLY	230v (13A)	230v (13A)	230v (16A)
OUTPUT CURRENT	60 - 125A (peak)	30 - 135A (peak)	30 - 165A (peak)
OPEN CIRCUIT VOLTAGE	17 - 18.5v	15.5 - 18v	15.5 - 19.25v
OUTPUT POWER SETTINGS	2 13A 230	4 13A 230v	6 16A 230v
APPROX. WELDING THICKNESS	1.2 - 4mm (mild steel)	0.7 - 5.4mm (mild steel)	0.7 - 6.2mm (mild steel)
WIRE SIZE	0.8 and 0.9mm Flux-cored	0.6 and 0.8mm	0.6 and 0.8mm
WIRE SPOOL SIZE	0.7kg / 5kg	0.7kg / 5kg	0.7kg / 5kg
WEIGHT	16kg	20kg	25.8kg
ADDITIONAL FEATURES	-	DUAL PURPOSE	DUAL PURPOSE
EX. VAT	£139.99	£209.99	£249.99
INC. VAT	£167.99	£251.99	£299.99

SIP HEAVY-DUTY MIG TRANSFORMER **WELDERS**

- Professional 3mtr MIG welding torch
- Gas hose
- · Earth lead
- 2-roll wire feed
- Wheel-mounted design with integrated bottle carrier





IDEAL FOR AUTOMOTIVE, AGRICULTURAL & WORKSHOP USE

30A LOW CURRENT PERFORMANCE FOR WELDING CAR BODY PANELS

DUAL PURPOSE GAS/GASLESS OPERATION

WHEEL-MOUNTED

Item No	05718	05720	05722	
MODEL	SIP AUTOPLUS 180ST - MIG	SIP AUTOPLUS 210ST - MIG	SIP AUTOPLUS 250ST - MIG	
INPUT SUPPLY	230v	230v	230v	
OUTPUT CURRENT	30 - 180A (peak)	30 - 210A (peak)	30 - 250A (peak)	
OPEN CIRCUIT VOLTAGE	15.5 - 21.25v	15.5 - 22.75v	15.5 - 24.5v	
OUTPUT POWER SETTINGS	6 16A 230v	6 16A 230v	6 32A 230v	
APPROX. WELDING THICKNESS	0.8 - 7mm (mild steel)	0.8 - 9mm (mild steel)	0.8 - 10mm (mild steel)	
WIRE SIZE	0.6 - 1mm	0.6 - 1mm	0.6 - 1mm	
WIRE SPOOL SIZE	5kg / 15kg	5kg / 15kg	5kg / 15kg	
WEIGHT	51.5kg	52kg	53.5kg	
ADDITIONAL FEATURES	HEAVY-DUTY TRANSFORMER PROFESSIONAL EURO CONNECTION MIG TORCH ALL-METAL 2-ROLL WIRE FEED TURBO FAN-COOLED FOR INCREASED DUTY CYCLES WHEEL-MOUNTED	HEAVY-DUTY TRANSFORMER PROFESSIONAL EURO CONNECTION MIG TORCH ALL-METAL 2-ROLL WIRE FEED TURBO FAN-COOLED FOR INCREASED DUTY CYCLES WHEEL-MOUNTED	HEAVY-DUTY TRANSFORMER PROFESSIONAL EURO CONNECTION MIG TORCH ALL-METAL 2-ROLL WIRE FEED TURBO FAN-COOLED FOR INCREASED DUTY CYCLES WHEEL-MOUNTED	
EX. VAT	£419.99	£519.99	£799.99	
INC. VAT	£503 99	£623.99	£959 99	

£264.99

13A 230v

MIG MMA

AUTOPLUS PACKAGE DEAL





SIP 3 Tier Welding Cart

· Suitable for SIP & TIGREN machines: 05703, 05705, 05707, 05710, 05711, 05713, 05715, 05717, 05723, 05724, 05732, 05736, 05756, 05760, 05771, 05773, 05775, 05781, 05383, 05785, 05787, 05788, 05789, 05793, 05794, 08202, 08203, 08204, 05782.

· Wheel-mounted trolley with all-metal design




SIP Large Cylinder Welding Trolley

- Compatible with 05723 & 05724 AUTOPLUS ECO Inverter Welders
- · Heavy-duty wheel-mounted trolley with all-steel design

 Holds larger gas cylinders of up to 99kg on rear facing footplate

Cylinders can be secured at two points on trolley via







Premium SIP 180A inverter welder (05724) and cart (05714) package

- MIG & MMA (ARC) processes
- Dual purpose gas/gasless operation
 Ideal for automotive & sheet metal applications
- Low current performance ideal for car body panels
- Cart holds larger size gas bottles up to 50kg
- · Sturdy all-metal construction
- · Welding accessory storage on lower two tiers









- Premium SIP 180A inverter welder (05724) and trolley (05719) package
- MIG & MMA (ARC) processes
- Dual purpose gas/gasless operatio
- Ideal for automotive & sheet metal applications
- Low current performance ideal for car body panels
- Trolley holds larger size gas bottles up to 99kg

Heavy-duty wheel-mounted trolley with all-steel design

tem No: 05724TROLLEY £449.99 EX.VAT £539.99 INC.VAT







SIP AUTOPLUS ECO 200 MIG/ARC Inverter

with SIP 3 Tier Welding Cart Premium SIP 200A inverter welder (05723) and cart (05714) package

- MIG & MMA (ARC) processes
- · Dual purpose gas/gasless operation
- · Ideal for automotive & sheet metal applications
- Low current performance ideal for car body panels

Item No: 05723CART

£449.99 EX.VAT

£539.99

· Welding accessory storage on lower two tiers



SIP AUTOPLUS ECO 200 MIG/ARC Inverter Welder with SIP Large Cylinder Welding Trolley

- Premium SIP 200A inverter welder (05723) and trolley (05719) package
- MIG & MMA (ARC) processes
- Dual purpose gas/gasless operation
- Ideal for automotive & sheet metal applications
- Low current performance ideal for car body panels Trolley holds larger size gas bottles up to 99kg
- Heavy-duty wheel-mounted trolley with all-steel design

No: 05723TROLLEY £499.99 EX.VAT





SIP PROFESSIONAL MIG INVERTER WELDER





SIP PROFESSIONAL SYNERGIC MIG INVERTER WELDER

THE EASY 4-STEP PROCESS FOR HIGH QUALITY WELDING...







Setup tells you which socket the link lead connects to and the type of gas required



Select the wire size diameter



Select the material thickness to be welded



You are ready to weld...

SIP HG2301 SYNERGIC MIG/ARC/TIG Inverter

- 230v (16A)
- 40 200A MIG output current
 - 10 180A DC TIG output current
 - 10 180A MMA (ARC) output current
- 0.6 1mm wire diameter
- 0.7 5kg wire spool size
- Solid / Flux-cored / stainless steel / aluminium MIG wire types
- 200A @ 35% duty cycle @ 20°C
- 200A @ 20% duty cycle @ 40°C
- · Microprocessor control

- LCD screen
- · Pre & post flow gas adjustment
- Creep start facility
- 2T / 4T / spot weld trigger functions
- Job programme storage
- 2-roll wire feed assembly
- · Euro torch connection
- · Gas / gasless capability
- · Generator friendly



EXTRA LOW CURRENT



What's in the box?

SIP HG2301 SYNERGIC Inverter welder, MB25 3mtr MIG welding torch, earth lead, gas hose and 3 contact tips.







£839.99



SIP PROFESSIONAL MIG DUAL-FUNCTION INVERTER WELDERS

Our collection of industrial MIG/MMA (ARC) Inverters boast IGBT technology, 4-roll wire feeds, 2T/4T trigger modes and infinitely variable power output, allowing for more versatility and durability in a number of trade, professional, and industrial applications.





TORCH INCLUDED






TORCH INCLUDED







HEAVY-DUTY ALL-METAL 4-ROLL WIRE FEED MECHANISM





INCLUDED

Item No	05769	05772	05777	05776
MODEL	SIP HG2400 COMPACT MIG INVERTER	SIP HG3000 COMPACT MIG INVERTER	SIP HG3000S MIG INVERTER SEPARATE WIRE FEED	SIP HG4500 Mig inverter Separate wire feed
INPUT SUPPLY	230v	230v	230v	400v
MIG OUTPUT CURRENT	50 - 200A	50 - 250A	50 - 250A	40 - 350A
MIG DUTY CYCLE @ 60%	200A	250A	250A	350A
WIRE SIZE	0.8 - 1mm	0.8 - 1mm 32A 230v	0.8 - 1mm 32A 230v	0.8 - 1.2mm 32A 400v
ARC OUTPUT CURRENT	30 - 200A	30 - 200A	30 - 200A	30 - 350A
ELECTRODE SIZE	1.6 - 4mm	1.6 - 6mm	1.6 - 6mm	1.6 - 6mm
WEIGHT	48.1kg	48.1kg	53kg	71kg
WHAT'S IN THE BOX?	MB25 TORCH 3mtr, 3mtr earth lead, gas hose, 0.6 & 1mm contact tips	MB25 TORCH 3mtr, 3mtr earth lead, gas hose, 0.6 & 1mm contact tips	MB25 TORCH 3mtr, 3mtr earth lead, 5mtr interconnecting harness, 1x set 0.8/1mm feed rolls, 1x set 1.2/1.6mm feed rolls	MB36 TORCH 4mtr, 3mtr earth lead, 5mtr interconnecting harness, 1x set 0.8/Imm feed rolls, 1x set 1.2/I.6mm feed rolls, 1x 1.2mm contact tip
EX. VAT	£899.99	£999.99	£1299.99	£1999.99
INC. VAT £1079.99		£1199.99	£1559.99	£2399.99

SIP PROFESSIONAL MIG TRANSFORMER WELDER



This MIG Transformer welder is highly versatile and efficient, due in part to it is 10 position voltage controls and various user-friendly features including; digital displays, 2T/4T trigger modes, creep start, and burnback adjustment.

Item No	05778	
MODEL	SIP HGT4000S MIG TRANSFORMER SEPARATE WIRE FEED	
INPUT SUPPLY	230v	
MIG OUTPUT CURRENT	60 - 300A	
MIG DUTY CYCLE @ 35%	300A	
WELDING VOLT RANGE	17 - 29v	
VOLTAGE CONTROL	10x POSITION SWITCH	
WIRE SIZE	0.8 - 1.2mm	
MAX. WIRE FEED SPEED	24mtr/min	
WEIGHT	120kg	
ADDITIONAL FEATURES	SEPARATE FIRE FEED UNIT 4-ROLL WIRE FEED 2T/4T TRIGGER MODE CREEP START BURNBACK ADJUSTMENT	
EX. VAT	£1699.99	
INC. VAT	£2039.99	



HEAVY-DUTY ALL-METAL 4-ROLL WIRE FEED MECHANISM 05778 INCLUDES

MB36 4mtr Welding Torch, 3mtr Earth Lead, 5mtr Interconnecting Harness

SIP PROFESSIONAL COLUMN SPOT WELDER

SIP CSW25P Pneumatic Column Spot Welder

- 400v (50A) 1-phase input supply
- 50kVA max / 25kVA @ 50% welding output
- 5+5mm (mild steel plate) / 20+20mm (bar) welding capacity
- 340 480mm standard arm length
- 4bar 8bar air pressure
- Single and double spot welding modes; perfect on oxidised or coated steels



foot pedal; for precise workpiece positioning

Fitted with high quality water cooling hoses









SIP Water Cooler

For use with SIP CSW25P Column Spot Welder

- · 400v input supply
- · 8ltr/min water flow rate





SIP PROFESSIONAL HANDHELD SPOT WELDERS

2 handheld compact and portable spot welders, fitted with heavy-duty transformers. Manufactured in Italy, and are suitable for automotive and light sheet metal applications, especially where access is limited. Both welders are supplied with quality arms and electrodes.

25287 comes equipped with a manual welding time adjuster

25288 is equipped with an electronic control for welding power, welding time and continuous/pulse functions



ILEIII NO	23201	23200
MODEL	SIP PROFESSIONAL SPOTWELD 21	SIP PROFESSIONAL SPOTWELD 22E
INPUT SUPPLY	230v (16A)	230v (25A)
MAX. INPUT POWER	1.2kW	2.3kW
MAX. WELDING CURRENT	3800A	6300A
MAX. WELDING CAPACITY	1+1mm (mild steel) / 6+6mm Ø	2+2mm (mild steel) / 6+6mm Ø
OPERATION	Weld timer	Electronic welding current & welding time
ARM / ELECTRODE LENGTH	120mm / 100mm (top), 50mm (bottom)	120mm / 100mm (top), 50mm (bottom)
WEIGHT	10.6kg	11.1kg
ADDITIONAL FEATURES	MANUAL WELDING CURRENT TIME CONTROL FULLY ADJUSTABLE ARM PRESSURE	MICROPROCESSOR CONTROLLED AUTOMATIC WELDING CURRENT TIME CONTROL - DEPENDING ON THICKNESS FULLY ADJUSTABLE TIP PRESSURE
EX. VAT	£779.99	£899.99
INC. VAT	£935.99	£1079.99





LOW OUTPUT FOR WELDING THIN MATERIAL









SIP FOOT PEDAL CONTROL

- Allows hands-free control of the output current and welding process

• For use with 05795



PACKAGE DEAL

PERFECT MAN

32A 230v

05795 PRO 200A AC/DC TIG/ARC Welder & 05727 Foot Pedal Control

SAVE £100 £999.

 E999.99
 EXVAT

 £1199.99
 INC.VAT

Item No	05775	05771	05795
MODEL	SIP HG1801HF DC/TIG ARC	SIP HG2200P TIG/ARC with PULSE	SIP PRO 200A AC/DC TIG/ARC with PULSE
INPUT SUPPLY	230v (16A)	230v (16A)	230v (32A)
OUTPUT CURRENT	DC	DC	AC/DC
TIG OUTPUT CURRENT	10 - 160A	5 - 200A	5 - 200A
TIG DUTY CYCLE @ 60%	160A	200A	150A
2 TOUCH / 4 TOUCH CONTROL	-	✓	✓
PULSE	-	✓	✓
ARC OUTPUT CURRENT	10 - 140A	20 - 200A	30 - 160A
MMA ELECTRODE DIAMETER	1.6 - 3.2mm	1.6 - 4mm	1.6 - 4mm
WEIGHT	14.5kg	13kg	15.9kg
ADDITIONAL FEATURES	HF TIG / LIFT ARC TIG / MMA ARC	TIG PULSE FACILITY FOR EASIER PRECISION WELDS SLOPE-UP / SLOPE-DOWN CURRENT FEATURE HF TIG / LIFT ARC TIG / MMA ARC	4x DIFFERENT AC WAVE FORMS TIG PULSE FACILITY FOR EASIER PRECISION WELDS SLOPE-UP / SLOPE-DOWN CURRENT FEATURE HF TIG / PULSE TIG / MMA ARC
EX. VAT	£349.99	£419.99	£949.99
INC VAT	£/119.99	£503.99	£1130 00

SIP PROFESSIONAL INVERTER PLASMA CUTTERS





Item No	05782	05785	05783
MODEL	SIP HG250 INVERTER Plasma	SIP HG400 INVERTER Plasma	SIP INT300 PLASMA Internal compressor
INPUT SUPPLY	230v (13A)	230v (16A)	230v (16A)
OUTPUT CURRENT	15 - 25A	15 - 40A	10 - 25A
DUTY CYCLE	25A @ 30%	40A @ 60%	25A @ 60%
CUTTING CAPACITY	5.5mm (Quality Cut) 8mm (Severance)	10mm (Quality Cut) 12mm (Severance)	8mm (Quality Cut) 10mm (Severance)
POWER SETTINGS	Infinitely Variable	Infinitely Variable	Infinitely Variable
COMPRESSED AIR PRESSURE	5bar	3 - 6bar	-
AVERAGE AIR CAPACITY	200ltr/min	200ltr/min	-
TORCH TYPE	Contact HF	Contact HF	Pilot ARC Ignition
WEIGHT	6.7kg	9.3kg	17kg
ADDITIONAL FEATURES	LIGHTWEIGHT AIR PRESSURE SENSOR SWITCH 'PARTS IN PLACE' SAFETY CIRCUIT	LIGHTWEIGHT AIR PRESSURE SENSOR SWITCH 'PARTS IN PLACE' SAFETY CIRCUIT	ONE-PERSON LIFT BUILT-IN AIR COMPRESSOR 'PARTS IN PLACE' SAFETY CIRCUIT
EX. VAT	£259.99	£499.99	£799.99
INC. VAT	£311.99	£599.99	£959.99





Item No	05787	05788	05789
MODEL	SIP HG500 INVERTER PLASMA	SIP HG600 INVERTER Plasma	SIP HG700 INVERTER PLASMA
INPUT SUPPLY	230v (16A)	230v (16A)	400v (16A)
OUTPUT CURRENT	15 - 50A	15 - 45A	25 - 70A
DUTY CYCLE @ 60%	50A @ 60%	45A @ 60%	70A @ 60%
CUTTING CAPACITY	12mm (Quality Cut) 15mm (Severance)	14mm (Quality Cut) 25mm (Severance)	20mm (Quality Cut) 25mm (Severance)
POWER SETTINGS	Infinitely Variable	Infinitely Variable	Infinitely Variable
COMPRESSED AIR PRESSURE	3 - 6bar	3 - 6bar	3 - 6bar
AVERAGE AIR CAPACITY	200ltr/min	150ltr/min	300ltr/min
TORCH TYPE	Contact HF	Contact HF	Pilot ARC Ignition
WEIGHT	9.3kg	11kg	23kg
ADDITIONAL FEATURES	LIGHTWEIGHT AIR PRESSURE SENSOR SWITCH 'PARTS IN PLACE' SAFETY CIRCUIT	LIGHTWEIGHT AIR PRESSURE SENSOR SWITCH 'PARTS IN PLACE' SAFETY CIRCUIT	ONE-PERSON LIFT AIR PRESSURE SENSOR SWITCH 'PARTS IN PLACE' SAFETY CIRCUIT
EX. VAT	£599.99	£799.99	£999.99
INC. VAT	£719.99	£959.99	£1199.99





SIP METEOR 2000 Electronic Welding Headshield

- · Fixed 11 SHADE welding setting
- 3/10000 second light-to-dark response time protects eyes from sudden arc
- · 2x light sensors
- Solar panel
- Adjustable padded headband for extended comfort
- · Lightweight construction weighs only 0.35kg

£24.99 f2999



SIP METEOR 2185 Electronic Welding Headshield

- TRUE COLOUR HD LCD Lens technology enhances detail and
- Adjustable Weld / Cut / Grind mode settings:
 9 13 SHADE for MMA (ARC) / MIG / TIG welding
- · 3/10000 second light-to-dark response time protects eyes from sudden arc
- Side-mounted shade dial convenient shade control

Automatic darkening filter (ADF) lens - with sensitivity and delay controls

- 2x light sensors
- Solar panel
- Adjustable padded headband for extended comfort
- Lightweight construction weighs only 0.48kg





xLIGHT



Item No: 02883

£38.99 FΥVΔT £46.79



SIP METEOR 2300 Electronic Welding Headshield

- TRUE COLOUR HD LCD Lens technology enhances detail and clarity of the weld
- Adjustable Weld / Cut / Grind mode settings: 9 - 13 SHADE for MMA (ARC) / MIG / TIG welding 5 - 9 SHADE for Plasma cutting 4 SHADE for grinding
- 1/10000sec light-to-dark response time protects eyes from sudden arc
- 4x light sensors
- Large viewing area 100 x 59.5mm
- Solar panel + 2x Lithium CR2450 3v batteries
- with low power warning light

· Test button checks headshield functions correctly

- Adjustable padded headband for extended comfort
- · Lightweight construction weighs only 0.5kg









£54.99





SIP METEOR 2300F Electronic Welding Headshield

- TRUE COLOUR HD LCD Lens technology enhances detail and clarity of the weld
- Striking, distinctive flame design
- Adjustable Weld / Cut / Grind mode settings: 9 13 SHADE for MMA (ARC) / MIG / TIG welding 9 SHADE for Plasma cutting 4 SHADE for grinding
- 1/10000sec light-to-dark response time protects eyes from sudden arc
- · 4x light sensors

- Large viewing area 100 x 59.5mm
- Test button checks headshield functions correctly
- Solar panel + 2x Lithium CR2450 3v batteries with low power warning light
- Adjustable padded headband for extended comfort
- Lightweight construction weighs only 0.5kg







£59.99 FX VAT





SIP METEOR 8000 Panoramic Electronic Welding Headshield TRUE COLOUR HD LCD Lens technology enhances detail

- and clarity of the weld PANORAMIC side windows aid peripheral vision (5 Shade)
- 100 x 83mm viewing area
- SHADE BANGE:
- 9 13 SHADE for MMA (ARC) / MIG / TIG Welding 5 - 9 SHADE - for Plasma Cutting 4 SHADE - for Grinding
- 1/10000sec light-to-dark response time rapid eye protection from sudden arc

£99.99 £119.99

- Side mounted shade dial adjustable sensitivity and delay controls
- 4x light sensors for fast and stable lens control
- Test butting function
- Solar panel / Lithium CR2450 battery
- Low battery warning light
- Adjustable padded headband for extended comfort
- LIGHTWEIGHT only 0.65kg







TO PLACE AN ORDER: 📞 01509 500500







Item No	02814	02815	
MODEL	SIP Electronic Welding Headshield PAPR WR1000	ld SIP Electronic Welding Headshield PAPR WR2000	
	WELDING H	EADSHIELD	
VIEWING AREA	98 x 43mm	98 x 55mm	
WELDING SHADE	DIN 9-13 Variable External Control	DIN 9-13 Variable External Control	
GRIND SHADE	DIN 4	DIN 4	
PLASMA SHADE	-	DIN 5-9 Variable External Control	
LIGHT to DARK REACTION TIME	1/30000s (0.0003sec) 1/30000sec (0.0003sec)		
ARC SENSORS	4 4		
WEIGHT	4.6kg	4.6kg	
	AIR RESPIRATOR		
BATTERY TYPE	Rechargeable Lithium-Ion	Rechargeable Lithium-Ion	
AIR FLOW SPEEDS	2 (180 & 200ltr/min)	2 (180 & 200ltr/min)	
APPROX. RUNTIME	10hrs (low speed) / 6hrs (high speed)	10hrs (low speed) / 6hrs (high speed)	
CHARGE TIME	3hrs 3hrs		
FILTRATION LEVEL	TH2	TH2	
EX. VAT	£349.99	£389.99	
INC. VAT	£419 99	£46799	

The European standard for Powered Air Purifying Respirators is EN12941.

This standard defines 3 classes of performance. These levels are TH1, TH2 and TH2

The numbers define level of performance (*Inward Leakage) & the strengths of the tubes and couplings.

Maximum Inward Leakage for the classifications are:-

TH1 = 10%

TH2 = 2%

TH3 = 0.2%

SIP PAPR Filters are TH2P (Particle Filter).

*Inward Leakage is defined as the combination of contaminated air that leaks through a respirator from various sources, including face seals, valves & gaskets and the penetration through the filter.

Item No	DESCRIPTION	DIMENSIONS	EX. VAT	INC. VAT
WE09-00013	SIP Front Cover Lens True Colour (for 02814, 02815)	123 x 98 mm	£4.39	£5.27
WE09-00017	SIP Inner Cover Lens (for 02814, 02815)	107.5 x 58.6mm	£2.79	£3.35
WE09-00028	SIP Main HEPA Filter (for 02814, 02815)	-	£24.99	£29.99
WE09-00029	SIP Pre-filter (for 02814, 02815)	-	£5.49	£6.59



FX PORTABLE WELDING FX-EH MOBILE WELDING FX-WM WALL-MOUNTED WELDING FUME EXTRACTOR FX-WM WALL-MOUNTED WELDING FUME FUME FUME FUME FUME FUME FUME FUME	
INPUT POWER 1.1kW 1.1kW 1.5kW 1.5kW POWER CONSUMPTION 4.85A 4.85A 6.5A 6.5A MAX. FLOW RATE 250m³/hr 2500m³/hr 2500m³/hr 2500m³/hr	JNTED
POWER CONSUMPTION 4.85A 4.85A 6.5A 6.5A MAX. FLOW RATE 250m³/hr 2500m³/hr 2500m³/hr 2500m³/hr	
MAX. FLOW RATE 250m³/hr 2500m³/hr 2500m³/hr 2500m³/hr	
MAX. SUCTION 110m³/hr 1200m³/hr 1480m³/hr 1480m³/hr	
FILTRATION 85% 99.5% 99.5%	
ADJUSTABLE EXTRACTION Extraction hose 3mtr flexible arm 3mtr flexible arm 2x 3mtr flexible arms	S
NOISE LEVEL 65dB(A) 73dB(A) 73dB(A) 73dB(A)	
WEIGHT 20kg 85kg 100kg 100kg	
ADDITIONAL FEATURES FOR MEDIUM/LOW CONCENTRATIONS OF POLLUTANTS FOR INTERMITTENT OPERATION WITH ADJUSTABLE MOTOR SPEED REGULATION HIGH PERFORMANCE CENTRIFUGAL EXTRACTION FAN ENCASED IN A SOUNDPROOF COMPARTMENT SELF INSTALL HIGH PERFORMANCE CENTRIFUGAL EXTRACTION FAN ENCASED IN A SOUNDPROOF COMPARTMENT SELF INSTALL SELF INSTALL	ED IN A
EX. VAT £839.99 £1789.99 £2719.99 £3369.99	
INC. VAT £1007.99 £2147.99 £3263.99 £4043.99	

SIP WELDING FUME EXTRACTOR ACCESSORIES

Item No	DESCRIPTION	EX. VAT	INC. VAT
WE08-00003	SIP Anti-spark Metallic Filter (for 05800)	£27.29	£32.75
WE08-00004	SIP Cartridge Filter - 85% efficient (for 05800)	£65.39	£78.47
WE08-00005	SIP Carbon Filter (for 05800)	£116.69	£140.03
WE08-00008	SIP Absolute Filter (for 05802, 05806, 05812)	£282.29	£338.75
WE08-00009	SIP Anti-spark Metallic Filter (for 05802, 05806, 05812)	£36.99	£44.39
WE08-00010	SIP Pre Filter (for 05802, 05806, 05812)	£32.69	£39.23

TO PLACE AN ORDER: Www.sip-group.com

SIP REPLACEMENT WELDING HEADSHIELD LENSES

Item No	DESCRIPTION	DIMENSIONS	EX. VAT	INC. VAT
02862	SIP Front Cover Lens True Colour (for 02883)	118 x 95mm	£4.39	£5.27
02895	SIP Back Cover Lens (for 02883)	103 x 47mm	£3.29	£3.95
02897	SIP Front Cover Lens (for 02884, 02886)	134 x 114mm	£3.29	£3.95
02898	SIP Back Cover Lens (for 02884, 02886)	105 x 66mm	£3.29	£3.95
02804	SIP Front Cover Lens (for 02803)	338.9 x 155.7mm	£5.49	£6.59
02805	SIP Back Cover Lens (for 02803)	103.5 x 88.6mm	£4.39	£5.27



SIP MIG TORCHES



Heavy-duty welding torches for use with MIG welders

Item No	DESCRIPTION	EX. VAT	INC. VAT
05502	SIP 15 3mtr Euro MIG Welding Torch	£81.79	£98.15
05505	SIP 25 3mtr Euro MIG Welding Torch	£111.19	£133.43
05510	SIP 25 4mtr Euro MIG Welding Torch	£115.59	£138.71
05515	SIP 36 4mtr Euro MIG Welding Torch	£179.89	£215.87

SIP TIG TORCHES



Item No	DESCRIPTION	EX. VAT	INC. VAT
05029	SIP 17V Small Dinse TIG Welding Torch	£59.99	£71.99
05035	SIP 17V Large Dinse TIG Welding Torch	£59.99	£71.99
05018	SIP 17 4mtr 3-Pin TIG Welding Torch	£92.69	£111.23
05015	SIP 26 4mtr 5-Pin TIG Welding Torch	£110.09	£132.11
05016	SIP 26 4mtr 3-Pin TIG Welding Torch	£92.69	£111.23

SIP PLASMA TORCHES



Hard-wearing plasma torches for accurate and reliable metal cutting

riaru-wearing plasma torches for accurate and renable metal cutting				
Item No	DESCRIPTION	EX. VAT	INC. VAT	
WE04-00177	SIP P80 Plasma Torch Pilot ARC	£179.99	£215.99	
05123	SIP 6mtr P80 Plasma Torch without Connector	£128.69	£154.43	

SIP ELECTRODE HOLDERS



Item No	DESCRIPTION	EX. VAT	INC. VAT
02744	SIP 400A Twist Electrode Holder	£10.89	£13.07
02715	SIP 300A Electrode Holder	£10.89	£13.07
02700	SIP 200A Electrode Holder	£7.69	£9.23

SIP EARTH CLAMPS



Item No	DESCRIPTION	EX. VAT	INC. VAT
02743	SIP 400A Steel Earth Clamp	£8.79	£10.55
02750	SIP 600A Cast Brass Earth Clamp	£37.09	£44.51



UN S	QUARE TUBE ON ANGLED JOINTS	MITREJU	INI
ltem No	DESCRIPTION	EX. VAT	INC. VAT
07648	SIP 6" 274 Welders Angle Clamp	£59.99	£71.99
07649	SIP 9" 275 Welders Angle Clam p	£74.99	£89.99

SIP ARC/MMA WELDING ELECTRODES - DIY DISPLAY PACKS



High quality general purpose electrodes for all ARC/MMA machines Suitable for mild steel (E6013)

Item No	DESCRIPTION	EX. VAT	INC. VAT
02691	SIP 10x 1.6mm	£5.49	£6.59
02692	SIP 10x 2.0mm	£5.49	£6.59
02693	SIP 10x 2.5mm	£5.49	£6.59
02694	SIP 10x 3.25mm	£5.49	£6.59
02689	SIP 6x 1.6mm, 5x 2mm, 4x 2.5mm	£6.59	£7.91

SIP ARC/MMA WELDING ELECTRODES - BULK BOXES



High quality general purpose ARC/MMA electrodes Suitable for mild steel (E6013)

Item No	DESCRIPTION		EX. VAT	INC. VAT
02769	SIP 1.6mm, Mild Steel (6013)	2kg	£9.99	£11.99
02921	SIP 2.0mm, Mild Steel (6013)	2.5kg	£8.99	£10.79
02777	SIP 2.5mm, Mild Steel (6013)	5kg	£16.99	£20.39
02778	SIP 3.25mm, Mild Steel (6013)	5kg	£15.99	£19.19
02779	SIP 4.0mm, Mild Steel (6013)	5kg	£16.99	£20.39

SIP MIG WELDING TORCH TIPS & SHROUDS



Item No	DESCRIPTION	EX. VAT	INC. VAT
04040	SIP 0.6mm Tips M5 (Pack of 5)	£3.69	£4.43
04045	SIP 0.8mm Tips M5 (Pack of 5)	£3.69	£4.43
04144	SIP 0.8mm Tips M6 (Pack of 5)	£5.49	£6.59
04142	SIP MB15 Conical MIG Shrouds (2 Per Pack)	£5.99	£7.19
04035	SIP Migmate MIG Shrouds (2 Per Card)	£4.99	£5.99
04058	SIP MIG Torch Starter Kit (S/Liner 2v Shroud 5v Tins)	£10 89	£13.07

SIP MIG WELDING WIRE



Premium quality MIG wire for gas / gasless welding applications

Item No	DESCRIPTION		EX. VAT	INC. VAT
04000	SIP Display 0.6mm Mild Steel	0.7kg	£5.89	£7.07
02666	SIP 0.6mm Mild Steel	5kg	£23.99	£28.79
02668	SIP 0.6mm Mild Steel	15kg	£59.99	£71.99
04005	SIP 0.8mm Mild Steel	0.7kg	£5.59	£6.71
02669	SIP 0.8mm Mild Steel	5kg	£18.99	£22.79
02671	SIP 0.8mm Mild Steel	15kg	£44.99	£53.99
02681	SIP 1.0mm Mild Steel	15kg	£43.59	£52.31
04055	SIP Display 0.8mm Flux Cored Mini	0.227kg	£7.69	£9.23
04010	SIP Display 0.8mm Flux Cored	0.45kg	£8.19	£9.83
02678	SIP 0.8mm Flux Cored for Gasless	0.90kg	£13.99	£16.79
02706	SIP 0.8mm Flux Cored for Gasless	4.5kg	£54.39	£65.27
04060	SIP Display 0.8mm Aluminium	0.5kg	£12.59	£15.11
04065	SIP Display 0.8mm Stainless Steel	0.7kg	£17.99	£21.59

SIP MIG WELDING GAS & GAS BOTTLE REGULATOR



Item No	DESCRIPTION		EX. VAT	INC. VAT
04015	SIP Display CO ₂ Gas	390g	£18.49	£22.19
04020	SIP Display Argon/CO₂ Gas	390g	£17.99	£21.59
04025	SIP Display Argon Gas	390g	£18.59	£22.31
04012	SIP Display CO ₂ Gas	600g	£19.99	£23.99
04030	SIP Gas Regulator for disposable bottles		£19.99	£23.99


SIP WELDING PPE 04156 04146 04148 04151 DESCRIPTION EX. VAT SIP Flip-Top Welding Headshield £11.99 £14.39

SIP WELDING BLANKET & CURTAIN



Item No	DESCRIPTION	EX. VAT	INC. VAT
04161	SIP Welding Blanket (2 x 1m)	£41.39	£49.67
04166	SIP Welding Curtain (6' x 6')	£38.19	£45.83
04167A	SIP Welding Curtain & Frame Package	£96.89	£116.27

SIP MIG PLIERS



Used for nozzle and tip installation, wire cutting, nozzle cleaning and spatter removal

Item No	DESCRIPTION	EX. VAT	INC. VAT
04168	SIP MIG Pliers	£14.19	£17.03



SIP Magnetic Holder M Model holds up to 50lbs / 23kg

SIP Magnetic Holder L Model holds up to 75lbs / 34kg

SIP Advanced Anti Spatter Spray - 400ml

SIP Spring Handle Metal Chipping Hammer

SIP Welding Clamps (Set of 3)

£9.79

£10.89

£20.69

£4.39

£4.39

£13.07

£24.83

£5.27

SIP MAGNETIC WELDING EARTH CLAMP



SIP MAGNETIC WELDING TORCH HOLDERS



Ultra magnetic welding torch holders with strong gripping power to any ferrous object Ideal for storing MIG / TIG torches whilst preparing the area to be welded

Item No	DESCRIPTION	EX. VAT	INC. VAT
04158	SIP Magnetic Welding Torch Holder MIG	£7.69	£9.23
04159	SIP Magnetic Welding Torch Holder TIG	£7.69	£9.23



05709 SIP Welding Table £109.99 £131.99



Item No	DESCRIPTION	EX. VAT	INC. VAT
04173	SIP Wire Brush - 3 Row (Mild Steel)	£1.89	£2.27
04174	SIP Wire Brush - 4 Row (Mild Steel)	£2.29	£2.75
04169	SIP Wire Brush - 3 Row (Stainless Steel)	£2.79	£3.35
04171	SIP Wire Brush - 4 Row (Stainless Steel)	£2.99	£3.59
04176	SIP Converging Wire Brush	£10.99	£13.19



ERY LOW-NOISE AIR COMPRESSORS





ONLY 59dB

4 TANK SIZES AVAILABLE









Innovative, low noise, high-quality - QT Air Direct Drive Compressors are engineered with components to reduce the sound generated when in operation, without compromising on air production efficiency.

Essential for use in environments where sound output is a concern, these low maintenance, oil-free compressors operate at just 59dB.

- Featuring slow-running, 4-pole brushless induction motors and braided hoses for added durability
- Fan-cooled, twin cylinder motor and pump for efficient air production
- Carry handle and wheel-mounted options for outstanding movability in the work area and between locations
- · Anti-vibration mounts support low noise operation
- · Pressure switch and air regulator
- · Delivers up to 10bar max. pressure



Item No	05398	04381	04382	04383
MODEL	SIP QT 6ltr OIL-FREE LOW-NOISE COMPRESSOR	SIP QT 24/10 OIL-FREE LOW-NOISE COMPRESSOR	SIP QT 50/10 OIL-FREE LOW-NOISE COMPRESSOR	SIP QT 100/10 OIL-FREE LOW-NOISE COMPRESSOR
INPUT SUPPLY	230v (13A)	230v (13A)	230v (13A)	230v (13A)
MOTOR	0.75HP (0.5kW), 4 POLE, Brushless	1.3HP (1kW), 4 POLE, Brushless	1.3HP (1kW), 4 POLE, Brushless	2x 1.3HP (1kW), 4 POLE, Brushless
AIR RECEIVER	6ltr	24ltr	50ltr	100ltr
PISTON DISPLACEMENT	2CFM	7.3CFM	7.3CFM	14.6CFM
FREE AIR DELIVERY	1.5CFM	5.4CFM	5.4CFM	10.8CFM
MAX. AIR PRESSURE	8bar (116psi)	10bar (145psi)	10bar (145psi)	10bar (145psi)
NOISE LEVEL	59dB(A)	59dB(A)	59dB(A)	59dB(A)
ADDITIONAL FEATURES	TWIN-CYLINDER MOTOR/PUMP UNIT HEAVY-DUTY HANDLE ANTI-VIBRATION RUBBER FEET	TWIN-CYLINDER MOTOR/PUMP UNIT Heavy-duty Handle Solid Wheels	TWIN-CYLINDER MOTOR/PUMP UNIT HEAVY-DUTY HANDLE SOLID WHEELS	2x TWIN-CYLINDER MOTOR/PUMP UNIT HEAVY-DUTY HANDLE SOLID WHEELS
EX. VAT	£139.99	£199.99	£259.99	£449.99
INC. VAT	£167.99	£239.99	£311.99	£539.99


















INPUT SUPPLY: 18V - 20V (DC) 230V (13A) MOTOR: 0.67HP (500W) **BATTERY TYPE: 20V 4AH (AI01-00484) BATTERY RUN-TIME: 20MIN (CONTINUOUS) BATTERY CHARGE TIME: 7.5HRS** AIR RECEIVER: 5LTR **PISTON DISPLACEMENT: 2.8CFM FREE AIR DELIVERY: 2.3CFM MAX PRESSURE: 9BAR (130PSI)**

£299.99 EX.VAT £359.99 INC.VAT **LCD SCREEN**

TWIN CYLINDER HALF SPEED FUNCTION







BATTERY & CHARGER INCLUDED



TO PLACE AN ORDER:
Www.sip-group.com













SUPPLIED WITH 5 PIECE AIR KIT

QUICK RELEASE COUPLER

SELF-RETRACTING HOSE

COMPACT DESIGN













IDEAL FOR A VARIETY OF USES AROUND THE GARAGE AND HOME WORKSHOP



Suitable for low pressure & low volume applications Compact, durable & lightweight Tyre inflation/cleaning/nailing-stapling











LIGHTWEIGHT ONLY 9KG

PERFECT FOR HOUSEHOLDS & TRAVELLING



6 piece kit includes: inflating gun, 3 needles (for inflating balls, bicycle tyres and small air mattresses), inflator gun and 3mtr rubber hose









05295



PERFECT FOR LOW PRESSURE &
LOW VOLUME APPLICATIONS: INFLATING
CAR / BIKE TYRES & DUSTER GUNS

EASY-TO-READ GAUGE & ERGONOMIC DIAL

QUICK RELEASE COUPLER

OIL-FREE CLEAN AIR SUPPLY & MAINTENANCE-FREE

Neat rear power cable storage hooks

COMPACT ULTRA-PORTABLE DESIGN







06254 06256





SUITABLE FOR LOW PRESSURE AND LOW VOLUME APPLICATIONS - TYRE INFLATION AND NAIL GUNS 110V PERFECT FOR SITE APPLICATIONS

INTEGRATED CONTROL PANEL; EASY-TO-READ GAUGE AND ERGONOMIC PRESSURE REGULATOR

BUILT WITH AN EFFICIENT COOLING SYSTEM; EXTENDED LIFE OF THE COMPRESSOR



230v & 110v options available









Item No	MODEL	INPUT Supply	MOTOR	AIR Receiver Size	PISTON DISPLACEMENT	MAX. PRESSURE	WEIGHT	ADDITIONAL Features	EX. VAT	INC. VAT
05291	SIP Super Boxy	230v (13A)	1.5hp	2ltr	6.4CFM	116psi (8bar)	9kg	OIL-FREE	£164.99	£197.99
05295	SIP 6	230v (13A)	1.5hp	6ltr	6.4CFM	116psi (8bar)	9kg	OIL-FREE	£139.99	£167.99
06254	SIP 0L197/10RC	230v (13A)	1.5hp	10ltr	8CFM	145psi (10bar)	11kg	OIL-FREE	£279.99	£335.99
06256	SIP 0L197/10RC	110v (16A)	1.5hp	10ltr	8CFM	145psi (10bar)	11kg	OIL-FREE	£279.99	£335.99







Ideal for small garages and mobile environments









OIL-LUBRICATED

BUILT WITH AN EFFICIENT COOLING System; extended life of the Compressor

INTEGRATED PRESSURE SWITCH AND PRESSURE REGULATOR; EASY-TO-READ GAUGE AND ERGONOMIC PRESSURE REGULATOR CONTROL QUICK RELEASE COUPLER; EURO-TYPE FITTING

> _ _



OIL-FREE CLEAN AIR SUPPLY & MAINTENANCE-FREE



INTEGRATED TOP-MOUNTED CONTROL PANEL WITH EASY-TO-READ GAUGE

QUICK RELEASE COUPLER; EURO TYPE FITTING





ALIAN ESIGN		

Item No	MODEL	INPUT SUPPLY	MOTOR	AIR Receiver Size	PISTON DISPLACEMENT	MAX. Pressure	NOISE LEVEL	ADDITIONAL Features	EX. VAT	INC. VAT
06225	SIP 25	230v (13A)	1.5hp	24ltr	8CFM	116psi (8bar)	97dB(A)	OIL-FREE	£139.99	£167.99
06457	SIP DD 2HP 24Ltr	230v (13A)	2hp	24ltr	8CFM	116psi (8bar)	94.5dB(A)	OIL-LUBRICATED	£129.99	£155.99
06296	SIP 245/25	230v (13A)	2hp	24ltr	8CFM	116psi (8bar)	97dB(A)	OIL-FREE	£179.99	£215.99
06249	SIP V215/25	230v (13A)	1.5hp	24ltr	6.5CFM	116psi (8bar)	97dB(A)	OIL-FREE, VERTICAL	£149.99	£179.99





Suitable for trade, workshop, medium-sized garage operators **Ideal for mobile environments**





OIL-LUBRICATED

EXTERNAL AIR FILTERS; EASY ACCESS FOR GENERAL MAINTENANCE

BUILT WITH AN EFFICIENT COOLING SYSTEM; EXTENDED LIFE OF THE COMPRESSOR

INTEGRATED PRESSURE SWITCH AND PRESSURE REGULATOR; EASY-TO-READ GAUGE AND ERGONOMIC PRESSURE REGULATOR CONTROL QUICK RELEASE COUPLER; EURO-TYPE FITTING



DESIGNED FOR SMALL WORKSHOPS
AND TRADE APPLICATIONS



INTEGRATED TOP-MOUNTED CONTROL PANEL WITH EASY-TO-READ GAUGE

QUICK RELEASE COUPLER; EURO TYPE FITTING

SPACE-SAVING VERTICAL DESIGN

06258





OIL-LUBRICATED COMPRESSOR DESIGNED FOR WORKSHOPS AND GARAGES 05283



EXTERNAL AIR FILTERS; EASY ACCESS FOR GENERAL MAINTENANCE

BUILT WITH AN EFFICIENT Cooling System; extended life of the compressor

INTEGRATED PRESSURE SWITCH AND PRESSURE REGULATOR; EASY-TO-READ GAUGE AND ERGONOMIC PRESSURE REGULATOR CONTROL QUICK RELEASE COUPLER; EURO-TYPE FITTING



ITALIAN DESIGN



OIL-LUBRICATED COMPRESSOR Designed for Workshops AND Garages

OIL-LUBRICATED BELT-DRIVEN CAST IRON BARREL FOR LONGER SERVICE LIFE

OVERSIZED CRANKCASE, FINNED MANIFOLDS AND DURABLE ALUMINIUM AFTERCOOLER FOR PROLONGED TRADE USE



SMOOTH V-TWIN ALUMINIUM PUMP FOR OPTIMUM EFFICIENCY AND PERFORMANCE

BUILT WITH AN EFFICIENT Cooling System; extended life of the compressorw

INTEGRATED PRESSURE SWITCH AND PRESSURE REGULATOR; EASY-TO-RED GAUGE AND ERGONOMIC PRESSURE REGULATOR CONTROL QUICK RELEASE COUPLER; EURO-TYPE FITTING



ITALIAN DESIGN





Item No	MODEL	INPUT SUPPLY	MOTOR	AIR RECEIVER SIZE	PISTON DISPLACEMENT	MAX. Pressure	NOISE LEVEL	ADDITIONAL FEATURES	EX. VAT	INC. VAT
06459	SIP DD 2HP 50Ltr	230v (13A)	2hp	50ltr	8CFM	116psi (8bar)	94.5dB(A)	OIL-LUBRICATED	£169.99	£203.99
05283	SIP TN2.5/50-D	230v (13A)	2.5hp	50ltr	9.5CFM	116psi (8bar)	94dB(A)	OIL-LUBRICATED	£229.99	£275.99
05325	SIP DDVT 3HP 50Ltr V-Twin	230v (13A)	3hp	50ltr	HIGH 14CFM	145psi (10bar)	97dB(A)	OIL-LUBRICATED	£279.99	£335.99
06243	SIP V245/50	230v (13A)	2hp	50ltr	8CFM	116psi (8bar)	97dB(A)	OIL-FREE	£219.99	£263.99
06258	SIP TN3/50-SRB	230v (13A)	3hp	50ltr	13CFM	145psi (10bar)	96dB(A)	OIL-LUBRICATED BELT-DRIVE	£499.99	£599.99





DESIGNED FOR SMALL WORK-SHOPS AND TRADE APPLICATIONS



Suitable for trade, workshop, medium-sized garage operators Ideal for mobile environments









Item No	MODEL	INPUT SUPPLY	MOTOR	AIR RECEIVER SIZE	PISTON DISPLACEMENT	MAX. Pressure	NOISE Level	ADDITIONAL Features	EX. VAT	INC. VAT
06455	SIP DDVT 3HP 100ltr V-Twin	230v (13A)	3hp	100ltr	13CFM	145psi (10bar)	97dB(A)	OIL-LUBRICATED	£369.99	£443.99
06245	SIP V300/100	230v (13A)	2.5hp	100ltr	10CFM	116psi (8bar)	97dB(A)	OIL-FREE, VERTICAL	£399.99	£479.99
06260	SIP TN3/100-SRB	230v (13A)	3hp	100ltr	13CFM	145psi (10bar)	96dB(A)	OIL-LUBRICATED	£569.99	£683.99

SIP Advanced Air Compressor Oil

- · Formulated high-quality oil designed specifically for use with our range of air compressors
- SAE40, low carbon forming
- Supplied in 1ltr (02350) and 5ltr (02352) containers





SPACE-SAVING VERTICAL DESIGN

Item No: 0	2350
£8.49	EX.VAT
£10.19	INC.VAT





Suitable for workshop, industrial & light commercial applications Space-saving design is ideal for when space is at a premium



OVERSIZED CRANKCASE, CAST IRON BARREL & HEAVY-DUTY ALUMINIUM AFTERCOOLER

BARREL OIL-LUBRICATED COOLER BELT-DRIVEN

B2800 PUMP

3HP MOTOR



- Space-saving vertical 'squat tank' design
- B2800 pump
- Belt-drive

06323

 Oversized crankcase, cast iron barrel and heavy-duty aluminium aftercooler for prolonged trade use







- Space-saving vertical 'squat tank' design
- NB5 heavy-duty pump
- Belt-drive
- Oversized crankcase, cast iron barrel and heavy-duty aluminium aftercooler for prolonged trade use








Item No	MODEL	INPUT Supply	MOTOR	AIR RECEIVER SIZE	PISTON DISPLACEMENT	MAX. Pressure	NOISE LEVEL	OVERALL HEIGHT	EX. VAT	INC. VAT
06323	SIP VN3/150-SB	230v (13A)	3hp	150ltr	13CFM	145psi (10bar)	96dB(A)	1460mm	£799.99	£959.99
06335	SIP VN5.5/150-TB	400v (20A) 3 phase	5.5hp	150ltr	24CFM	145psi (10bar)	97dB(A)	1750mm	£1399.99	£1679.99







Suitable for a range of trade and professional applications





EXTRA STRONG MOULDED PLASTIC BELT & FLYWHEEL GUARDS MULTI-FINNED FLYWHEEL FOR IMPROVED COOLING & LONGER PUMP LIFE

OIL-LUBRICATED BELT-DRIVEN

- Cast iron barrel for longer service life
- Oversized crankcase, finned manifolds and durable aluminium aftercooler for prolonged trade use



WHEEL KIT AVAILABLE ITEM: 02068 SEE BELOW









EXTRA STRONG MOULDED PLASTIC BELT & FLYWHEEL GUARDS MULTI-FINNED FLYWHEEL FOR IMPROVED COOLING & LONGER PUMP LIFE

UTLRA HEAVY-DUTY B3800B PUMP

OIL-LUBRICATED BELT-DRIVEN

- Ultra heavy-duty B3800B pump
- Cast iron barrel for longer service life
- Oversized crankcase, finned manifolds and durable aluminium aftercooler for prolonged trade use



WHEEL KIT AVAILABLE ITEM: 02068 SEE BELOW







Item No	MODEL	INPUT Supply	MOTOR	AIR RECEIVER SIZE	PISTON DISPLACEMENT	MAX. Pressure	NOISE Level	ADDITIONAL FEATURES	EX. VAT	INC. VAT
06290	SIP 3HP/150-SRB	230v (13A)	3hp	150ltr	13CFM	145psi (10bar)	96dB(A)	-	£629.99	£755.99
05300	SIP PX3/150-SRB	230v (16A)	3hp	150ltr	16CFM	145psi (10bar)	97dB(A)	-	£699.99	£839.99



SIP Air Compressor Wheel Kits

02068 - for 150ltr models 02069 - for 200ltr models

Kit includes:

1x pull handle, 2x heavy-duty solid rubber wheels and 2x swivel castors

Item No: 02	2068
£64.99	EX.VAT
£77.99	INC.VAT
Item No: 02	2069
£69.99	EX.VAT
£83 00	INCLIAT







Suitable for a range of trade and professional applications











Item No	MODEL	INPUT Supply	MOTOR	AIR RECEIVER SIZE	PISTON DISPLACEMENT	MAX. Pressure	WEIGHT	ADDITIONAL Features	EX. VAT	INC. VAT
06294	SIP 3HP/200-SRB	230v (13A)	3hp	200ltr	13CFM	145psi (10bar)	84kg	-	£699.99	£839.99
05302	SIP PX3/200-SRB	230v (16A)	3hp	200ltr	HIGH 16CFM	145psi (10bar)	96kg	-	£749.99	£899.99
05308	SIP PX4/200B	230v (18A)	4hp	200ltr	HIGH 18CFM From 1 Phase	145psi (10bar)	96kg	-	£849.99	£1019.99
05311	SIP PX4-3/200B	400v (20A) 3 Phase	4hp	200ltr	HIGH 18CFM	145psi (10bar)	96kg	-	£869.99	£1043.99
06583	SIP TN5.5/200	400v (20A) 3 Phase	5.5hp	200ltr	24CFM	145psi (10bar)	112kg	2 Stage Pump	£1249.99	£1499.99









Designed for industrial and professional applications







Item No	MODEL	INPUT SUPPLY	MOTOR	AIR Receiver Size	PISTON DISPLACEMENT	MAX. Pressure	WEIGHT	ADDITIONAL FEATURES	EX. VAT	INC. VAT
06585	SIP TN7.5/270	400v (20A) 3 Phase	7.5hp	270ltr	34CFM	145psi (10bar)	168kg	2 Stage Pump	£1599.99	£1919.99
06587	SIP TN10/270	400v (20A) 3 Phase	10hp	270ltr	42CFM	145psi (10bar)	201kg	STAR DELTA STARTER	£2399.99	£2879.99
05251	SIP B3800/270 Tandem	230v (32A)	2x 3hp	270ltr	HIGH 32CFM FROM 1 PHASE	145psi (10bar)	152.5kg	TWIN PUMPS TWIN MOTORS	£2399.99	£2879.99

Premium compressors for heavy-industrial applications





06291

06295

LARGE INTERSTAGE COOLERS - COOLER AIR, REDUCED MOISTURE & PUMP TEMPERATURE CONTROL

10 YEAR AIR RECEIVER ANTI-CORROSION WARRANTY



OIL-LUBRICATED BELT-DRIVEN

HEAVY-DUTY PUMP FOR INDUSTRIAL APPLICATIONS

INDUSTRIAL 3 PHASE MOTORS

ROBUST VALVE PLATE WITH INDIVIDUAL VALVES FOR EFFICIENT PERFORMANCE

SUPPLIED WITH ANTI-VIBRATION MOUNTS Worth

up to £100!







Item No	MODEL	INPUT SUPPLY	MOTOR	AIR RECEIVER SIZE	PISTON DISPLACEMENT	MAX. Pressure	WEIGHT	ADDITIONAL FEATURES	EX. VAT	INC. VAT
06289	SIP ISBD5.5/270	400v (20A) 3 Phase	5.5hp	270ltr	23.5CFM	160psi (11bar)	166kg	-	£1499.99	£1799.99
06291	SIP ISBD7.5/270	400v (20A) 3 Phase	7.5hp	270ltr	31CFM	160psi (11bar)	190kg	-	£1799.99	£2159.99
06295	SIP ISBD10/270	400v (20A) 3 Phase	10hp	270ltr	38CFM	160psi (11bar)	220kg	STAR DELTA STARTER	£2799.99	£3359.99



Premium industrial compressors for heavy-industrial applications



06297

INDUSTRIAL 3 PHASE MOTORS

10 YEAR AIR RECEIVER ANTI-CORROSION WARRANTY

SUPPLIED WITH
ANTI-VIBRATION MOUNTS

Worth
up to £100!



OIL-LUBRICATED BELT-DRIVEN

HEAVY-DUTY, SMOOTH V-TWIN PUMP FOR OPTIMUM EFFICIENCY AND PERFORMANCE FOR INDUSTRIAL APPLICATIONS

LARGE INTERSTAGE COOLERS - COOLER AIR, REDUCES MOISTURE & PUMP TEMPERATURE CONTROL

LONG-STROKE CAST IRON CYLINDERS - SLOWER RUNNING & INCREASED PUMP LIFE

ROBUST VALVE PLATE WITH INDIVIDUAL VALVES For efficient performance







Item No	MODEL	INPUT SUPPLY	MOTOR	AIR RECEIVER SIZE	PISTON DISPLACEMENT	MAX. PRESSURE	WEIGHT	ADDITIONAL FEATURES	EX. VAT	INC. VAT
06297	SIP ISBD15/500	400v (32A) 3 Phase	15hp	500ltr	61.5CFM	160psi (11bar)	313kg	STAR DELTA STARTER	£3999.99	£4799.99

SIP COMPRESSED AIR DRYERS



Reduce moisture from the air supply and extends the life of air tools. Suitable for screw and piston compressors.

Item No	05303	05306	05307
MODEL	SIP PS9	SIP PS11	SIP PS17
INPUT SUPPLY	230v (231A)	IP PS9 SIP PS11 SIP I 30v (231A) 230v (231A) 230v (231A) 900 1100 170 54 66 10 32 39 6 2psi (16bar) 232psi (16bar) 232psi ½" BSP ½" BSP 1" E 854.99 £875.99 £94	230v (231A)
LTR/MIN	900	1100	1700
FLOW RATE M3/HR	54	230v (231A) 230v (231A) 900 1100 54 66 32 39 232psi (16bar) 232psi (16bar) ½" BSP ½" BSP £854.99 £875.99	102
CFM	32	230v (231A) 230v (231A) 230v (2 900 1100 1700 54 66 102 32 39 60 32psi (16bar) 232psi (16bar) 232psi (1 ½" BSP ½" BSP 1" BS 2854.99 £875.99 £941.	60
MAX. PRESSURE	232psi (16bar)	230v (231A) 230v (231A) 230v (23 900 1100 1700 54 66 102 32 39 60 232psi (16bar) 232psi (16bar) 232psi (16 ½" BSP ½" BSP 1" BSF £854.99 £875.99 £941.	232psi (16bar)
CONNECTION	230v (231A) 230v (231A) 900 1100 54 66 32 39 232psi (16bar) 232psi (16bar) ½" BSP ½" BSP £854.99 £875.99	1" BSP	
EX. VAT	£854.99	£875.99	£941.99
INC. VAT	£1025.99	SIP PS9 SIP PS11 230v (231A) 230v (231A) 900 1100 54 66 32 39 32psi (16bar) 232psi (16bar) ½" BSP ½" BSP E854.99 £875.99	£1130.39

SIP TP7.0/50 Belt-Driven Petrol-Powered Air Compressor

- 7hp 207CC petrol engine
- 50ltr air receiver
- 13CFM piston displacement
- 130psi (9bar) max. pressure
- 1022rpm speed
- 2 cylinder belt driveHeavy-duty pump
- Safety valve
- Splash oil lubrication
- Wheel-mounted







SIP Professional KOHLER Petrol-Powered Industrial Super Air Compressors

All Kohler petrol-powered air compressors are assembled by SIP in the UK and feature a 10 year anti-corrosion air receiver warranty.

10 YEAR AIR RECEIVER
ANTI-CORROSION
WARRANTY**







PETE	
ASSEMBLED & TESTED BY SIP IN THE UK	

Item No	MODEL	ENGINE	AIR RECEIVER SIZE	PISTON DISPLACEMENT	MAX. AIR Pressure	FRAME DESIGN	ADDITIONAL Features	EX. VAT	INC. VAT
04328	SIP Industrial Super ISKP7/50	KOHLER 7HP - 207CC	50ltr	16CFM	150psi (10.3bar)	✓	WHEEL KIT	£1049.99	£1259.99
04330	SIP Industrial Super ISKP7/150	KOHLER 7HP - 207CC	150ltr	16CFM	150psi (10.3bar)		-	£1249.99	£1499.99
04331	SIP Industrial Super ISKP7/150ES	KOHLER 7HP - 207CC	150ltr	16CFM	150psi (10.3bar)		ELECTRIC START*	£1399.99	£1679.99

SIP PROFESSIONAL HONDA™ PETROL ENGINE BELT-DRIVEN AIR COMPRESSORS

SIP Professional HONDA Petrol-Powered Industrial Super Air Compressors

All Honda petrol-powered air compressors are assembled by SIP in the UK and feature a 10 year anti-corrosion air receiver warranty.


10 YEAR AIR RECEIVER ANTI-CORROSION WARRANTY**



Honda⁻ GP Engines







Item No	MODEL	ENGINE	AIR RECEIVER SIZE	PISTON DISPLACEMENT	MAX. AIR Pressure	FRAME DESIGN	ADDITIONAL Features	EX. VAT	INC. VAT
04644	SIP Industrial Super ISHP6/50	HONDA GP200 - 196CC	50ltr	16CFM	150psi (10.3bar)	✓	WHEEL KIT	£1099.99	£1319.99
04650	SIP Industrial Super ISHP6/150	HONDA GP200 - 196CC	150ltr	16CFM	150psi (10.3bar)		-	£1299.99	£1559.99
04444	SIP Industrial Super ISHP5.5/50	HONDA GX160 - 163CC	50ltr	16CFM	150psi (10.3bar)	✓	WHEEL KIT	£1199.99	£1439.99
04450	SIP Industrial Super ISHP5.5/150	HONDA GX160 - 163CC	150ltr	16CFM	150psi (10.3bar)		-	£1399.99	£1679.99
04451	SIP Industrial Super ISHP5.5/150ES	HONDA GX160 - 163CC	150ltr	16CFM	150psi (10.3bar)		ELECTRIC START*	£1729.99	£2075.99
04459	SIP Industrial Super ISHP11/150	HONDA GX340 - 340CC	150ltr	35CFM	150psi (10.3bar)		-	£2329.99	£2795.99
04465	SIP Industrial Super ISHP11/150ES	HONDA GX340 - 340CC	150ltr	35CFM	150psi (10.3bar)		ELECTRIC START*	£2699.99	£3239.99
04461	SIP Industrial Super ISHP11/200	HONDA GX340 - 340CC	200ltr	35CFM	150psi (10.3bar)		-	£2599.99	£3119.99
04463	SIP Industrial Super ISHP11/200ES	HONDA GX340 - 340CC	200ltr	35CFM	150psi (10.3bar)		ELECTRIC START*	£2849.99	£3419.99



SIP silenced compressors are designed to give you powerful performance but with a fraction of the noise, an excellent addition to any workshop where the installation is required close to the workspace.







Item No	06219	05202	04205	04208
MODEL	SIP PB3800/3M/100	SIP PB3800/3M/200	SIP NB5.5/270	SIP NB7.5/270
INPUT SUPPLY	230v (16A)	230v (16A)	400v (20A)	400v (20A)
MOTOR	2.2kW (3hp)	2.2kW (3hp)	4kW (5.5hp)	5.5kW (7.5hp)
AIR RECEIVER SIZE	100ltr	200ltr	270ltr	270ltr
PISTON DISPLACEMENT	14CFM	14CFM	23CFM	30CFM
MAX. PRESSURE	145psi (10bar)	145psi (10bar)	160psi (11bar)	145psi (10bar)
SOUND POWER*	69dB(A)	69dB(A)	64dB(A)	64dB(A)
ADDITIONAL FEATURES	HEAVY-DUTY Twin-cylinder Pump	HEAVY-DUTY Twin-cylinder Pump	HEAVY-DUTY 2 STAGE PUMP	HEAVY-DUTY 2 STAGE PUMP
EX. VAT	£1299.99	£1499.99	£2499.99	£2799.99
INC. VAT	£1559.99	£1799.99	£2999.99	£3359.99



HIGH QUALITY PREMIUM AIR COMPRESSORS







SILVERSTONE RANGE

Single Cylinder Oil-Free Compact Air Compressors Direct drive crankshaft via the motor shaft

- Motors available up to 0.6HP / 0.45kW
- · High-quality pumps with technopolymer piston rings
- · Oil-free for long life and low maintenance
- · Forced air cooling; longer run times
- 5ltr receiver
- Stand alone models; suitable for low pressure volume applications
- Integrated adjustable air pressure regulators
- · Lightweight and portable; ideal for air brushing and nebulising applications
- 12 / 24v DC battery power models for tyre inflation
- · Ideal for vehicle applications



www.sip-group.com





Silverstone 12 Volt 0.6HP 5L

ESPRIT RANGE

"Flat Twin" Cylinder Oil-Free Compact Air Compressors Direct drive crankshaft via the motor shaft

- Motors available up to 0.9HP / 0.65kW
- High-quality pumps with technopolymer piston rings
- Oil-free for long life and low maintenance
- Forced air cooling; longer run times
- 3, 5, 10 and 15ltr tank options; suitable for low pressure volume applications
- Adjustable air pressure regulators
- Lightweight and portable; ideal for air brushing, nailing / stapling
- Low noise and Super Silenced models; perfect for indoor applications
- 12 / 24v DC options for special vehicle installations





Esprit 12v 0.8HP 3L



Esprit Silenced 0.75HP 2800rpm 5L



Esprit 0.75HP 15L

Item No	MODEL	INPUT	MOTOR	RECEIVER SIZE	PISTON DISP. CFM	F.A.D. CFM	MAX. PRESSURE	NOISE LEVEL	EX. VAT	INC. VAT
SIL56012	Silverstone 12 Volt 0.6HP 5L	12v DC	0.6hp	5ltr	3.5	2.5	8bar	72dB(A)	£489.99	£587.99
SIL56021224	Silverstone 12/24 Volt 0.5HP 5L	12v DC 24v DC	0.5hp	5ltr	2.1 4.2	1.5 2.9	- 8bar	74dB(A)	£474.99	£569.99
ESP1550024	Esprit 24v 0.75HP 15L	24v DC	0.75hp	15ltr	7.9	5.5	10bar	62dB(A)	£749.99	£899.99
ESP360012	Esprit 12v 0.8HP 3L	12v DC	0.8hp	3ltr	7.9	5.5	10bar	62dB(A)	£774.99	£929.99
ESP1560012	Esprit 12v 0.8HP 15L	12v DC	0.8hp	15ltr	7.9	5.5	10bar	62dB(A)	£854.99	£1025.99
SIL1602	Silverstone 0.5hp (No Tank)	230v	0.5hp	-	3.5	2.45	8bar	72dB(A)	£169.99	£203.99
SIL502	Silverstone 0.5HP 5L	230v	0.5hp	5ltr	3.5	2.45	8bar	52dB(A)	£234.99	£281.99
ESP3604	Esprit 0.75HP 3L	230v	0.75hp	3ltr	3.7	2.6	10bar	74dB(A)	£399.99	£479.99
ESP15604	Esprit 0.75HP 15L	230v	0.75hp	15ltr	3.7	2.6	10bar	52dB(A)	£454.99	£545.99
ESP10604	Esprit 0.75HP 10L (Wheel Mounted Trolley)	230v	0.75hp	10ltr	3.7	2.6	10bar	52dB(A)	£469.99	£563.99
ESPS5604	Esprit Silenced 0.75HP 1400rpm 5L	230v	0.75hp	5ltr	3.7	2.6	10bar	48dB(A)	£744.99	£893.99
ESPS5602	Esprit Silenced 0.75HP 2800rpm 5L	230v	0.75hp	5ltr	7.4	5.2	10bar	55dB(A)	£744.99	£893.99







HOOKAH SNORKELLING EXTREME RANGE

BREATHING AIR COMPRESSORS FOR SNORKELLING TO 15mtrs

"V Twin" Oil-Free Compact High Performance Air Compressors Direct drive crankshaft via the motor shaft

HIGH QUALITY PREMIUM AIR COMPRESSORS

- · 230v AC, 12 / 24v DC models
- · Power options up to 2hp
- · Oil-free for long life and low maintenance pumps
- · Forced air cooling; longer run times
- 5 / 7ltr receivers
- · Adjustable air pressure
- · Lightweight and portable, perfect for outdoor use **Standard Configuration**
- · HOOKAH Extreme Compressor
- · 1x Breathing Air Filter
- · 1x 17mtr hose with snorkel tube / valve



Sip

STANDARD

SILVER



HOOKAH Snorkelling Extreme 3T 230v Electric Motor-Driven



HOOKAH Snorkelling Extreme 5G Petrol Engine-Driven

EXTREME PORTABLE & EXTREME SILENCED RANGE

"V Twin" Cylinder Oil-Free Compact **High Performance Air Compressors**

Direct drive crankshaft via the motor shaft

- Motors available up to 2HP / 1.5kW
- Oil-free for long life and low maintenance pumps
- Forced air cooling; longer run times
- 5 to 30ltr & 25 or 50ltr (LOW NOISE) receiver options
- · Integrated adjustable air pressure regulators
- Lightweight and portable models
- 12 / 24v DC options for special vehicle installations'
- · Low noise option; perfect for noise critical situations

*not on Extreme Silenced option



Extreme 1.5HP 5L



Extreme 3.0HP 7L Petrol Engine





Crankcase Air Intakes



Cylinder Head Air Filters

EXTREME WORKSHOP RANGE INDUSTRIAL AIR COMPRESSORS

"V Twin" Cylinder Oil-Free Compact High Performance Air Compressors

Direct drive crankshaft via the motor shaft

- Single and 3 phase motors available up to 3HP / 2.2kW
- · High-quality 2 and 4 cylinder pumps
- · Oil-free for long life and low maintenance
- 50 and 90ltr receiver options
- · Suitable for low / medium volume and low pressure applications
- Adjustable air pressure regulators
- Lightweight and portable models
- Low noise; perfect for noise critical situations





Extreme 2.0HP 50L



Extreme 2.5HP 90L





Item No	MODEL	INPUT	MOTOR	RECEIVER SIZE	PISTON DISP. CFM	F.A.D. CFM	MAX. PRESSURE	NOISE LEVEL	EX. VAT	INC. VAT
NAR5154	Hookah Snorkelling Extreme 3T 1.5HP	230v	1.5hp	5ltr	8.5	6	10bar	70dB(A)	£829.99	£995.99
NAR5204	Hookah Snorkelling Extreme 3T 2HP 230v	230v	2.0hp	5ltr	12.4	8.7	10bar	71dB(A)	£964.99	£1157.99
NAR780012	Hookah Snorkelling Extreme 3 12v	12v DC	1.1hp	7ltr	8.8	6	10bar	70dB(A)	£1324.99	£1589.99
NAR73070P	Hookah Snorkelling Extreme 5G (70)	24v DC	1.1hp	7ltr	13.4	9.4	10bar	70dB(A)	£1274.99	£1529.99
EXT780024	Extreme 24v 1.1HP 7L	12v DC	1.5hp	30ltr	8.8	6.2	10bar	72dB(A)	£1074.99	£1289.99
EXT100754	Extreme 0.75HP 10L	230v	0.75hp	10ltr	7.0	4.9	10bar	72dB(A)	£579.99	£695.99
EXT5154	Extreme 1.5HP 5L	230v	1.5hp	5ltr	8.5	6.0	10bar	72dB(A)	£509.99	£611.99
EXT50204	Extreme 2.0HP 50L	230v	2.0hp	50ltr	12.4	8.7	10bar	73dB(A)	£779.99	£935.99
EXTS50204	Extreme Silenced 2.0HP 50L (Silenced)	230v	2.0hp	50ltr	12.4	8.7	10bar	67dB(A)	£1209.99	£1451.99
EXT90254	Extreme 2.5HP 90L	230v	2.5hp	90ltr	17.0	11.9	10bar	73dB(A)	£1344.99	£1613.99
EXT90304	Extreme 3.0HP 90L	400v	3.0hp	90ltr	12.2	14.9	10bar	73dB(A)	£1464.99	£1757.99
EXT73060P	Extreme 3.0HP 7L Petrol Engine Driven	Petrol	3.0hp	7ltr	9.5	6.7	10bar	85dB(A)	£1129.99	£1355,99





HIGH QUALITY PREMIUM AIR COMPRESSORS







EXTREME MP MULTI-POWER RANGE

INDUSTRIAL AIR COMPRESSORS

'V Twin' Oil-Free Industrial High **Performance Air Compressors**

Due to the unique design the MP range of compressors are extremely low maintenance:

- Oil free No oil to check / change
- Direct drive No drive belt to adjust
- · Unique air intake Lengthens the life of the air filter element
- Low noise compared with traditional piston compressors, around 25dB reduction (or 25%)

Available in high performing 4, 8 & 12 cylinder models, mounted on 200L, 270L & 500L air receivers.

Supplied with single and 3 phase motors ranging from 2.5HP - 9.0HP.



EXCLUSIVE TO SIP*

ONLY AVAILABLE FROM SIP:

Extreme MP 2.5HP 4 cylinder - 200L

Extreme MP 3.0HP 4 cylinder - 200L

Extreme MP 5.0HP 8 cylinder - 200L Tandem Extreme MP 6.0HP 8 cylinder - 200L Tandem

*only applicable to UK



SUPER EXTREME RANGE

INDUSTRIAL AIR COMPRESSORS

'V-Twin' Oil-Free Compact High Performance Air Compressors Direct drive crankshaft via the motor shaft

- 2.2HP / 1.6kW slow-running 4-pole motors
- · High-quality 2 stage, 2 and 4 cylinder pumps fitted with technopolymer piston rings; oil-free for long life and low maintenance
- · Mid-stage intercooler
- · Unique crankcase air intake particle diffusion; reduced air contamination ensuring longer life of the valve plate
- 18 and 20ltr aluminium receiver options; suitable for low volume and medium pressure (30bar) applications
- Twin colour coded outlets; 10 and 30bar variable
- Lightweight and portable models; ideal for medium flow and pressure applications

Item No	MODEL	INPUT	MOTOR	DRYER	RECEIVER SIZE	PISTON DISP. CFM	F.A.D. CFM	MAX. PRESSURE	NOISE Level	EX. VAT	INC. VAT
SEXT1822430	Super Extreme 2.2HP 2x 9L 30 Bar (Double Pressure)	230v	2.2hp	n/a	9+9ltr	4.6	3.2	30bar	72dB(A)	£1499.99	£1799.99
SEXT2022430	Super Extreme 2.2HP 20L 30 Bar	230v	2.2hp	n/a	20ltr	4.6	3.2	30bar	72dB(A)	£1674.99	£2009.99









INTELLIGENT CONTROL PANEL

- Bespoke multi-pump control panel; electrical cost-saving, even power distribution across each motor pump configuration
- Service interval indicator; maintain optimum performance and reliability
- Control panel controls up to 3 motor / pump units continually dependant on air requirements; optimises pump usage and energy cost saver
- Individual pump hour meters and timers; microprocessor controlled pump selection for even power distribution, wear and tear



Extreme MP 9.0HP 12 cylinder 270L with Control Panel

Ite	em No	MODEL	INPUT	MOTOR	RECEIVER SIZE	PISTON DISP. CFM	F.A.D. CFM	MAX. PRESSURE	NOISE LEVEL	EX. VAT	INC. VAT
EXTM	/IP20025	Extreme MP 2.5HP 4 cylinder 200L	230v	2.5hp	200ltr	17.0	11.9	10bar	73dB(A)	£1599.99	£1919.99
EXTM	/IP20030	Extreme MP 3.0HP 4 cylinder 200L	400v	3.0hp	200ltr	21.2	14.9	10bar	73dB(A)	£1899.99	£2279.99
EXTM	/IP20050	Extreme MP 5.0HP 8 cylinder 200L Tandem	230v	2x 2.5hp	200ltr	34.0	23.8	10bar	74dB(A)	£2599.99	£3119.99
EXTM	/IP20060	Extreme MP 6.0HP 8 cylinder 200L Tandem	400v	2x 3.0hp	200ltr	42.2	29.8	10bar	74dB(A)	£2799.99	£3359.99
EXTM	/IP27030	Extreme MP 3.0HP 4 cylinder 270L	400v	3.0hp	270ltr	21.2	14.9	10bar	73dB(A)	£2729.99	£3275.99
EXTMP	P27090CP	Extreme MP 9.0HP 12 cylinder 270L (Tri-Motor Pump & Control Panel)	400v	3x 3.0hp	270ltr	63.6	44.5	10bar	75dB(A)	£6569.99	£7883.99









NEW RANGE

SIP INDUSTRIAL VSDD ROTARY SCREW AIR COMPRESSORS



SIP'S latest generation of variable speed direct drive compressors are fully configurable with a range of supply, output and receiver tank size options.

These highly efficient compressors offer a greater operating range to meet high-demand air requirements and optimise energy usage.



DIRECT DRIVE TRANSMISSION NEGATES SLIPPAGE FOR GREATER POWER TRANSFER

SILENCED CABINET ENSURES REDUCED NOISE OPERATION

ALL-IN-ONE DESIGN ENSURES SMALLER OVERALL FOOTPRINT

EASY ACCESS CABINET FOR MAINTENANCE & SERVICE





Item No	MODEL	INPUT	MOTOR (IE4)	RECEIVER SIZE	FREE AIR DELIVERY	MAX. WORKING PRESSURE	NOISE LEVEL	EX. VAT	INC. VAT
08254	SIP VSDD 2.2kW 8bar 160ltr	230v (16A)	2.2kW (3hp)	160ltr	9CFM (255ltr/min)	116psi (8bar)	65dB(A)	£2389.99	£2867.99
08250	SIP VSDD 2.2kW 10bar 160ltr	230v (16A)	2.2kW (3hp)	160ltr	8CFM (220ltr/min)	145psi (10bar)	65dB(A)	£2389.99	£2867.99
08255	SIP VSDD 3.0kW 8bar 160ltr	230v (32A)	3kW (4hp)	160ltr	13CFM (380ltr/min)	116psi (8bar)	65dB(A)	£2489.99	£2987.99
08251	SIP VSDD 3.0kW 10bar 160ltr	230v (32A)	3kW (4hp)	160ltr	11CFM (310ltr/min)	145psi (10bar)	65dB(A)	£2489.99	£2987.99
08256	SIP VSDD 4.0kW 8bar 160ltr	230v (32A)	4kW (5hp)	160ltr	19CFM (530ltr/min)	116psi (8bar)	65dB(A)	£2559.99	£3071.99
08252	SIP VSDD 4.0kW 10bar 160ltr	230v (32A)	4kW (5hp)	160ltr	16CFM (450ltr/min)	145psi (10bar)	65dB(A)	£2559.99	£3071.99
08257	SIP VSDD 5.5kW 8bar 160ltr	230v (64A)	5.5kW (7hp)	160ltr	25CFM (720ltr/min)	116psi (8bar)	65dB(A)	£2899.99	£3479.99
08253	SIP VSDD 5.5kW 10bar 160ltr	230v (64A)	5.5kW (7hp)	160ltr	22CFM (630ltr/min)	145psi (10bar)	65dB(A)	£2899.99	£3479.99
08258	SIP VSDD 5.5kW 8bar 200ltr	400v (32A)	5.5kW (7hp)	200ltr	25CFM (720ltr/min)	116psi (8bar)	62dB(A)	£3199.99	£3839.99
08260	SIP VSDD 5.5kW 10bar 200ltr	400v (32A)	5.5kW (7hp)	200ltr	22CFM (630ltr/min)	145psi (10bar)	62dB(A)	£3199.99	£3839.99
08259	SIP VSDD 7.5kW 8bar 200ltr	400v (32A)	7.5kW (10hp)	200ltr	37CFM (1050ltr/min)	116psi (8bar)	62dB(A)	£3289.99	£3947.99
08261	SIP VSDD 7.5kW 10bar 200ltr	400v (32A)	7.5kW (10hp)	200ltr	32CFM (920ltr/min)	145psi (10bar)	62dB(A)	£3289.99	£3947.99
08262	SIP VSDD 11kW 8bar 500ltr	400v (64A)	11kW (15hp)	500ltr	57CFM (1613ltr/min)	116psi (8bar)	62dB(A)	£3919.99	£4703.99
08265	SIP VSDD 11kW 10bar 500ltr	400v (64A)	11kW (15hp)	500ltr	50CFM (1415ltr/min)	145psi (10bar)	62dB(A)	£3919.99	£4703.99
08263	SIP VSDD 15kW 8bar 500ltr	400v (64A)	15kW (20hp)	500ltr	75CFM (2123ltr/min)	116psi (8bar)	62dB(A)	£4389.99	£5267.99
08268	SIP VSDD 15kW 10bar 500ltr	400v (64A)	15kW (20hp)	500ltr	66CFM (1868ltr/min)	145psi (10bar)	62dB(A)	£4389.99	£5267.99

PRECISION ENGINEERED TWIN PARALLEL ROTARY SCREWS

REAL-TIME DIAGNOSTIC COLOUR DISPLAY INDICATES COMPRESSOR STATUS

SIP COMPRESSOR

Consists of:

FILTRATION SYSTEM

Particulate filter $\leq 1 \mu m$ (particle 0) Coalescing filter $\leq 0.01 \mu m$ (particle 0) Brackets and fixing kit included.

For use with SIP VSDD range of Rotary Screw compressors.

SIP INDUSTRIAL VSDD ROTARY SCREW AIR COMPRESSORS WITH DRYERS

Fitted with refrigerated dryer to reduce air moisture and available with optional particulate and oil filtration system to support guidelines in meeting air quality standard classification 2-4-2 in accordance with ISO 8573-1.



INTEGRATED REFRIGERATED DRYER REDUCES AIR MOISTURE **EASY ACCESS CABINET FOR MAINTENANCE & SERVICE**

CONFIGURABLE WITH 200LTR OR 500LTR RECEIVER TANK



SIPINDUSTRIAL







08267 08273

08277 08276

08264

08271

08269

08274

08281



0





Item No	MODEL	INPUT	MOTOR (IE4)	RECEIVER SIZE	FREE AIR DELIVERY	MAX. WORKING PRESSURE	NOISE LEVEL	EX. VAT	INC. VAT
08264	SIP VSDD/RD 7.5kW 8bar 200Ltr with Dryer	400v (32A)	7.5kW (10hp)	200ltr	37CFM (1050ltr/min)	116psi (8bar)	62dB(A)	£4069.99	£4883.99
08271	SIP VSDD/RD 7.5kW 10bar 200Ltr with Dryer	400v (32A)	7.5kW (10hp)	200ltr	32CFM (920ltr/min)	145psi (10bar)	62dB(A)	£4069.99	£4883.99
08269	SIP VSDD/RDF 7.5kW 8bar 200Ltr with Dryer & Filter	400v (32A)	7.5kW (10hp)	200ltr	37CFM (1050ltr/min)	116psi (8bar)	62dB(A)	£4699.99	£5639.99
08280	SIP VSDD/RDF 7.5kW 10bar 200Ltr with Dryer & Filter	400v (32A)	7.5kW (10hp)	200ltr	32CFM (920ltr/min)	145psi (10bar)	62dB(A)	£4699.99	£5639.99
08266	SIP VSDD/RD 11kW 8bar 500Ltr with Dryer	400v (32A)	11kW (15hp)	500ltr	57CFM (1613ltr/min)	116psi (8bar)	62dB(A)	£4899.99	£5879.99
08272	SIP VSDD/RD 11kW 10bar 500Ltr with Dryer	400v (32A)	11kW (15hp)	500ltr	50CFM (1415ltr/min)	145psi (10bar)	62dB(A)	£4899.99	£5879.99
08277	SIP VSDD/RDF 11kW 8bar 500Ltr with Dryer & Filter	400v (32A)	11kW (15hp)	500ltr	57CFM (1613ltr/min)	116psi (8bar)	62dB(A)	£5499.99	£6599.99
08276	SIP VSDD/RDF 11kW 10bar 500Ltr with Dryer & Filter	400v (32A)	11kW (15hp)	500ltr	50CFM (1415ltr/min)	145psi (10bar)	62dB(A)	£5499.99	£6599.99
08267	SIP VSDD/RD 15kW 8bar 500Ltr with Dryer	400v (64A)	15kW (20hp)	500ltr	75CFM (2123ltr/min)	116psi (8bar)	62dB(A)	£5469.99	£6563.99
08273	SIP VSDD/RD 15kW 10bar 500Ltr with Dryer	400v (64A)	15kW (20hp)	500ltr	66CFM (1868ltr/min)	145psi (10bar)	62dB(A)	£5469.99	£6563.99
08274	SIP VSDD/RDF 15kW 8bar 500Ltr with Dryer & Filter	400v (64A)	15kW (20hp)	500ltr	75CFM (2123ltr/min)	116psi (8bar)	62dB(A)	£5999.99	£7199.99
08281	SIP VSDD/RDF 15kW 10bar 500Ltr with Dryer & Filter	400v (64A)	15kW (20hp)	500ltr	66CFM (1868ltr/min)	145psi (10bar)	62dB(A)	£5999.99	£7199.99




SIP rotary screw non-dryer air compressors for industrial and professional applications **IE3 Premium Efficiency motors for reduced CO2 emissions ETM II electronic controller**



BELT-DRIVEN TRANSMISSION











06275 06285

06287 06384

06410 06200



SILENCED CABINET ENCLOSURE; HELP MAINTAIN THE INTERNAL TEMPERATURE AND REDUCE NOISE LEVELS

FRONT & REAR ACCESS PANELS; EASY SERVICING AND MAINTENANCE















ITALIAN-MANUFACTURED AIR END; WHICH DELIVERS HIGH CONSTANT AIR FLOW



Item No	MODEL	INPUT	MOTOR (IE3)	SIZE	FREE AIR DELIVERY	MAX. WORKING PRESSURE	NOISE LEVEL	EX. VAT	INC. VAT
05375	SIP RS2.2-10-200BD	230v (16A)	2.2kW (3hp)	200ltr	8.5CFM (240ltr/min)	145psi (8bar)	58dB(A)	£2939.99	£3527.99
05372A	SIP RS4.0-08-200BD	400v (20A)	4kW (5.5hp)	200ltr	20.5CFM (580ltr/min)	116psi (8bar)	60dB(A)	£3339.99	£4007.99
05374	SIP RS4.0-10-200BD	400v (20A)	4kW (5.5hp)	200ltr	17CFM (480ltr/min)	145psi (10bar)	60dB(A)	£3339.99	£4007.99
05376A	SIP RS5.5-08-270BD	400v (20A)	5.5kW (7.5hp)	270ltr	25.4CFM (720ltr/min)	116psi (8bar)	64dB(A)	£3439.99	£4127.99
06201	SIP RS 5.5-10-270BD	400v (20A)	5.5kW (7.5hp)	270ltr	23CFM (650ltr/min)	145psi (10bar)	64dB(A)	£3439.99	£4127.99
			MOTOR	DECEIVED	EDEE AID	MAY MODKING	NOISE		

Item No	MODEL	INPUT	(IE3)	SIZE	DELIVERY	PRESSURE	LEVEL	EX. VAT	INC. VAT
06275A	SIP RS08-08-270BD	400v (32A)	7.5kW (10hp)	270ltr	44.1CFM (1,249ltr/min)	116psi (8bar)	68dB(A)	£3999.99	£4799.99
06285	SIP RS08-10-270BD	400v (32A)	7.5kW (10hp)	270ltr	35.3CFM (999ltr/min)	145psi (10bar)	69dB(A)	£3999.99	£4799.99
06387A	SIP RS08-08-500BD	400v (32A)	7.5kW (10hp)	500ltr	44.1CFM (1,249ltr/min)	116psi (8bar)	69dB(A)	£4289.99	£5147.99
06287	SIP RS08-10-500BD	400v (32A)	7.5kW (10hp)	500ltr	35.3CFM (999ltr/min)	145psi (10bar)	68dB(A)	£4289.99	£5147.99
06384A	SIP RS11-08-270BD	400v (40A)	11kW (15hp)	270ltr	58.2CFM (1,648ltr/min)	116psi (8bar)	69dB(A)	£4239.99	£5087.99
06410	SIP RS11-10-270BD	400v (40A)	11kW (15hp)	270ltr	53CFM (1,501ltr/min)	145psi (10bar)	69dB(A)	£4239.99	£5087.99
06302A	SIP RS11-08-500BD	400v (40A)	11kW (15hp)	500ltr	58.2CFM (1,648ltr/min)	116psi (8bar)	69dB(A)	£4519.99	£5423.99
06200	SIP RS11-10-500BD	400v (40A)	11kW (15hp)	500ltr	53CFM (1,501ltr/min)	145psi (10bar)	69dB(A)	£4519.99	£5423.99
06369A	SIP RS15-08-500BD	400v (40A)	15kW (20hp)	500ltr	75.6CFM (2,141ltr/min)	116psi (8bar)	70dB(A)	£4839.99	£5807.99
06269	SIP RS15-10-500BD	400v (40A)	15kW (20hp)	500ltr	65.3CFM (1,841ltr/min)	145psi (10bar)	70dB(A)	£4839.99	£5807.99
06337	SIP RS15-13-500BD	400v (40A)	15kW (20hp)	500ltr	53CFM (1,501ltr/min)	189psi (13bar)	70dB(A)	£5139.99	£6167.99




SIP INDUSTRIAL BELT-DRIVEN ROTARY SCREW AIR COMPRESSORS WITH DRYERS

SIP rotary screw air compressors for industrial and professional applications with refrigeration dryers for instant operation

IE3 Premium Efficiency motors for reduced CO2 emissions

ETM II electronic controller





FS14 AIR END
DESIGNED AND MANUFACTURED
ENTIRELY IN ITALY; THESE ARE THE
HEART OF THE MACHINE WHICH
DELIVER HIGH CONSTANT AIR FLOW



06420



FS26 TF AIR END DESIGNED AND MANUFACTURED ENTIRELY IN ITALY; THESE ARE THE HEART OF THE MACHINE WHICH DELIVER HIGH CONSTANT AIR FLOW







RECEIVER SIZE













EX. VAT

05378A	SIP RS4.0-08-200BD/RD	400v (20A)	4kW (5.5hp)	200ltr	20.5CFM (580ltr/min)	116psi (8bar)	60dB(A)	£3839.99	£4607.99
06274	SIP RS4.0-10-200BD/RD	400v (20A)	4kW (5.5hp)	200ltr	17CFM (485ltr/min)	145psi (10bar)	60dB(A)	£3839.99	£4607.99
06267A	SIP RS5.5-08-270BD/RD	400v (20A)	5.5kW (7.5hp)	270ltr	25.5CFM (720ltr/min)	116psi (8bar)	64dB(A)	£4319.99	£5183.99
06303	SIP RS5.5-10-270BD/RD	400v (20A)	5.5kW (7.5hp)	270ltr	23CFM (650ltr/min)	145psi (10bar)	64dB(A)	£4319.99	£5183.99
Item No	MODEL	INPUT	MOTOR (IE3)	RECEIVER SIZE	FREE AIR DELIVERY	MAX. WORKING Pressure	NOISE LEVEL	EX. VAT	INC. VAT
06310A	SIP RS08-08-270BD/RD	400v (32A)	7.5kW (10hp)	270ltr	44.1CFM (1,249ltr/min)	116psi (8bar)	68dB(A)	£4929.99	£5915.99
06322	SIP RS08-10-270BD/RD	400v (32A)	7.5kW (10hp)	270ltr	35.3CFM (999ltr/min)	145psi (10bar)	69dB(A)	£4929.99	£5915.99
06412A	SIP RS11-08-270BD/RD	400v (40A)	11kW (15hp)	270ltr	58.2CFM (1,648ltr/min)	116psi (8bar)	69dB(A)	£5139.99	£6167.99
06416	SIP RS11-10-270BD/RD	400v (40A)	11kW (15hp)	270ltr	53CFM (1,501ltr/min)	145psi (10bar)	69dB(A)	£5139.99	£6167.99
06283A	SIP RS08-08-500BD/RD	400v (32A)	7.5kW (10hp)	500ltr	44.1CFM (1,249ltr/min)	116psi (8bar)	68dB(A)	£5139.99	£6167.99
06328	SIP RS08-10-500BD/RD	400v (32A)	7.5kW (10hp)	500ltr	35.3CFM (999ltr/min)	145psi (10bar)	68dB(A)	£5139.99	£6167.99
06430A	SIP RS11-08-500BD/RD	400v (40A)	11kW (15hp)	500ltr	58.2CFM (1,648ltr/min)	116psi (8bar)	69dB(A)	£5439.99	£6527.99
06420	SIP RS11-10-500BD/RD	400v (40A)	11kW (15hp)	500ltr	53CFM (1,501ltr/min)	145psi (10bar)	69dB(A)	£5439.99	£6527.99
06299A	SIP RS15-08-500BD/RD	400v (40A)	15kW (20hp)	500ltr	75.9CFM (2,149ltr/min)	116psi (8bar)	70dB(A)	£5639.99	£6767.99
06263	SIP RS15-10-500BD/RD	400v (40A)	15kW (20hp)	500ltr	65.3CFM (1,849ltr/min)	145psi (10bar)	70dB(A)	£5639.99	£6767.99
06357	SIP RS15-13-500RD/RD	400v (40A)	15kW (20hp)	500ltr	53CFM (1.501ltr/min)	189psi (13bar)	70dB(A)	£6339.99	£7607.99



MOTOR

SIP INDUSTRIAL FULL-FEATURE BELT-DRIVEN ROTARY SCREW AIR COMPRESSORS



All-in-one air compressor workstations

Complete range from 7.5 to 22kW

Integrated compressor, receiver, dryer & filter

High-quality clean air 2-4-2 classification

(in accordance with ISO 8573-1)

Simple installation & maintenance

Designed for continuous use



INTEGRATED DRYERS AND FILTERS
THE SIP ROTARY SCREW
FULL-FEATURE MODELS
FEATURE FULLY INTEGRATED
AIR TREATMENT MODULES,
INCLUDING:-

GENEROUSLY SIZED REFRIGERATOR
AIR DRYERS WITH 3°C DEW POINT
10 MICRON INLET FILTRATION
1 MICRON OUTLET FILTRATION





				FRFF AIR	FEATURES		AIR						
Item No	MODEL	INPUT	(IE3)	SIZE	DELIVERY	LEVEL*	WORKING PRESSURE	PARTICULATE FILTER	REFRIGERATOR DRYER	OIL Filter	QUALITY	EX. VAT	INC. VAT
06533	SIP RS7.5-10-270BD/FF	400v (32A)	7.5kW (10hp)	270ltr	35.3 (999ltr/min)	62dB(A)						£5499.99	£6599.99
06534	SIP RS11-10-270BD/FF	400v (40A)	11kW (15hp)	270ltr	53 (1500ltr/min)	65dB(A)						£5769.99	£6923.99
06535	SIP RS11-10-500BD/FF	400v (40A)	11kW (15hp)	500ltr	53 (1500ltr/min)	65dB(A)	10bar	10 Micron	3°C (Dew Point)	1 Micron	2 - 4 - 2 ISO 8573-1	£5999.99	£7199.99
06536	SIP RS15-10-500BD/FF	400v (40A)	15kW (20hp)	500ltr	65 (1841ltr/min)	65dB(A)			(=====,			£6179.99	£7415.99
06537	SIP RS22-10-500BD/FF	400v (50A)	22kW (30hp)	500ltr	106 (3002ltr/min)	71dB(A)						£9399.99	£11279.99

^{*} All noise calculations comply with Acoustic Determination ISO 3744:2010

Rotary Screw with direct transmission system for increased reliability & machine longevity

Designed for continuous use and arduous operating conditions Proven technology - guaranteed high efficiency and constant maintained performance

No power transmission loss - 4% advantage compared to belt-driven transmission









SIP AIR COMPRESSOR ACCESSORIES



SIP TRADE & PROFESSIONAL AIR HOSES

Item No	DESCRIPTION	EX. VAT	INC. VAT
04115	SIP Trade Coiled Air Hose - 5mtr Display Pack (1/4" end fittings)	£7.69	£9.23
07700	SIP Trade 3/8" Workshop Air Hose - 25ft (1/4" end fittings)	£23.99	£28.79
07701	SIP Trade 3/8" Workshop Air Hose - 50ft (1/4" end fittings)	£31.99	£38.39
07703	SIP Trade 3/8" Workshop Air Hose - 10m (1/4" end fittings)	£19.69	£23.63
07431	SIP Professional 3/8" Air Hose - 5mtr (1/4" end fittings)	£18.59	£22.31
07433	SIP Professional 3/8" Air Hose - 10mtr (1/4" end fittings)	£27.29	£32.75
07435	SIP Professional 3/8" Air Hose - 15mtr (1/4" end fittings)	£35.99	£43.19
07437	SIP Professional 3/8" Air Hose - 20mtr (1/4" end fittings)	£45.79	£54.95
07439	SIP Professional 3/8" Air Hose - 50mtr (1/4" end fittings)	£83.99	£100.79



SIP ELECTRIC CABLE & AIR HOSE REELS



FLOOR-STANDING DESIGN AIR HOSE REELS

Item No	07970	07979
MODEL	SIP Air Hose Reel 20	SIP Air Swivel Hose Reel 30
HOSE LENGTH	20mtr	30mtr
HOSE DIAMETER	8mm	8mm
CONNECTION HOSE LENGTH	1.5mtr	2mtr
MAX. PRESSURE	20bar (300psi)	20bar (300psi)
HOSE FITTINGS	Quick Coupler (Euro)	1/4" BSP (male)
WORKING TEMPERATURE	-5°C to 45°C	-5°C to 45°C
ADDITIONAL FEATURES	CARRY HANDLE Through-flow system	FOLDING HANDLE METAL CASING 360° ROTATING BASE
EX. VAT	£38.99	£69.99
INC. VAT	£46.79	£83.99





	TECHNOLOGY	SYSTEM	WALL BRACKET	SYSTEM	WALL BRACKET
Item No	07972	07974	07400	07976	07977
MODEL	MODEL SIP Air Hose Reel 12		SIP Air Hose Reel 20	SIP Air Hose Reel 30	SIP Air Hose Reel R15
HOSE LENGTH	12mtr	15mtr	20mtr	30mtr	15mtr
INSIDE HOSE DIAMETER	9.3mm (3/8")	9.3mm (3/8")	9.3mm (3/8")	9.3mm (3/8")	9.5mm (3/8")
OUTSIDE HOSE DIAMETER	14.5mm (1/4")	14.5mm (9/16")	14.5mm (9/16")	15.3mm (10/16")	14mm (9/16")
CONNECTION HOSE LENGTH	1mtr	1mtr	2mtr	2mtr	1mtr
MAX. PRESSURE	20bar (300psi)	20bar (300psi)	20bar (300psi)	20bar (300psi)	20bar (300psi)
HOSE FITTINGS	Air Coupler	Air Coupler	Air Coupler	Air Coupler	1/4" BSP (male)
WORKING TEMPERATURE	-5°C to 45°C	-5°C to 45°C	-5°C to 45°C	-5°C to 45°C	-5°C to 45°C
EX. VAT	£59.99	£89.99	£119.99	£159.99	£119.99
INC. VAT £71.99 £107.99		£143.99	£191.99	£143.99	



PROFESSIONAL AIR TOOLS STRENGTH & POWER YET LIGHTWEIGHT



SIP 1/2" Air Impact Wrench - Twin Hammer

- 610Nm (450ft/lbs) average working torque
- 7500rpm speed
- Twin hammer for more power and smooth balanced blows
- 3 forward / 1 reverse torque settings
- Warm touch handle
- Excellent power-to-weight ratio
- 6.5CFM average air consumption



WARM-TOUCH HANDLE

SIP 3/4" Air Impact Wrench - Twin Hammer

- 1356Nm (1000ft/lbs) average working torque
- Twin hammer for more power and smooth balanced blows
- 3 forward / 1 reverse torque settings
- Warm touch handle
- Excellent power-to-weight ratio
- 9.5CFM average air consumption
- 90psi (6bar) operating pressure



Item No: 07202 £179.99 EX.VAT

£215.99

LIGHTWEIGHT

ADVANCED COMPOSITE CONSTRUCTION

WARM-TOUCH HANDLE

SIP 1" Air Impact Wrench Extended Anvil

- 2180Nm (1602ft/lbs) working torque 4200rpm working speed
- · Built-in adjustable speed regulator
- 15CFM av. air consumption

£95.99

½" BSP air inlet





SIP 1/2" Air Impact **Wrench Kit**

- Comprehensive 17-piece kit
- 312Nm (23ft/lbs) working torque • 4.5CFM average air consumption
- · 8500rpm max, speed capacity
- 10 chrome vanadium 1/2"sockets:
 9, 10, 11, 13, 14, 17, 19, 22, 24 & 27mm

£55.99 EX.VAT £67.19

- 3" extension
- Supplied in blow-moulded carry/storage case



SIP 73 Piece Air Tool Kit

- · 1/2" Air Impact Wrench; 230ft/lbs working torque 8x 1/2" sockets 3" wrench drive extension
- %" Reversible Ratchet; 50ft/lbs working torque %" and ½" drive socket adaptor; 4x sockets %" screwdriver + 10 screw bits
- Air Die Grinder; 22,000rpm and 10 grinding stones
- 150mm Air Hammer; 4500 blows per/min 4x chisels
- Air blow gun; 5x nozzles, 4x bayonets
- Pressure gauge; hex key; PTFE tape
- 1/4" air line coupler and jubilee clip

Item No: 07197			
£179.99	EX.VAT		
£215.99	INC.VAT		



TBAD OBSESSION View it in Action at...



SIP 1/4" Air Die Grinder

- Compact, lightweight design, high velocity, low vibration grinder
- 22,000rpm speed
- Rubber-coated lightweight aluminium body
- · Safety lever prevents accidental starts
- · Rear exhaust directs exhaust away from work



Item No: 06713		
£27.29	EX.VAT	
£32.75	INC.VAT	



SIP Air Body Saw

- Ideal for bodyshop repair
- 10,000spm
- Anti-vibration cover 6CFM av. air consumption
- 1/4" BSP air inlet
- Cutting capacity: 1.2mm 16 gauge (steel) / 1.6mm 14 gauge



SIP Air Nibbler

- 3500spm speed
- 18 gauge (1.2mm) mild steel cutting capacity
- 6CFM average air consumption



SIP 6" Air Dual Action Sander

- Random orbit for swirl-free finish 10,000rpm working speed
- 6" backing pad included 4CFM av. air consumption





SIP 1/2" Reversible Air Ratchet

- 45ft/lbs (61Nm) working torque 150rpm no-load speed
- 5CFM average air consumption ¼" BSP air inlet
- Ball and needle bearing for long service life
- · Easy speed control

SIP Air Belt Sander

- 18000rpm no load speed 4CFM average air consumption
- 10 x 330mm belt sander with lever throttle control
- Ideal for a variety of materials including steel, aluminium & plastic
- Adjustable arm with quick belt tensioning lever
- 1/4" BSP air inlet
- 90psi (6bar) operating pressure



SIP 6" Air Palm Sander

- Designed for one-handed operation 10,000rpm working speed
- 6" backing pad included 2.8CFM av. air consumption
- 90psi (6.3bar) operating pressure
- · ¼" BSP air inlet

SIP 4" Air Angle Grinder

- · Ideal for clearing, smoothing welds and castings
- · 4" disc diameter 10000rpm no-load speed
- 6CFM av. air consumption 1/4" BSP air inlet · 90psi (6bar) operating pressure

SIP Pistol Grip Air Needle Scaler

- · Ideal for removal of rust and paint
- · 4500blows/min
- · Pistol grip with rubber handle
- 2.8CFM av. air consumption
- ¼" BSP air inlet
- 90psi (6.3bar) operating pressure









SIP Sandblast Cabinet

- · Convenient table top design
- 230v (13A) supply
- 7CFM av. air consumption
- One piece seamless construction
- Quick and efficient sandblasting, quickly removes rust, paint and other unwanted debris from metal or wood surfaces Automatic air
- shut-off





TO PLACE AN ORDER:
Www.sip-group.com



- General purpose gravity-fed spray gun with 1.5mm nozzle
- · 0.40litre paint capacity
- 4.5 6bar (65 87psi) operating pressure
- 1/4" BSP air inlet
- 6.5CFM average air consumption
- · Not suitable for water-based paint





SIP COBALT Spray Gun Professional gravity-fed spray gun with 1.4mm nozzle

- · 0.75ltr paint capacity
- 3 4bar (43.5 58psi)
- operating pressure • 1/4" BSP air inlet
- £29,49 EX.VAT





£32.69 EX.VAT £39 23

SIP MIRAGE HVLP Spray Gun

- · Professional suction-fed spray gun with 1.8mm nozzle
- · 1ltr paint capacity
- 2.5 3.5bar (36 50psi) operating pressure
- 1/4" BSP air inlet





SIP SAPPHIRE HVLP **Spray Gun**

- Professional gravity-fed spray gun with 1.4mm nozzle
- 0.6ltr paint capacity
- 3 4bar (43.5 58psi) operating pressure
- 1/4" BSP air inlet
- 6.4CFM av. air consumption

Item No: 02138			
£37.99	EX.VAT		
£45.59	INC.VAT		



SIP 5 Piece Air Kit

- 1.5mm suction spray gun with adjustable fluid/air control
- · Inflating gun with rubber-protected gauge and rubber hose
- Degreaser with 1ltr easy clean fluid pot capacity
- Pistol-type duster


£29.99

£35.99

5m kink-resistant hose 1/4" female connectors



SIP 100mm Air Duster Gun SIP 300mm Air Duster Gun





SIP Air Duster Gun

- A lightweight, general purpose gun for cleaning of dust, swarf, water
- Polished gun body with aluminium pot 50mm nozzle
- Recommended pressure 29 87psi (2 6bar)



SIP Air Brush Set

- 0.8mm nozzle 20ml paint jar capacity
- 15 50psi operating pressure
- 1.5mtr hose length with adaptor
- 5mm male air inlet
- 2x paint iars included
- Supplied with storage





SIP Trade Engine Cleaning Gun

- General purpose engine cleaning gun for cleaning, degreasing or
- · Large 950ml container · Recommended pressure 29 87psi (2 4bar)



SIP Air Caulking Gun

Designed to give fast and even application of sealants and glues, with a release valve giving complete control.

- Takes standard 11oz cartridge (215 x 50mm)
- 6CFM min. air pressure



SIP Professional Calibrated Tvre Inflator

- Gauge calibration specification UNI EN 12645
- Max. pressure 174psi (12bar)



SIP Tyre Inflator



SIP Maxi-Flate Tyre Inflator 1mtr heavy-duty hose

- Professional inflating gun
- WIKA gauge reading bar/psi
- Shock-resistant dial rubber casing



¼" BSP air inlet



£79.99 EX.VAT

104

TO PLACE AN ORDER: (C) 01509 500500











item No	09804 (Y411350)	09/01 (Y420250)	09/05 (Y420222)	09/02 (Y420330)	09706 (Y420333)
MODEL	1.35 Ton Aluminium Racing Trolley Jack Nylon Wheels	2 Ton Low-Profile Turbo-Lift Trolley Jack PU Wheels	2 Ton Low-Profile Turbo-Lift Trolley Jack with Integrated Stand System	3 Ton Turbo-Lift Trolley Jack PU Wheels	3 Ton Low-Profile Turbo-Lift Trolley Jack PU Wheels
LIFTING HEIGHT	80 - 375mm	75 - 510mm	75 - 500mm	120 - 450mm	76 - 503mm
WEIGHT	10.7kg	32kg	37.5kg	32kg	37.5kg
USAGE	-	-	-	-	-
ADDITIONAL Features	ALL-ALUMINIUM CONSTRUCTION UNIVERSAL JOINT SINGLE PUMP SYSTEM CHROME-PLATED PUMP PISTON 100MM RUBBER SADDLE PAD SIDE CARRY HANDLE NON-MARKING NYLON WHEELS WINNTEC 3 YEAR WARRANTY	ULTRA-LOW-PROFILE DESIGN UNIQUE WINNTEC 'TURBO-LIFT' SYSTEM UNIVERSAL JOINT RELEASE MECHANISM DUAL-PUMP PISTONS POLYURETHANE WHEELS CHROME-PLATED MAIN RAM WINNTEC 3 YEAR WARRANTY	ULTRA-LOW-PROFILE DESIGN INTEGRATED AUTO-LOCK STAND SYSTEM LOCKS-IN @ 390MM FOR ULTIMATE OPERATOR SAFETY AND CONTROL UNIQUE WINNTEC 'TURBO-LIFT' SYSTEM 2-SPEED (FAST & SLOW) CONTROLLED DESCENT DUAL-PUMP PISTONS POLYURETHANE WHEELS CHROME-PLATED MAIN RAM WINNTEC 3 YEAR WARRANTY	UNIQUE WINNTEC 'TURBO-LIFT' SYSTEM UNIVERSAL JOINT RELEASE MECHANISM DUAL-PUMP PISTONS POLYURETHANE WHEELS CHROME-PLATED MAIN RAM WINNTEC 3 YEAR WARRANTY	ULTRA-LOW-PROFILE DESIGN UNIQUE WINNTEC 'TURBO-LIFT' SYSTEM 2-SPEED (FAST & SLOW) CONTROLLED DESCENT DUAL-PUMP PISTONS POLYURETHANE WHEELS CHROME-PLATED MAIN RAM WINNTEC 3 YEAR WARRANTY
EX. VAT	£199.99	£199.99	£299.99	£199.99	£249.99
INC. VAT	£239.99	£239.99	£359.99	£239.99	£299.99

All Winntec products come with a 3 year manufacturer's warranty as standard





20 Ton Air Bottle Jack

· 20 Ton weight capacity

· 245mm min. jack height

- 470mm max. jack height

· 80mm adjustable height

· Integrated manual pump

No: 09827 (Y432020) £269.99 EX.VAT £323.99

· Aluminium air motor

· Polished main ram · WINNTEC 3 Year warranty

· 225mm lifting height range







Item No	09885 (Y420500)	09886 (Y421000)
MODEL	5 Ton Chassis Jack	10 Ton Chassis Jack
LIFTING HEIGHT	150 - 680mm	160 - 680mm
WEIGHT	90kg	134kg
USAGE	40	U p
EX. VAT	£699.99	£999.99
INC. VAT	£839.99	£1199.99

20 Ton Low-Profile Air Bottle Jack

- · 20 Ton weight capacity
- 148mm min. jack height
- · Aluminium air motor · Integrated manual pump
- 260mm max. jack height • 112mm lifting height range
- Polished main ram
- · WINNTEC 3 Year warranty 45mm adjustable height



20 Ton Wheel-Mounted **Air Bottle Jack**

- 20 Ton weight capacity
- 253mm minimum jack height
- 480mm maximum jack height
- 227mm lifting height range
- 80mm adjustable height
- Trolley design - WINNTEC 3 Year

warranty

· Aluminium air motor

· Polished main ram





24 Ton **Air Service Jack**

- 24 Ton max, weight capacity
- 141mm to 441mm lifting height range
- 3 extensions; 20mm, 50mm, and 100mm
- 1-stage heavy-duty hydraulic lifting system
- Hydraulically-assisted components allow the jack to ascend/descend with air
- Built-in dead-man controls
- Heavy-duty hard chromed piston and ram
- WINNTEC 3 Year warranty





32/16 Ton Telescopic **Air Service Jack**

- 32 / 16 Ton max. weight capacity
- 150mm to 289mm lifting height range
- 2 extensions supplied; 45mm and 100mm
- · Dual-stage telescopic hydraulic lifting system
- Hydraulically-assisted components allow the jack to ascend/descend with air
- Built-in dead-man controls
- Heavy-duty hard chromed piston and ram
- Optional 260mm extension sold separately
- · WINNTEC 3 Year warranty



£1049.99 EX.VAT £1259.99



Automotive & Commercial Vehicle Bottle Jacks

Can be used horizontally and vertically Solid chrome pump linkage Overload protection Polished main ram Cast iron bases WINNTEC 3 Year









Item No	09843 (Y411200)	09818 (Y412000)	09820 (Y413000)	09865 (Y411000)	09833 (Y412001)
MODEL	12 Ton Bottle Jack	20 Ton Bottle Jack	30 Ton Bottle Jack	10 Ton Low-Profile Bottle Jack	20 Ton Low-Profile Bottle Jack
LIFTING HEIGHT	214 - 399mm	244 - 449mm	285 - 465mm	120 - 260mm	190 - 340mm
SCREW EXTENSION	60mm	60mm	-	45mm & 6mm	60mm
WEIGHT	7.2kg	10.5kg	14.6kg	6.6kg	9kg
USAGE	4	Up	4	4	T p
EX. VAT	£66.99	£89.99	£119.99	£119.99	£129.99
INC. VAT	£80.39	£107.99	£143.99	£143.99	£155.99



Item No	TROLLEY JACK ACCESSORIES	EX. VAT	INC. VAT
HY01-00456	Replacement Saddle Pad (For 09804)	£16.39	£19.67
HY01-00472	Replacement Saddle Pad (For 09706, 09701)	£23.99	£28.79
HY01-00460	Replacement Saddle Pad (For 09816)	£21.79	£26.15
HY03-00005	Replacement Steel Wheel Set (For 09706, 09701)	£49.99	£59.99





1 Ton Folding Engine Crane

- 1 Ton maximum capacity
- Heavy gauge, square tube steel
 2-speed hydraulic pump with chrome-plated ram
- Dead man's controls
- · Fine adjustment lowering handle
- Nylon wheels avoid floor damage
- Unique supporting baseplate wheels
- Arm has 3 pre-set positions: 1,000kg / 750kg / 500kg
- Hook with bearing
- WINNTEC 3 Year warranty

Engine Leveller

- 550kg max. weight capacity
- · Suitable for all Winntec cranes · Durable drop-forged steel frame
- · Reliable long-lasting performance
- · Full adjustment via threaded rod
- 2x 100cm heat-treated chains
- · WINNTEC 3 Year warranty

No: 09807 (Y440105) £66.99 FX.VAT £80.39

CRANE FOLDS FOR EASY & CONVENIENT STORAGE

90MM HEIGHT LOW-PROFILE LEG DESIGN; FOR EASY POSITIONING UNDER LOW VEHICLES





12 Ton Trolley Jack Stands

- 12 Ton lifting capacity 302 450mm lifting height
- · 22cm square base for added stability Wheel-mounted for easy movement
- · Pin-type support column adjusts to five different height positions
- · Supplied in pairs

£599.99

· WINNTEC 3 Year warranty









· Supplied in singles

Pin-type support column
 Multi-angle handle socket and wheels for



EX.VAT

f299.99

Air Hydraulic Pump

- 700bar (10,000psi) capacity
- 6 10bar working pressure
- 1600cc effective working oil capacity
- Aluminium hydraulic pump housing · Suitable for rams, presses, hydraulics
- · Integrated internal release valve · Two-stage release mechanism
- 1/4" air inlet and 3/8" air outlet
- · Air exhaust muffler
- · WINNTEC 3 Year warranty



Hose Assembly for 09831

· Ultra-strong all metal connectors

· High-strength hosing for durability · WINNTEC 3 Year warranty HIIIIIII

No: 09877 (Y4	78205)
£83.99	EX.VAT
£100.79	INC.VAT



PLEASE NOTE: Ton weights = U.S. Ton









Smart Tyre & Wheel Cart

- · High-quality construction
- · Patented tilting system
- · Push-Slide secure locking
- · Non-marking durable wheels with industrial bearings
- · Powder-coated steel frame
- · Weighs only 20kg
- · Supports 14" to 20" wheels
- · Extender kit available
- · WINNTEC 3 Year warranty













Hydraulic Truck Wheel Dolly

- 150kg weight capacity 680mm dolly frame width
 470mm dolly frame depth 280mm dolly frame height
- Carry handle and belt Compact hydraulic unit for positioning
- Shock-absorbing castors Frame allows for short working distance
- Ergonomic design Ideal for emergency road assistance work
- · Lightweight and portable
- · WINNTEC 3 Year warranty





£419.99 EX.VAT £503.99

10 Ton Body Repair Kit

- For autobody repair work up to 10 Ton
- 4 extension tubes; 100 / 150 / 300 / 400mm
- 1-speed hand pump; cylinder with 150mm stroke
 Hose, ram flat base, and spreader bits included
- Tube coupling, ram toe, serrated saddle, flex head, plunger toe, 90° wedge head components supplied
- Cast attachments and snap-together pipework for further compatibility with other leading brands
- · Heavy-duty chromed ram and pistons
- · Supplied in a heavy-duty storage case



PLEASE NOTE: Ton weights = U.S. Ton

Manual Wheel Dolly

- · Heavy-duty industrial wheel dolly
- Capable of moving up to 220kg
- · Fast & efficient way to remove wheels
- Ergonomics reduce strain and prevent injury
 Extended rollers are ideal for wide
- base tyres
- Rollers can have 3 positions for different wheels
- · Rubber wheels with unique steel core Industrial bearings, Japanese origin
- Optimal lifetime performance
- · Quick detach handle
- · WINNTEC 3 Year warranty









SIP 2.5 Ton Aluminium/Steel **Low-Profile Trolley Jack** Dual piston pump for increased efficiency and durability 'Quick-Lift' system raises saddle to vehicle lifting point Durable aluminium & steel construction for added reliability

• 95 - 470mm lifting height range Extra-large saddle with rubber pad

- 2-piece handle with rubber bumper
- Heavy-duty wheels and castors
- Safety bypass system prevents the jack from overloading





· Dual piston pump increased efficiency and durability · 'Quick-Lift' system raises saddle to vehicle lifting point Heavy-duty steel construction for added reliability 70 - 508mm lifting height Extra-large saddle with rubber pad 2-piece handle with rubber grip Heavy-duty wheels and castors Safety bypass system prevents the jack from overloading £149.99 EX.VAT £179.99 QUICK-LIFT SYSTEM

SIP 3 Ton 'Low-Profile' Trolley Jack

SIP 5 & 10 Ton Long Floor Jacks

- · 'Quick-Lift' pedal gives rapid initial saddle lift to vehicle contact point
- · Extra-long handle for easy access under large vehicles
- Rear toe plate for easy positioning
- Release knob · Handle lock
- · Extra-large saddle
- diameter · Large diameter



Item No	03642	03647
MODEL	SIP 5 Ton Floor Jack	SIP 10 Ton Floor Jack
LIFTING CAPACITY	5 Ton	10 Ton
LIFTING HEIGHT	150 - 560mm	160 - 560mm
SADDLE DIAMETER	130mm	150mm
EX. VAT	£599.99	£819.99
INC. VAT	£719.99	£983.99

SIP **Transmission Adaptor**

- Fully adjustable gearbox support with forward, backward and side-to-side tilt
- For use with: 03871 & 03690 Transmission Jacks



Item No: 03	8869
£69.99	EX.VAT
£83.99	INC.VAT

SIP 22 Ton Pneumatic Floor Jack

- · 22 Ton maximum weight capacity
- · 230 555mm lift height range • 115mm screw extension is included
- 9.5CFM maximum air consumption
- 7 to 10bar working air pressure
- · Non-marking durable rubber wheels
- · Compact and low-profile jack design
- Air-line hook and air control valve
- Handle lock and release control Solid and durable construction



Ham Na 00	0.40	
Item No: 03 £499.99	EX.VAT	1
£599.99	INC.VAT	
£599.99	INC.VAT	



SIP 500KG Transmission Jack

- 1175 1995mm lifting height
- Heavy-duty hydraulic cylinder
- Oversized foot pedal for easy lifting
- Knurled air release valve



SIP 500KG 'Quick-Lift' Heavy-Duty **Transmission Jack**

- Quick-Lift feature single stroke foot pedal quickly raises cradle to the transmission lifting point
- · Heavy-duty base
- · 1250 2040mm lifting height Spring-loaded release valve



SIP 1 Ton Heavy-Duty Transmission Jack with Adaptor

- · Heavy-duty base
- · 1258 2145mm lifting height · Spring-loaded release valve
- · Heavy duty-wheels and castors



TO PLACE AN ORDER: 🌑 www.sip-group.com

SIP LIFTING / GARAGE EQUIPMENT





Item No	03667	03656	03658	03660
MODEL	SIP 4 Ton Bottle Jack	SIP 8 Ton Bottle Jack	SIP 12 Ton Bottle Jack	SIP 20 Ton Bottle Jack
LIFTING HEIGHT	183 - 354mm	205 - 400mm	210 - 415mm	242 - 470mm
SCREW EXTENSION	60mm	60mm	60mm	60mm
WEIGHT	3.2kg	5.4kg	7.2kg	11kg
EX. VAT	£23.99	£35.99	£44.99	£69.99
INC. VAT	£28.79	£43.19	£53.99	£83.99

SIP 3 Ton & 6 Ton Jack Stands

- Lifting height 3 Ton: 310 450mm / 6 Ton: 395 605mm
- · Ratchet action for quick adjustment
- · Large feet to spread load
- Supplied in pairs



SIP 6 Ton, 1 Metre Axle Stands

- · Lifting height: 540 935mm
- Supplied in pairs
- Pin-type support column



SIP 24 Litre Air Receiver

£37.99

f45.59

A convenient and portable supply of compressed air

f89.99

Ideal for when it is not possible to use an air compressor - just load the receiver and take it with you



SIP 20 Gallon (90Ltr) Parts Washer

- · 25w (230v) motor · Self-latching lid with fusible link for safety
- · Flexible metal nozzle for precise solvent coverage & filter included



SIP Parts 10ltr

· Ideal for use with

Washer **Solvent**

SIP Parts Washer



£47.99

SIP Universal Utility Support Stand

- Designed to support components when working under a vehicle
- · Fold-up pedal for easier storage
- Slim design ideal for working in tight spaces
- Capacity: 680kg
- Min height: 1365mm
- · Max height: 2015mm



SIP Sandblast Cabinet

- · Convenient table top design
- 230v (13A) supply 7CFM av. air consumption
 - One piece seamless construction
- Quick and efficient sandblasting, quickly removes rust, paint and other unwanted debris from



SIP Car Creeper

- Durable oil-resistant vinyl cover
- · Solid rectangular frame for added strength
- Fully padded back and adjustable angle head rest
- 6 heavy-duty swivel castors for optimum manoeuvrability





SIP 12 Ton Hydraulic Pipe Bender

- Floor-standing pipe bender with heavy-duty steel chassis
- High-quality 12 Ton hydraulic ram
- Suitable for bending pipe from 0 ½" up to 0 2"
- Supplied with six formers for added versatility
- Former sizes 1/2", 3/4", 1", 11/4",
- External return springs

£159.99 EX.VAT

£191.99



INC. 6 FORMERS

SIP 750lbs **Engine Stand**

- Professional heavy-duty engine stand
- 750lbs capacity
- 360° rotating head to allow access to all parts of the engine
- Fully adjustable
- mounting arms
- · 1x heavy-duty castor and 2x wheels for ease of movement



£69.99 £7.99 EX.VAT EX.VAT £9.59

SIP Advanced Hvdraulic Oil

A specialist hydraulic oil developed specifically to meet the lubrication demands of most hydraulic applications



SIP 10 Ton Auto Body Repair Kit

- Comprehensive kit specifically designed for auto body straightening and alignment
- · 700bar pump working pressure
- 520mm max. ram length
- · Polished hydraulic ram and cylinder to reduce abrasion
- · Built-in safety valve









SIP 1 Ton & 2 Ton **Foldable Engine Cranes**

- · Foldable for easy storage
- 4 hole precision booms
- 6 wheels for easy movement

1 Ton Capacity (03685)

- 2050mm maximum lift height
- Lift capabilities: 250 / 500 / 750 / 1000kg
- 4 Ton ram

2 Ton Capacity (03687)

- 2250mm maximum lift height
- 8 Ton ram



Engine Leveller

- · Ideal for car, van, truck and marine engines/ gearboxes up to 680kg
- · Fine screw adjustment levels off centre loads quickly & easily
- Chains supplied
- · Can be used with most cranes





SIP 1 Tonne Mobile Gantry Crane

For multiple workshop applications including maintenance, repair, servicing, material handling & manufacturing. Heavy-duty painted steel construction with "I" section crossbeam

360° ROTATING HEAD

 4x lockable industrial swivel castor wheels

- Easy height adjustable mechanism
- · Min. height: 2.4mtr
- · Max. height: 3.6mtr
- Width: 2.4mtr
- Safe working load: 1 Tonne

· Weight: 128kg

Item No: 03849		
£599.99	EX.VAT	
£719.99	INC.VAT	

SIP 1 Tonne Chain Block (for 03849)

Chain block assembly with manual chain lift

- · Safe working load 1 Tonne
- Head room- 317mm
- Load chain diameter: 6mm Max. hook capacity
- · Weight: 12kg

Sturdy manual 'push-pull beam trolley. Suitable for "I" section and RSJ beams. 4x heavy-duty bearing mounted wheels Item No: 03845 Fitted with wheel guards £109.99 EX.VAT

 Capacity: 1 Tonne £131.99 Min. "I" beam width: 64mm Max. "I" beam width: 140mm Weight: 13kg

£78.99

(for 03849)





SIP 1 Tonne Beam Trolley

TO PLACE AN ORDER:
Www.sip-group.com

2 SIP NOUSTRIAL STANDARD SILVER WARRANTY

SIP Bench and Floor Shop Presses

Ideal for removal or installation of bearings, universal joints, pulleys, wrist pins and various other press jobs.

03650

Perfect for bending, bonding and straightening.

SIP SHOP PRESSES

- Rugged steel frames
- Adjustable workbeds
- Glycerine-filled manometers







					ASSEMBLED	ASSEMBLED	ASSEMBLED
Item No	03650	03651	03689	03695	03691	03696	03686
MODEL	SIP 10 Ton Bench Press	SIP 12 Ton Shop Press	SIP 20 Ton Shop Press	SIP 30 Ton Shop Press	SIP 45 Ton Shop Press	SIP 75 Ton Shop Press	SIP 100 Ton Shop Press
CAPACITY	10 TON	12 TON	20 TON	30 TON	45 TON	75 TON	100 TON
RAM STROKE	180mm	180mm	185mm	150mm	190mm	250mm	300mm
WORK RANGE	0 - 340mm	0 - 918mm	29.5 - 989.5mm	151 - 1031mm	159 - 859mm	160 - 880mm	93 - 993mm
PRESS TYPE	Bench	Floor	Floor	Floor	Floor	Floor	Floor
OPERATION	Manual	Manual	Manual	Pneumatically-assisted	Pneumatically-assisted	Pneumatically-assisted	Pneumatically-assisted
EX. VAT	£289.99	£379.99	£549.99	£1199.99	£1999.99	£3799.99	£4999.99
INC. VAT	£347.99	£455.99	£659.99	£1439.99	£2399.99	£4559.99	£5999.99



SIP 100 TON Shop Press

Heavy-duty 100 ton capacity for industrial applications.

Ideal for bending thicker materials and assembling & pressing larger machinery components.

Foot-operated press to free both hands for precise workpiece positioning.

HIGH CAPACITY FORCE



SIP Hydraulic Spring Compressor

Designed with a compact but heavy-duty frame for garages and workshops where floor space is limited.

In comparison to manual compressors, this compressor offers higher efficiency and simpler, safer use thanks to fast one-man operation.

- 1000kg (2204lb) capacity
- 480mm max. working length
- 325mm ram travel
- Use with 4" (101mm) 10" (254mm) spring size

1000KG CAPACITY

4" - 10" SPRING SIZE

£199.99 EXMAT £239.99 INC.VAT

SIP Professional Heavy-Duty Air-Operated Coil Spring Compressor

- 2400kg maximum compression
- 5 10bar twin pneumatic rams
- Safety cage inter-lock switch for maximum safety
- · Patented coil spring claw designs
- Movable foot plate for positioning
- Retention cable for holding spring
- Steel carabiners for locking cable
- Ideal for cars, SUVs and vans



SUITABLE FOR LARGER SPRINGS ARS, SUVs & VANS ETC.

PATENTED DESIGN









SIP Professional Coil Spring Compressor Universal Top Plate

No need for multiple claws or clamps for different vehicles. With this attachment you can compress almost any coil spring!

Optional for use with 03661





TO PLACE AN ORDER:
Www.sip-group.com







SIP 80 Litre Gravity Oil Drainer

- Collect waste oil from vehicle gearbox or engine
- · 80ltr tank capacity
- 0.7 1bar (10 15psi) ejection pressure
- 40° 60°C working temperature (for engine oil)
- 20ltr collect tray capacity
- Oil reservoir level indicator tube
- 1195 1810mm height adjustable range
- · Wheel and castor-mounted





SIP 80 Litre Suction / Gravity Oil Drainer

- Collect waste oil from vehicle gearbox or engine
- 80ltr tank capacity
- 6 10bar (87 145psi) suction pressure (extraction)
- 0.7 1bar (10 15psi) ejection pressure
- 40° 60° C working temperature (for engine oil)
- 20ltr collector tray capacity
- Oil reservoir level indicator tube
- 1190 1810mm height adjustable range
- · Wheel and castor-mounted









SIP 80 Litre Suction / Gravity Oil Drainer with Inspection Chamber

- Collect waste oil from vehicle gearbox or engine
- 80ltr tank capacity
- 11ltr Perspex inspection chamber
- 6 10bar (87 145psi) suction pressure (extraction)
- 0.7 1bar (10 15psi) ejection pressure



£399.99 EXWAT

TO PLACE AN ORDER: (C) 01509 500500

New Extended Range of Diesel Fuel Transfer Pumps

Boost the efficiency of onsite fuelling and maintain accurate records of diesel usage throughout your facility. Using a compact design, SIP's range of diesel fuel pumps easily install onto an existing storage unit for convenient dispensing using either 12v, 24v or 230v power supplies.

PORTABLE DESIGN FOR EASY FUEL TRANSFER

06801 & 06803


- · Powerful 12v or 24v DC motor options, with copper-wound armatures for optimum performance
- · Compact and lightweight design for
- · High quality aluminium nozzle ensures strength and durability
- self-priming
- stop operation





06805 & 06807

- Powerful 12v DC (06805) or 230v AC (06807) motor options, with copper-wound armatures for optimum performance
- Compact design with easy wall-mountable bracket
- Accurate flow meter with 4 digit subtotal and 8 digit grand total display
- Supplied with non-return valve to aid self-priming







ITEM No.	06801	06803	06805	06807
MODEL	SIP 12v Diesel Transfer Pump	SIP 24v Diesel Transfer Pump	SIP 12v Diesel Transfer Pump with Fuel Meter	SIP 230v Diesel Transfer Pump with Fuel Meter
INPUT VOLTAGE	12v DC	24v DC	12v DC	230v AC
MOTOR POWER	160w	160w	160w	550w
MAX. PUMPING HEAD	10mtr	10mtr	10mtr	15mtr
MAX. FLOW RATE	40ltr/min	40ltr/min	40ltr/min	60ltr/min
SPEED	3200rpm	3200rpm	3200rpm	2850rpm
MAX. WORKING PRESSURE	15psi (1bar)	15psi (1bar)	15psi (1bar)	22psi (1.5bar)
CONNECTION	3/4" BSP	3/4" BSP	3/4" BSP	1" BSP
SUCTION HOSE LENGTH	2mtr	2mtr	2mtr	2mtr
DELIVERY HOSE LENGTH	4mtr	4mtr	4mtr	4mtr
WEIGHT	7.15kg	7.10kg	12.50kg	16.90kg
EX. VAT	£189.99	£199.99	£209.99	£249.99
INC. VAT	£227.99	£239.99	£251,99	£299,99







EXTRA-LARGE WHEELS FOR EASIER MOVEMENT OVER UNEVEN TERRAIN

LANCE WITH INTERCHANGEABLE NOZZLE HEADS
TWIST-ON TURBO NOZZLE HEAD
6mtr HOSE

CLIP-ON FOAM / DETERGENT BOTTLE



08974 - BRASS-HEADED AXIAL PLUNGER PUMP INDUSTRIAL STEEL LANCE WITH ADJUSTABLE NOZZLE STEEL TURBO LANCE REINFORCED 8mtr HOSE INTEGRATED 1.8ltr DETERGENT TANK









*EWP (Equivalent Working Pressure) with turbo nozzle/lance action.

IDEAL FOR LIGHT Commercial USE

SIP PROFESSIONAL ELECTRIC COLD WATER PRESSURE WASHERS







EXTRA-LARGE WHEELS FOR EASIER MOVEMENT OVER **UNEVEN TERRAIN**

AXIAL 3 PISTON PUMP CARRY HANDLE QUICK WALL-COUPLING SYSTEM

HEAVY-DUTY 20mtr REINFORCED HOSE ACCESSORIES WITH RACK















Item No	08909	08976	08978
MODEL	SIP TEMPEST PW540/155 Wall-Mounted & Portable Pressure Electric Washer	SIP CW3000 Pro	SIP CW4000 Pro Plus
INPUT SUPPLY	230v (13A)	230v (13A)	230v (13A)
PUMP TYPE	COMET brass-headed Axial plunger pump	SIP Crankshaft	SIP Crankshaft
MOTOR	2400w	2300w (4 POLE) 1450rpm	2800w (4 POLE) 1450rpm
MAX. PRESSURE	2320psi (160bar)	1740psi (120bar) VARIABLE	2175psi (150bar) VARIABLE
WATER FLOW RATE	510ltr/hr	up to 480ltr/hr	up to 540ltr/hr
DETERGENT	Clip-on foam / detergent bottle	Suction	1.8ltr Tank
EX. VAT	£649.99	£599.99	£719.99
INC. VAT	£779.99	£719.99	£863.99



08978 - INTEGRATED 1.8ltr DETERGENT TANK

SIP Professional Rotary Surface Cleaner

- · Ideal for patios, walls and floors
- Complete with support handle
 Supplied with M22 fitting



Item No: 09	090
£139.59	EX.VAT

SIP Pressure Washer Detergent

- Heavy-duty concentrated detergent specially formulated for cleaning and removal of traffic film, heavy greasing, and stubborn ingrained soiling
- 5ltr

Item No: 02	2385
£14.19	EX.VAT
£17.03	INC.VAT



*EWP (Equivalent Working Pressure) with turbo nozzle/lance action.





EXTRA-LARGE WHEELS FOR EASIER MOVEMENT OVER UNEVEN TERRAIN



Item No	08990	08961
MODEL	SIP TEMPEST P660/150 Electric Pressure Washer	SIP TEMPEST HDP660/120-02
INPUT SUPPLY	230v (13A)	230v (16A)
PUMP TYPE	COMET brass-headed in-line Triplex crankshaft pump	COMET brass-headed in-line Triplex crankshaft pump
MOTOR	2900w (4hp), 4-POLE	3000w (4hp), 4-POLE
MAX. PRESSURE	2177psi (150bar)	1742psi (120bar)
WATER FLOW RATE	660ltr/hr	660ltr/hr
DETERGENT TANK	7.5ltr	-
EX. VAT	£849.99	£1099.99
INC. VAT	£1019.99	£1319.99





EASY-TO-USE CONTROL PANEL













BRASS-HEADED AXIAL PLUNGER PUMP









RUBBER NOZZLE SHROUD LANCE PROTECTION

Item No	08953	08954
MODEL	SIP TEMPEST PH480/150 Hot Water	SIP TEMPEST PH540/150 Hot Water
INPUT SUPPLY	230v (13A)	230v (13A)
PUMP TYPE	COMET brass-headed Axial plunger pump	COMET brass-headed Axial plunger pump
MOTOR	2100w (2.8hp), 2800rpm, 2-POLE	2700w (3.6hp), 2800rpm, 2-POLE
MAX. PRESSURE	2030psi (140bar)	2175psi (150bar)
WATER FLOW RATE	480ltr/hr	540ltr/hr
MAX. WATER TEMPERATURE	90℃	90°C
DETERGENT BOTTLE/TANK	350ml Bottle	4.5ltr Tank
BOILER FUEL TANK CAPACITY	4ltr (diesel)	15ltr (diesel)
ADDITIONAL FEATURES	ADJUSTABLE LOW PRESSURE DETERGENT SUCTION HEAVY-DUTY METAL LANCE WITH ADJUSTABLE NOZZLE 8 METRE HEAVY-DUTY HOSE WITH INTEGRATED HANGING HOOKS	ADJUSTABLE LOW PRESSURE DETERGENT SUCTION PRESSURE GAUGE HEAVY-DUTY METAL LANCE WITH ADJUSTABLE NOZZLE 8 METRE HEAVY-DUTY HOSE WITH BUILT-IN RETRACTABLE HOSE REEL
EX. VAT	£1199.99	£1399.99
INC VAT	£1//30 00	£1670 00



IDEAL FOR

COMMERCIAL

USE

















BRASS-HEADED AXIAL PLUNGER PUMP



BRASS-HEADED IN-LINE TRIPLEX CRANKSHAFT PUMP DOUBLE THE LIFESPAN ITEM: 08956



EASY-TO-USE CONTROL PANEL













INTEGRATED

FRONT & REAR BUMPERS

FOR PROTECTION & DURABILITY



RUBBER NOZZLE SHROUD LANCE PROTECTION

Item No	08941	08956		
MODEL	SIP TEMPEST PH600/140 A2 Hot Water	SIP TEMPEST PH600/140 T4 Hot Water		
INPUT SUPPLY	230v (13A)	230v (13A)		
PUMP TYPE	COMET brass-headed Axial plunger pump	COMET brass-headed in-line Triplex crankshaft pump		
MOTOR	2200w (3hp), 2800rpm, 2-POLE	2200w (3hp), 1400rpm, 4-P0LE		
MAX. PRESSURE	2030psi (140bar)	2030psi (140bar)		
WATER FLOW RATE	600ltr/hr	600ltr/hr		
MAX. WATER TEMPERATURE	110°C	110°C		
DETERGENT TANK	3.5ltr	3.5ltr		
BOILER FUEL TANK CAPACITY	15ltr (diesel)	15ltr (diesel)		
ADDITIONAL FEATURES	ADJUSTABLE LOW PRESSURE DETERGENT SUCTION PRESSURE GAUGE HEAVY-DUTY METAL LANCE WITH ADJUSTABLE NOZZLE 10 METRE HEAVY-DUTY HOSE	ADJUSTABLE LOW PRESSURE DETERGENT SUCTION PRESSURE GAUGE HEAVY-DUTY METAL LANCE WITH ADJUSTABLE NOZZLE 10 METRE HEAVY-DUTY HOSE		
EX. VAT	£1899.99	£2099.99		
INC. VAT	£2279.99	£2519.99		



SIP TEMPEST PH660/120HDS Hot Steam SIP TEMPEST PH900/200HDS Hot Steam **Electric Pressure Washers**

MADE IN ITALY



GOMI#





BRASS-HEADED IN-LINE TRIPLEX CRANKSHAFT PUMP FOR DOUBLE THE LIFESPAN









HEAVY-DUTY 4-POLE SLOW-RUNNING MOTOR FOR QUIETER OPERATION & LONGER LIFE



Item No	08962		08964			
MODEL	SIP TEMPEST PH660/120HDS Hot Steam		SIP TEMPEST PH900/200HDS Hot Steam			
INPUT SUPPLY	230v (13A)] [400v - 3Phase			
PUMP TYPE	COMET brass-headed in-line Triplex crankshaft pump		COMET brass-headed in-line Triplex crankshaft pump			
MOTOR	2200w (3hp), 4-P0LE	13A 230v	5500w (7.5hp), 4-POLE 32A 400v			
MAX. PRESSURE	1740psi (120bar) variable		2900psi (200bar) variable			
WATER FLOW RATE	660ltr/hr variable		900ltr/hr variable			
MAX. WATER TEMPERATURE	85 - 140°C		85 - 140°C			
DETERGENT TANK	3.5ltr		3.5ltr			
BOILER FUEL TANK CAPACITY	18ltr (diesel)		18ltr (diesel)			
ADDITIONAL FEATURES	INTEGRAL WATER SOFTENER / DESCALING TANK LOW PRESSURE DETERGENT SUCTION PRESSURE GAUGE HEAVY-DUTY METAL LANCE WITH ADJUSTABLE NOZZLE 10 METRE HEAVY-DUTY HOSE		INTEGRAL WATER SOFTENER / DESCALING TANK LOW PRESSURE DETERGENT SUCTION PRESSURE GAUGE HEAVY-DUTY METAL LANCE WITH ADJUSTABLE NOZZLE 10 METRE HEAVY-DUTY HOSE			
EX. VAT	£2699.99		£2999.99			
INC. VAT	£3239.99		£3599.99			

SIP PETROL-POWERED COLD WATER PRESSURE WASHERS





SUCKS WATER FROM BARRELS, TANKS & CONTAINERS... NO MAINS WATER SUPPLY NEEDED!

Robust in their design and versatile in their application, SIP's range of petrol powered cold water pressure washers support thorough cleaning, including locations where a mains water feed isn't accessible.

Built to deliver consistent high pressure, 2mtr suction head will suck water from alternative sources such as barrels, tanks and containers. The range includes solutions that are ideal for home and professional applications:





ADVANCED PROFESSIONAL USE Valeting Agriculture






STURAGE BRACKET			FUMF	
Item No	08983	08984	08985	08986
MODEL	SIP TEMPEST CW-P 145AX	SIP TEMPEST CW-P 160AX	SIP TEMPEST CW-P 215AX	SIP TEMPEST CW-P 225AX
PUMP TYPE	SIP Axial pump head	SIP Axial pump head	SIP Axial / Brass-headed	SIP Axial / Brass-headed
ENGINE	3.2hp EURO 5	6.5hp EURO 5	7hp EURO 5	7hp EURO 5
MAX. OUPUT PRESSURE	2105psi (145bar)	2349psi (162bar)	3135psi (216bar) variable	3265psi (225bar) variable
WATER FLOW RATE	420ltr/hr	402ltr/hr	522ltr/hr variable	540ltr/hr variable
HOSE LENGTH	7.5mtr	7.5mtr	7.5mtr	7.5mtr
DETERGENT SUCTION	✓	✓	✓	Integrated tank - 1.5ltr
SUCKS WATER	2mtr suction head	2mtr suction head	2mtr suction head	2mtr suction head
USAGE				
EX. VAT	£269.99	£299.99	£379.99	£449.99
INC. VAT	£323.99	£359.99	£455.99	£539.99

Euro 5 Compliant Engines to meet emissions directive for non-road mobile machinery



SIP PETROL-POWERED COLD WATER PRESSURE WASHERS









SIP TEMPEST TP760/190 Petrol-Powered Pressure Washer

- Powerful 6.5hp (4.8kW) EURO 5 petrol engine for performance
- 2760psi (190bar) max. pressure and 750ltr/hr flow rate
- Large pneumatic tyres for easy movement over uneven terrain
- · Low oil protection helps to prevent engine damage
- 10mtr heavy-duty rubber hose & heavy-duty lance



5x INTERCHANGEABLE SPRAY PATTERN NOZZLES INCLUDED

SPACE-SAVING FOLDING FRAME DESIGN

SIP PROFESSIONAL PETOL-POWERED COLD WATER PRESSURE WASHERS

08646







SPACE-SAVING FOLDING FRAMES WITH EXTENDED HANDLES

HEAVY-DUTY REINFORCED HOSE LARGE PNEUMATIC TYRES FOR EASIER MOVEMENT







PREMIER QUALITY

IDEAL FOR FARMING & CONTRACTOR **USE**

HONDA™ GP & GX RANGE

COMET AXIAL PLUNGER PUMP OR SIP BRASS-HEADED CRANKSHAFT PUMP OPTIONS

GEARBOX DRIVEN PUMP (ITEM: 08947)

SPACE-SAVING FOLDING FRAMES
WITH EXTENDED HANDLES

HEAVY-DUTY REINFORCED HOSE SWIVEL CONNECTION LANCE (ITEMS: 08948, 08950) LARGE PNEUMATIC TYRES FOR EASIER MOVEMENT



POWERED by HONDA
2 year engine warranty

Honda" GP Engines


POWERED by HONDA 3 year engine warranty

Honda GX Engines Reliability, excellent build quality, compact design, low oil alert

IDEAL FOR FARMING & CONTRACTOR USE



Item No	MODEL	PUMP TYPE	ENGINE	MAX. OUTPUT PRESSURE	WATER FLOW RATE	HOSE LENGTH	SUCKS WATER*	LANCE TYPE	EX. VAT	INC. VAT
08442	SIP PP750/150WM	SIP Axial	7hp - 207CC (Kohler)	2175psi (150bar)	570ltr/hr	8mtr	-	Heavy-duty	£599.99	£719.99
08446	SIP PP660/165WM	SIP Axial	7hp - 207CC (Kohler)	2393psi (165bar)	660ltr/hr	10mtr	Up to 2mtr*	Heavy-duty	£749.99	£899.99
08642	SIP TPHGP570/150	COMET Axial	GP160 - 163CC (Honda)	2175psi (150bar)	570ltr/hr	8mtr	-	Heavy-duty	£649.99	£779.99
08646	SIP TPHGP660/165	COMET Axial	GP200 - 196CC (Honda)	2393psi (165bar)	660ltr/hr	8mtr	Up to 2mtr*	Heavy-duty	£799.99	£959.99
08643	SIP TPHGP760/190	SIP Crankshaft	GP200 - 196CC (Honda)	2760psi (190bar)	756ltr/hr	10mtr	-	Heavy-duty	£849.99	£1019.99
08946	SIP PP660/165	COMET Axial	GX160 - 163CC (Honda)	2393psi (165bar)	660ltr/hr	8mtr	Up to 2mtr*	Heavy-duty	£879.99	£1055.99
08943	SIP PP760/190	SIP Crankshaft	GX200 - 196CC (Honda)	2760psi (190bar)	756ltr/hr	10mtr	-	Heavy-duty	£899.99	£1079.99
08948	SIP PP960/210	COMET Crankshaft	GX340 - 340CC (Honda)	3045psi (210bar)	960ltr/hr	10mtr	Up to 2mtr*	Dual with end protector	£1499.99	£1799.99
08950	SIP PP960/280	COMET Crankshaft	GX390 - 389CC (Honda)	4005psi (276bar)	960ltr/hr	10mtr	Up to 2mtr*	Dual with end protector	£1599.99	£1919.99
08947	SIP PPG680/210	SIP Gearbox/Crankshaft	GX200 - 196CC (Honda)	3000psi (207bar)	676ltr/hr	9mtr	-	Heavy-duty + nozzles	£999.99	£1199.99







SUCKS WATER FROM BARRELS, TANKS & CONTAINERS... NO MAINS WATER SUPPLY NEEDED!



SIP HONDA™ PETROL ENGINE COLD WATER PRESSURE WASHER

SIP Professional TEMPEST PPB480/160 Bowser Honda GX Petrol-Powered Pressure Washer



Euro 5 Compliant Engines to meet emissions directive for non-road mobile machinery

Honda" GX Engines

Item No: 08916

£1599.99 EX.VAT

£1919.99

PUMP INCLUDED





SIP MAINS ELECTRIC FLOOR SCRUBBER/DRYERS

SIP SD1260AC, SD1600AC Mains-Powered Walk-Behind Floor Scrubber / Dryers

Designed for commercial and industrial environments, these mains supply solutions combine powerful brush and vacuum motors alongside a large scrubbing and squeegee area for outstanding cleaning performance.



	Item No	MODEL	INPUT Supply	WORKING CAPACITY	BRUSH MOTOR POWER		SCRUBBING AREA / SQUEEGEE WIDTH		CLEANING/SOLUTION TANK	BRUSH Speed	WEIGHT	EX. VAT	INC. VAT
۱	07980	SIP SD1260AC	230v (13A)	1260m³/hr	370w (0.49hp)	400w (0.53hp)	360mm / 440mm	360mm	11ltr / 13ltr	130rpm	61kg	£1299.99	£1559.99
ı	07984	SIP SD1600AC	230v (13A)	1600m³/hr	400w (0.53hp)	700w (0.93hp)	450mm / 540mm	430mm	30ltr / 35ltr	150rpm	66kg	£1599.99	£1919.99





SIP BATTERY-POWERED FLOOR SCRUBBER/DRYERS

SIP SD1260BAT, SD1600BAT Rechargeable Walk-Behind Floor Scrubber / Drvers

For added flexibility & convenience, our battery powered solutions offer the same powerful cleaning capacity without the restriction of a mains power cable. Supplied with a rechargeable 12v DC 55Ah battery to maintain intensive cleaning of stubborn dirt and grime.



SIP Scrubber Detergent

- A low foaming, multi-functional alkaline cleaner A low toaming, multi-functional alkaline cleaner which is suitable for use in most types of cleaning equipment. Particularly recommended for use in scrubber dryer equipment in factory storage areas and industrial warehousing etc.
- 10ltr container

£23.63



Item No	MODEL	INPUT Supply	WORKING Capacity	BRUSH MOTOR POWER		SCRUBBING AREA / SQUEEGEE WIDTH		CLEANING/SOLUTION TANK	BRUSH Speed	WEIGHT	EX. VAT	INC. VAT
07982	SIP SD1260BAT	12v DC (1x 55Ah)	1260m³/hr	250w (0.33hp)	180w (0.24hp)	360mm / 440mm	360mm	11ltr / 13ltr	130rpm	70kg	£1799.99	£2159.99
07986	SIP SD1600BAT	12v DC (2x 55Ah)	1600m ³ /hr	400w (0.53hp)	400w (0.53hp)	450mm / 540mm	430mm	30ltr / 35ltr	150rpm	97kg	£2299.99	£2759.99









Item No:	Input Supply	Output Current	Output Current Duty Cycle		EX. VAT	INC. VAT
08200	230v (13A)	20A - 140A	140A @ 20%	1.5mm - 7mm	£89.99	£107.99
08201	230v (16A)	20A - 180A	180A @ 15%	1.5mm - 8mm	£129.99	£155.99



WELDING EQUIPMENT





Item N	o: Input Supply	Output Current	Duty Cycle	Wire Spool Size	EX. VAT	INC. VAT
0820	230v (13A)	15A - 120A (MIG) 15A - 70A (MMA/TIG)	120A @ 15% (MIG) 70A @ 15% (MMA/TIG)	Solid & Flux; up to 0.7kg	£159.99	£191.99
0820	230v (13A)	30A - 140A (MIG) 30A - 120A (MMA/TIG)	130A @ 30% (MIG) 120A @ 30% (MMA/TIG)	Solid & Flux; up to 5kg	£279.99	£335.99

TIG WELDER

ITEM NO: 08204

TIGREN TGN200TIG DC TIG Inverter Welder

- 2-in-1 machine with HF TIG and MMA/ARC processes
- Integrated IGBT inverter technology platform
- Lightweight and compact design
- Comes with torch, welding leads and face shield





Item No:	Input Supply	Output Current	Duty Cycle	EX. VAT	INC. VAT
08204	230v (13A)	10A - 180A (TIG) / 10A - 160A (MMA)	180A @ 15% (TIG) / 160A @ 15% (MMA)	£229.99	£275.99

WELDING HEADSHIELD

ITEM NO: 02801

TIGREN Electronic Welding Headshield

- 92.5mm x 42.5mm LCD large viewing area
- High-quality automatic electronic welding headshield
- Adjustable control; DIN 9 13 variable internal control





Viewing Area	Welding Shade	Light-Dark
92.5 x 42.5mm	DIN 9-13 variable internal control	3/10,000sec (0.00003s)

ARC Sensors	EX. VAT	INC. VAT
2 sensors	£29.99	£35.99



AIR COMPRESSORS

DIRECT-DRIVE

TIGREN V50DD (04387) / V100DD (04388) 3hp Direct-Drive Compressors

- **⊘** 2-cylinder V-configuration splash oil-lubricated pump
- High CFM output
- Wheel-mounted for easy manoeuvrability and positioning



Item No:	Input Supply	Motor Power	Receiver Size	Piston Displacement	Max. Air Pressure	EX. VAT	INC. VAT
04387	230v (13A)	2.2kW (3hp)	50ltr	13CFM (368ltr/min)	116psi (8bar)	£249.99	£299.99
04388	230v (13A)	2.2kW (3hp)	100ltr	13CFM (368ltr/min)	116psi (8bar)	£299.99	£359.99

BELT-DRIVE

TIGREN 100ltr (04396) / 150ltr (04391) / 200ltr (04394) 3hp Belt-Drive Compressor

A true workhorse built with a heavy-duty pump and brushless induction motor with 14CFM of powerful piston displacement, and a range of other durable features that make for an extended lifespan.

🗸 No-nonsense belt-driven compressor 🧭 Heavy-duty 2-cylinder splash oil-lubricated pump 🧭 Heavy-duty induction motor for longer life and performance



ı	Item No:	Input Supply	Wheel Mounted	Motor Power	Receiver Size	Piston Displacement	Max. Air Pressure	EX. VAT	INC. VAT
ı	04396	230v (13A)	√	2.2kW (3hp)	100ltr	14CFM (396ltr/min)	150psi (10bar)	£399.99	£479.99
ı	04391	230v (13A)	√	2.2kW (3hp)	150ltr	14CFM (396ltr/min)	150psi (10bar)	£489.99	£587.99
	04394	230v (13A)	✓	2.2kW (3hp)	200ltr	14CFM (396ltr/min)	150psi (10bar)	£569.99	£683.99

BELT-DRIVE TANDEM

ITEM NO: 04386

TIGREN 270ltr Tandem 2x 3hp Belt-Drive Compressor

The ultimate no-nonsense workshop compressor, built with robust double pumps and motor units for unrivalled performance. Ideal for workshops where high air demand is required and only a 230v supply is available.

- ✓ No-nonsense workhorse belt-driven compressor ✓ 2x heavy-duty 2-cylinder splash oil-lubricated pumps
- 2 heavy-duty induction motors for long life and performance
- **⊘** Twin cylinder compression for increased air production

Don't forget your SIP Anti-Vibration Mounts (see page 100)

I	Input Supply	Motor Power	Receiver Size	Piston Displacement	Max. Air Pressure	EX. VAT	INC. VAT
ı	230v (32A)	6hp (2x 3hp)	270ltr	25CFM (708ltr/min)	145psi (10bar)	£1,349.99	£1,619.99



WORKSHOP EQUIPMENT

OIL DRAINERS

ITEM NO: 08207 TIGREN 50ltr Gravity Oil Drainer

- 50ltr reservoir tank
- Waste oil level indicator
- Pneumatic waste oil discharge function

ITEM NO: 08208

TIGREN 70Itr Suction Oil Drainer

- 70ltr reservoir tank
- Waste oil level indicator
- Pneumatic suction function with 5 extraction tubes
- Pneumatic waste oil discharge



Item No:	Tank Capacity	Discharge Pressure	Extraction Pressure	Min. Adj. Height	Max. Adj. Height	EX. VAT	INC. VAT
08207	50ltr	22psi (1.5bar)	n/a	1030mm	1475mm	£139.99	£167.99
08208	70ltr	22psi (1.5bar)	116psi (8bar) 145psi (10bar)	1040mm	1500mm	£249.99	£299.99

CEMENT MIXERS



Item No:	Input Supply	Motor Power	Drum	EX. VAT	INC. VAT
08212	230v	220w @ S6 30%	63ltr	£169.99	£203.99
08211	230v	550w @ S6 30%	115ltr	£199.99	£239.99


SAWS

ITEM NO: 08210

TIGREN 12" Contractor Saw

A powerful saw with versatile 0° to 45° tilting and large worktable size to help provide accurate cutting in a range of applications, manufactured from heavy-duty coated steel with tough powder-coated legs, plus wheels for positioning. Perfect for tradespeople, contractors and home enthusiasts.

- ♂ 0°- 45° tilting with cutting up to 83mm @ 0°and 58mm @ 45°
- **Solution** Extendable worktable up to 1600mm x 550mm for versatility





Standard Table Size	Extended Table Size	EX. VAT	INC. VAT
800 x 550mm	1600 x 550mm	£299.99	£359.99

83mm @ 0º

58mm @ 45º

x 3.6mm 24T

2200w

@ \$6 40% 5mins

230v (13A)

ITEM NO: 08209 **TIGREN 16" Log Saw**

A powerful saw designed to cut and sever logs quickly and effortlessly via 2-handed cutting with anti-kickback device for the highest operator safety, plus durability through a high-quality powder-coated steel frame. Perfect for the home user and DIY usage.

- Severs logs up to Ø 140mm and cuts 300mm to 1000mm lengths
- 2-handed safety cutting with spring-assisted anti-kickback device
- **TCT BLADE INCLUDED**



Input Supply	Motor Power	Cutting Capacity	Blade Size	EX. VAT	INC. VAT
230v (13A)	2200w @ S2 15mins	Ø 140-300mm 1000mm (L)	Ø405 x Ø30mm 32T	£259.99	£311.99

METALWORKING RANGE SIP PAGES 46-57





















Gelders Hall Road, Shepshed, Loughborough, Leicestershire LE12 9NH. UK

SIP (INDUSTRIAL PRODUCTS) LIMITED









