# Machinery® CATALOGUE



SPRING EDITION | APRIL - JUNE 2024

www.sip-group.com



# **SPRING ESSENTIALS**

#### **INCLUDING CLEANING & CLIMATE RANGES!**







P10 - P21 **CLIMATE CLEANING** CONTROL & VENTILATION





WATER PUMPS







WELDING, PLASMA & FUME EXTRACTION











HYDRAULIC & AUTOMOTIVE



P119-127

BOOSTERS, CHARGERS & STARTERS





Tigren//

## Welcome to our Spring 2024 issue

#### SIP INDUSTRIAL PRODUCTS LIMITED

For over 55 years, SIP Industrial Products Limited has been a flagship supplier of high-quality equipment and machinery to the ever-growing engineering, construction, automotive & agricultural marketplaces.

As an ISO 9001 approved machinery specialist, SIP offer quality, value and choice, making sure you have the right product for the task in hand.

This Spring 2024 issue is packed full of new and seasonal products, as well as some amazing package deals!

## **NEW PRODUCTS**









Our latest range of MIG welders are all compliant with Regulation EU 2019/1784 (Eco Design for Welding Equipment).

Featuring 4th generation inverters, using power efficiently whilst delivering high quality welding. Our comprehensive range is suitable for entry level users, light industry, automotive environments and professional fabrication workshops.



### SIP WELDMATE®

Our range of WELDMATE® welders are powerful and compact and ideal for entry level users and light industry applications.

- Input supply from 13A (230v) or 16A (230v)
   Suitable for gasless and gas MIG welding applications
- Infinitely variable dials for greater welding control
- Ready to weld straight from the box





## SIP WELDMATE® AUTOPLUS

SIP's WELDMATE® AUTOPLUS welders are specifically designed for use in automotive environments. This range features a variety of powerful output capabilities to meet demanding applications.

- Multi-process MIG/ARC/TIG welders for added flexibility
- Features synergic control for efficient, high-quality welding
- Intuitive soft touch control panel with twin LED output displays
- Available with 3-Tier Cart and Large Cylinder Welding Trolley







## SIP WELDMATE® PRO

Designed for use in professional fabrication workshops, the WELDMATE® PRO range offers outstanding durability and functionality to meet the requirements of workshop environments.

- Multi-process MIG/ARC/TIG welders for added flexibility
- High output and duty cycles for longer, continuous welding
- Features synergic control for efficient, high-quality welding
- Available with MIG pulse functionality for greater precision & welding control













## **NEW PRODUCTS**



A front panel LED display indicates room temperature and is visible at night or in

darkened rooms.



## SIP 5-in-1 AIR CONDITIONER

This multi-purpose, mobile air conditioning unit features higher cooling and heating outputs for a variety of indoor spaces.

Featuring five low noise operating modes:

- COOLING
- FAN
- DEHUMIDIFYING
- HEATING
- AUTO

This versatile units offer year-round application use.



Easy-to-use touch screen controls and remote control





MASSSIVE
14,000BTU/hr
COOLING CAPACITY

# **SIP FLOOR, DRUM FANS & VENTILATORS**







**HOW TO ENTER** 

1x SIP 2-in-1 Table Saw with Integrated Dust Extractor (01513)

**WORTH OVER** £950!

FOLLOW US" ON FACEBOOK, INSTAGRAM OR TWITTER (@SIPINDUSTRIAL) & LIKE OR COMMENT ON OUR PINNED COMPETITION POST. IF YOU FOLLOW US ON ALL 3 PLATFORMS, THIS WILL COUNT AS 3 ENTRIES!

SIMPLY SCAN THE QR CODE HERE & SIGN UP. YOU'LL BE AMONGST THE FIRST TO HEAR ABOUT NEW COMPETITIONS, PRODUCTS & PROMOTIONS FROM SIP!







# SIP AIR CONDITIONERS





#### **SIP 4-in-1 AIR CONDITIONER**

Designed to effectively circulate cool and hot air to maintain a consistent temperature in a variety of indoor spaces, including homes, offices and workshops.

Featuring four low noise operating modes, the 4-in-1 Air Conditioner can function as an air conditioner, dehumidifier, cooling fan and heater offering year-round application use.

**HEATING MODE** - delivers an adjustable output of 8,000BTU/hr for max. temp of 31°C

COOL MODE - offers an adjustable target temperature down to 15°C

**DEHUMIDIFIER MODE** - max. capacity of 1.2ltr/hr

**FAN MODE** - operates as a cooling fan without engaging the climate control functions

**Remote control** - allows the dehumidifier to be operated at distance for added user convenience

DEHUMIDIFYING CAPACITY	1.2ltr/hr (30°C 80%) / 0.6ltr/hr (27°C 60%)
COOLING CAPACITY	10,000 BTU/hr (2.9kW)
HEATING CAPACITY	8,000 BTU/hr (2.3kW)
MAX. AIR FLOW / AREA	380m³/hr / 18mtr³
GAS TYPE	Refrigerant R290 210g
LOW NOISE LEVEL	65dB(A)

Item No: 05647
£319.99 EXVAT
£383,99 INCVAT

1.5M EXPANDING AIR DUCT WITH FAN TAIL & WINDOW ADAPTOR



10,000BTU/hr cooling capacity

4x CASTOR WHEELS FOR EASY MOVEMENT



EASY-TO-USE ELECTRONIC TOUCH PAD CONTROL PANEL & REMOTE



#### **SIP 5-in-1 AIR CONDITIONER**

This multi-purpose, mobile air conditioning unit features higher cooling and heating outputs for a variety of indoor spaces. Featuring five low noise operating modes including cooling, heating, dehumidify, fan and automatic this versatile units offer yearround application use.

COOL MODE offers an adjustable target temperature down to 15°C HEAT MODE has an adjustable output temperature of up to 31°C temp DEHUMIDIFIER MODE removes moisture from the air with a max. capacity of 1.5ltr/hr

**FAN MODE** operates without engaging the climate control functions **AUTO MODE** engages the cooling and heating functions as set by the user.

A front panel LED display indicates room temperature and is visible at night or in darkened rooms.



 Item No: 05649

 £429.99
 EX.VAT

 £515.99
 INC.VAT

1.5M EXPANDING AIR DUCT WITH FAN TAIL & WINDOW ADAPTOR











MASSSIVE

14,000BTU/hr cooling capacity

# **SIP AIR**

# **EHUMIDIFIER**

#### **SIP 20 LITRE DEHUMIDIFIER**

Our multi-purpose, portable unit is designed to effectively remove excessive air moisture from a variety of indoor spaces.

Featuring five operating modes, this dehumidifier functions to manage humidity levels across a variety of applications for year-round use.

TARGET HUMIDITY MODE - sets the percentage humidity level to reduce moisture in the air

AIR CLEAN MODE - ideal for removing travelling odours, the 2-speed fan can be adjusted for comfort

AUTO MODE - this function sets the air humidity to equal the level in the room or space

**DRY CLOTHES MODE** - for quick & effective drying applications to draw moisture from clothes and fabrics

**DEFROST MODE** - perfect for colder rooms and spaces, this setting can automatically engage to ensure a constant temperature

DEHUMIDIFYING RATE	20ltr/day (30°C 80%) / 10ltr/day (27°C 60%)
WATER TANK CAPACITY	6.5ltr
MAX. AIR FLOW	195m³/hr
GAS TYPE	Refrigerant R290 60g
LOW NOISE LEVEL	48dB(A)











EASY-TO-USE ELECTRONIC TOUCH PAD CONTROL PANEL





SUPPLY AIR VENTILATION FOR A WIDE RANGE OF INDUSTRIES; WORKSHOPS, BELOW GROUND APPLICATIONS, LOFT SPACES ETC. EFFICIENTLY REMOVE ODOURS AND STALE AIR FROM THE WORK AREAS.

**HEAVY-DUTY CONSTRUCTION EFFECTIVE INTAKE SUCTION FOR LARGE AIR VOLUME** 





#### **SIP VENTILATOR DUCTING**


Supplied in 5mtr (10" & 12") & 10mtr (16") lengths, multiple sections can be joined together.

- · Concertina design for easy storage
- Heavy-duty PVC construction
- Suitable for SIP Ventilators



Item No: 0564	2 - 10"		
£49.99	EX.VAT		-61 -61
£59.99	INC.VAT		
111/	1	0	
Item No: 0564	4 - 12"	Car	
£52.99	EX.VAT		
£63.59	INC.VAT		
THE RESERVE			
Item No: 0564	6 - 16"		
£99.99	EX.VAT	The state of the s	
£119.99	INC.VAT	/	
The second second	Sec. 15.16	The same of the sa	

Item No	MODEL	INPUT SUPPLY	MOTOR POWER	FAN Ø	FAN SPEED	AIR FLOW (max)	NOISE LEVEL	EX. VAT	INC. VAT
05641	SIP 10" Ventilator	230v	300w	10" (250mm)	2800rpm	2700m³/hr	66dB(A)	£119.99	£143.99
05643	SIP 12" Ventilator	230v	500w	12" (300mm)	2800rpm	3900m³/hr	69dB(A)	£134.99	£161.99
05645	SIP 16" Ventilator	230v	1100w	16" (400mm)	2800rpm	7200m³/hr	79dB(A)	£349.99	£419.99









### **FLOOR STANDING FANS**

Our range of floor fans are mounted on balanced and sturdy steel frames that are fully adjustable to 360° rotation for effective air circulation.

The new oscillating pedestal fan is fixed to a heavy-duty weighted steel base for stability, which has a height adjustable stand. Whilst, the new orbital floor fan can rotate 360° on its horizontal axis and 360° on its vertical axis to create 720° coverage of air circulation.







ROTATES 360° ON HORIZONTAL AND VERTICAL AXIS FOR 720° ORBITAL AIR CIRCULATION COVERAGE

Item No	MODEL	INPUT SUPPLY	MOTOR	FAN Diameter	NO. OF SPEEDS	SPEED RANGE	NOISE LEVEL	EX. VAT	INC. VAT
05632	SIP 16" HEAVY-DUTY FLOOR FAN	230v (13A)	75w	406mm (16")	3	955 / 1111 / 1302rpm	60dB(A)	£49.99	£59.99
05633	SIP 18" HEAVY-DUTY OSCILLATING PEDESTAL FAN	230v (13A)	100w	457mm (18")	3	900 / 1100 / 1300rpm	66dB(A)	£99.99	£119.99
05613	SIP 20" HEAVY-DUTY FLOOR FAN	230v (13A)	111w	508mm (20")	3	850 / 1100 / 1350rpm	75dB(A)	£74.99	£89.99
05635	SIP 20" HEAVY-DUTY ORBITAL FLOOR FAN	230v (13A)	120w	508mm (20")	3	900 / 1100 / 1300rpm	68dB(A)	£89.99	£107.99





Item No	MODEL	INPUT SUPPLY	MOTOR	FAN DIAMETER	NO. OF Speeds	SPEED RANGE	NOISE LEVEL	EX. VAT	INC. VAT
05637	SIP 24" HEAVY-DUTY DRUM FAN	230v (13A)	120w	609mm (24")	3	900 / 1100 / 1300rpm	67dB(A)	£159.99	£191.99
05639	SIP 30" HEAVY-DUTY DRUM FAN	230v (13A)	123w	762mm (30")	2	850 / 950rpm	73dB(A)	£229.99	£275.99
05640	SIP 30" HEAVY-DUTY DRUM FAN - 110V	110v (16A)	120w	762mm (30")	2	850 / 950rpm	72dB(A)	£249.99	£299.99
05636	SIP 30" INDUSTRIAL DRUM FAN	230v (13A)	315w	762mm (30")	2	880 / 960rpm	84dB(A)	£299.99	£359.99
05638	SIP 36" INDUSTRIAL DRUM FAN	230v (13A)	410w	915mm (36")	2	860 / 950rpm	84dB(A)	£349.99	£419.99

# SIP TEMPEST ELECTRIC PRESSURE WASHERS



BRUSHLESS INDUCTION MOTOR POWERED FOR INCREASED DURABILITY



EXTRA-LARGE WHEELS FOR EASIER MOVEMENT OVER UNEVEN TERRAIN



Item No	08970	08972	08974
MODEL	SIP CW2000	SIP CW2300	SIP CW2800
INPUT SUPPLY	230v (13A)	230v (13A)	230v (13A)
PUMP TYPE	SIP Axial	SIP Axial	Brass-Headed SIP Axial
MOTOR	2000w	2300w	2800w
TURBO PRESSURE	4000psi EWP* (Turbo Nozzle)	5700psi EWP* (Turbo Lance)	5100psi EWP* (Turbo Lance)
MAX. PRESSURE	2030psi (140bar)	2900psi (200bar)	2610psi (180bar)
WATER FLOW RATE	360ltr/hr	300ltr/hr	510ltr/hr
DETERGENT TANK	Clip-on foam / detergent bottle	0.4ltr	1.8ltr
EX. VAT	£129.99	£249.99	£349.99
INC. VAT	£155.99	£299.99	£419.99

# TO PLACE AN ORDER: (III) WWW.Sip-group.com

# SIP PRO TEMPEST ELECTRIC PRESSURE WASHERS







EXTRA-LARGE WHEELS FOR EASIER MOVEMENT OVER **UNEVEN TERRAIN** 

08909:

**AXIAL 3 PISTON PUMP CARRY HANDLE** QUICK WALL-COUPLING SYSTEM **HEAVY-DUTY 20mtr** 

REINFORCED HOSE





















Item No	08909	08976	08978
MODEL	SIP TEMPEST PW540/155 WALL-MOUNTED & PORTABLE PRESSURE ELECTRIC WASHER	SIP CW3000 PRO	SIP CW4000 PRO PLUS
INPUT SUPPLY	230v (13A)	230v (13A)	230v (13A)
PUMP TYPE	COMET brass-headed Axial plunger pump	SIP Crankshaft	SIP Crankshaft
MOTOR	2400w	2300w (4 POLE) 1450rpm	2800w (4 POLE) 1450rpm
MAX. PRESSURE	2320psi (160bar)	1740psi (120bar) VARIABLE	2175psi (150bar) VARIABLE
WATER FLOW RATE	510ltr/hr	up to 480ltr/hr	up to 540ltr/hr
DETERGENT	Clip-on foam / detergent bottle	Suction	1.8ltr Tank
EX. VAT	£669.99	£599.99	£699.99
INC. VAT	£803.99	£719.99	£839.99



08978 - INTEGRATED 1.8itr DETERGENT TANK

#### **SIP Professional Rotary Surface Cleaner**

- Ideal for patios, walls and floors
- Complete with support handle
  Supplied with M22 fitting



Item No: 09	090
£139.59	EX.VAT
£16751	INCVAT

#### **SIP Pressure Washer Detergent**

- Heavy-duty concentrated detergent specially formulated for cleaning and removal of traffic film, heavy greasing, and stubborn ingrained soiling
- 5ltr





# **ELECTRIC COLD WATER PRESSURE WASHERS**









Item No	08990	08961
MODEL	SIP TEMPEST P660/150	SIP TEMPEST HDP660/120-02
INPUT SUPPLY	230v (13A)	230v (16A)
PUMP TYPE	COMET brass-headed in-line Triplex crankshaft pump	COMET brass-headed in-line Triplex crankshaft pump
MOTOR	2900w (4hp), 4-P0LE	3000w (4hp), 4-POLE
MAX. PRESSURE	2177psi (150bar)	1742psi (120bar)
WATER FLOW RATE	660ltr/hr	660ltr/hr
DETERGENT TANK	7.5ltr	-
EX. VAT	£899.99	£1199.99
INC. VAT	£1079.99	£1439.99



# **ELECTRIC HOT WATER PRESSURE WASHERS**







EXTRA-LARGE WHEELS FOR EASIER MOVEMENT OVER UNEVEN TERRAIN



Item No	08953	08954
MODEL	SIP TEMPEST PH480/150 HOT WATER	SIP TEMPEST PH540/150 HOT WATER
INPUT SUPPLY	230v (13A)	230v (13A)
PUMP TYPE	COMET brass-headed Axial plunger pump	COMET brass-headed Axial plunger pump
MOTOR	2100w (2.8hp), 2800rpm, 2-POLE	2700w (3.6hp), 2800rpm, 2-POLE
MAX. PRESSURE	2030psi (140bar)	2175psi (150bar)
WATER FLOW RATE	480ltr/hr	540ltr/hr
MAX. WATER TEMPERATURE	90°C	90°C
DETERGENT BOTTLE/TANK	350ml Bottle	4.5ltr Tank
BOILER FUEL TANK CAPACITY	4ltr (diesel)	15ltr (diesel)
ADDITIONAL FEATURES	ADJUSTABLE LOW PRESSURE DETERGENT SUCTION HEAVY-DUTY METAL LANCE WITH ADJUSTABLE NOZZLE 8 METRE HEAVY-DUTY HOSE WITH INTEGRATED HANGING HOOKS	ADJUSTABLE LOW PRESSURE DETERGENT SUCTION PRESSURE GAUGE HEAVY-DUTY METAL LANCE WITH ADJUSTABLE NOZZLE 8 METRE HEAVY-DUTY HOSE WITH BUILT-IN RETRACTABLE HOSE REEL
EX. VAT	£1299.99	£1499.99
INC VAT	C1EE0 00	C1700.00

# **ELECTRIC HOT WATER PRESSURE WASHERS**



**IDEAL FOR** 





EXTRA-LARGE WHEELS FOR EASIER MOVEMENT OVER **UNEVEN TERRAIN** 



08941: BRASS-HEADED AXIAL PLUNGER PUMP



08956: BRASS-HEADED IN-LINE TRIPLEX CRANKSHAFT PUMP; DOUBLE THE LIFESPAN



EASY-TO-USE CONTROL PANEL



08956: HEAVY-DUTY 4-POLE SLOW-RUNNING MOTOR; FOR QUIETER OPERATION & LONGER LIFE



**EASY INTERNAL ACCESS** 



DETERGENT TANK



HOSE STORAGE HANGER



08956: PISTOL GRIP WITH WATER PRESSURE REGULATOR AND SWIVEL CONNECTOR



RUBBER NOZZLE SHROUD LANCE PROTECTION



INTEGRATED

**FRONT & REAR** 

**BUMPERS** FOR PROTECTION & DURABILITY







Item No	08941	08956
MODEL	SIP TEMPEST PH600/140 A2 HOT WATER	SIP TEMPEST PH600/140 T4 HOT WATER
INPUT SUPPLY	230v (13A)	230v (13A)
PUMP TYPE	COMET brass-headed Axial plunger pump	COMET brass-headed in-line Triplex crankshaft pump
MOTOR	2200w (3hp), 2800rpm, 2-POLE	2200w (3hp), 1400rpm, 4-P0LE
MAX. PRESSURE	2030psi (140bar)	2030psi (140bar)
WATER FLOW RATE	600ltr/hr	600ltr/hr
MAX. WATER TEMPERATURE	110°C	110°C
DETERGENT TANK	3.5ltr	3.5ltr
BOILER FUEL TANK CAPACITY	15ltr (diesel)	15ltr (diesel)
ADDITIONAL FEATURES	ADJUSTABLE LOW PRESSURE DETERGENT SUCTION PRESSURE GAUGE HEAVY-DUTY METAL LANCE WITH ADJUSTABLE NOZZLE 10 METRE HEAVY-DUTY HOSE	ADJUSTABLE LOW PRESSURE DETERGENT SUCTION PRESSURE GAUGE HEAVY-DUTY METAL LANCE WITH ADJUSTABLE NOZZLE 10 METRE HEAVY-DUTY HOSE
EX. VAT	£1999.99	£2199.99
INC VAT	£2300 00	£3630 00



# **ELECTRIC HOT STEAM PRESSURE WASHERS**







EXTRA-LARGE WHEELS FOR EASIER MOVEMENT OVER UNEVEN TERRAIN



DETERGENT TANK WITH FLOW ADJUSTMENT TAP



EASY-TO-USE CONTROL PANEL



HEAVY-DUTY 4-POLE SLOW-RUNNING MOTOR; FOR QUIETER OPERATION& LONGER LIFE



RUBBER NOZZLE SHROUD LANCE PROTECTION



Item No	08962		08964
MODEL	SIP TEMPEST PH660/120HDS HOT STE	AM	SIP TEMPEST PH900/200HDS HOT STEAM
INPUT SUPPLY	230v (13A)		400v - 3Phase
PUMP TYPE	COMET brass-headed in-line Triplex crankshaft pump	] [ [	COMET brass-headed in-line Triplex crankshaft pump
MOTOR	2200w (3hp), 4-POLE	1	5500w (7.5hp), 4-POLE
MAX. PRESSURE	1740psi (120bar) variable	- 13A 230v —	2900psi (200bar) variable 32A 400v
WATER FLOW RATE	660ltr/hr variable	13A 23UV	900ltr/hr variable
MAX. WATER TEMPERATURE	85 - 140°C		85 - 140°C
DETERGENT TANK	3.5ltr		3.5ltr
BOILER FUEL TANK CAPACITY	18ltr (diesel)		18ltr (diesel)
	INTEGRAL WATER SOFTENER / DESCALING TANK		INTEGRAL WATER SOFTENER / DESCALING TANK
	LOW PRESSURE DETERGENT SUCTION		LOW PRESSURE DETERGENT SUCTION
ADDITIONAL FEATURES	PRESSURE GAUGE		PRESSURE GAUGE
ABBITIONNE I ENTONES	HEAVY-DUTY METAL LANCE WITH		HEAVY-DUTY METAL LANCE WITH
	ADJUSTABLE NOZZLE		ADJUSTABLE NOZZLE
	10 METRE HEAVY-DUTY HOSE		10 METRE HEAVY-DUTY HOSE
EX. VAT	£2999.99		£3199.99
INC. VAT	£3599.99		£3839.99

#### **SUCKS WATER FROM BARRELS, TANKS & CONTAINERS... NO MAINS WATER SUPPLY NEEDED!**

# **PETROL POWERED PRESSURE WASHERS**

Robust in their design and versatile in their application, SIP's range of petrol powered cold water pressure washers support thorough cleaning, including locations where a mains water feed isn't accessible.

Built to deliver consistent high pressure, 2mtr suction head will suck water from alternative sources such as barrels, tanks and containers. The range includes solutions that are ideal for home and professional applications:







Item No	08983	08984	08985	08986
MODEL	SIP TEMPEST CW-P 145AX	<b>SIP TEMPEST CW-P 160AX</b>	SIP TEMPEST CW-P 215AX	SIP TEMPEST CW-P 225AX
PUMP TYPE	SIP Axial pump head	SIP Axial pump head	SIP Axial / Brass-headed	SIP Axial / Brass-headed
ENGINE	3.2hp EURO 5	6.5hp EURO 5	7hp EURO 5	7hp EURO 5
MAX. OUTPUT PRESSURE	2105psi (145bar)	2349psi (162bar)	3135psi (216bar) variable	3265psi (225bar) variable
WATER FLOW RATE 420ltr/hr		402ltr/hr	522ltr/hr variable	540ltr/hr variable
HOSE LENGTH	7.5mtr	7.5mtr	7.5mtr	7.5mtr
DETERGENT SUCTION	✓	✓	✓	Integrated tank - 1.5ltr
SUCKS WATER	2mtr suction head	2mtr suction head	2mtr suction head	2mtr suction head
USAGE				
EX. VAT	£279.99	£319.99	£399.99	£449.99
INC. VAT	£335.99	£383.99	£479.99	£539.99









5x INTERCHANGEABLE SPRAY PATTERN NOZZLES INCLUDED 08984, 08985 & 08986



# SIP TEMPEST TP760/190 PETROL-POWERED PRESSURE WASHER

- Powerful 6.5hp (4.8kW) EURO 5 petrol engine for performance
- 2760psi (190bar) max. pressure and 750ltr/hr flow rate
- · Large pneumatic tyres for easy movement over uneven terrain
- Low oil protection helps to prevent engine damage
- 10mtr heavy-duty rubber hose & heavy-duty lance





BRASS-HEADED IN-LINE TRIPLEX CRANKSHAFT PUMP; DOUBLE THE LIFE-SPAN

PNEUMATIC TYRES; FOR EASIER MOVEMENT OVER UNEVEN TERRAIN HEAVY-DUTY REINFORCED HOSE

 Item No: 08925

 £569.99
 EX.VAT

 £683.99
 INC.VAT

#### 08925 FEATURE:



5x INTERCHANGEABLE SPRAY PATTERN NOZZLES INCLUDED



SPACE-SAVING FOLDING FRAME DESIGN

**KOHLER® RANGE** SIP BRASS-HEADED AXIAL PLUNGER PUMP SPACE-SAVING FOLDING FRAMES WITH EXTENDED HANDLES HEAVY-DUTY REINFORCED HOSE LARGE PNEUMATIC TYRES FOR EASIER MOVEMENT





HONDA™ GP & GX RANGE COMET AXIAL PLUNGER PUMP OR SIP BRASS-HEADED CRANKSHAFT PUMP OPTIONS GEARBOX DRIVEN PUMP (ITEM: 08947) SPACE-SAVING FOLDING FRAMES
WITH EXTENDED HANDLES **HEAVY-DUTY REINFORCED HOSE** SWIVEL CONNECTION LANCE (ITEMS: 08948, 08950) LARGE PNEUMATIC TYRES FOR EASIER MOVEMENT



Item N	o MODEL	PUMP TYPE	ENGINE	MAX. OUTPUT PRESSURE	WATER FLOW RATE	HOSE LENGTH	SUCKS WATER*	LANCE TYPE	EX. VAT	INC. VAT
08442	SIP PP750/150WM	SIP Axial	7hp - 207CC (Kohler)	2175psi (150bar)	570ltr/hr	8mtr	-	Heavy-duty	£599.99	£719.99
08440	SIP PP660/165WM	SIP Axial	7hp - 207CC (Kohler)	2393psi (165bar)	660ltr/hr	10mtr	Up to 2mtr*	Heavy-duty	£749.99	£899.99
08642	SIP TPHGP570/150	COMET Axial	GP160 - 163CC (Honda)	2175psi (150bar)	570ltr/hr	8mtr	-	Heavy-duty	£649.99	£779.99
08640	SIP TPHGP660/165	COMET Axial	GP200 - 196CC (Honda)	2393psi (165bar)	660ltr/hr	8mtr	Up to 2mtr*	Heavy-duty	£799.99	£959.99
08643	SIP TPHGP760/190	SIP Crankshaft	GP200 - 196CC (Honda)	2760psi (190bar)	756ltr/hr	10mtr	-	Heavy-duty	£849.99	£1019.99
0894	SIP PP660/165	COMET Axial	GX160 - 163CC (Honda)	2393psi (165bar)	660ltr/hr	8mtr	Up to 2mtr*	Heavy-duty	£879.99	£1055.99
08943	SIP PP760/190	SIP Crankshaft	GX200 - 196CC (Honda)	2760psi (190bar)	756ltr/hr	10mtr	-	Heavy-duty	£899.99	£1079.99
08948	SIP PP960/210	COMET Crankshaft	GX340 - 340CC (Honda)	3045psi (210bar)	960ltr/hr	10mtr	Up to 2mtr*	Dual with end protector	£1499.99	£1799.99
08950	SIP PP960/280	COMET Crankshaft	GX390 - 389CC (Honda)	4005psi (276bar)	960ltr/hr	10mtr	Up to 2mtr*	Dual with end protector	£1599.99	£1919.99
08947	SIP PPG680/210	SIP Gearbox/Crankshaft	GX200 - 196CC (Honda)	3000psi (207bar)	676ltr/hr	9mtr	-	Heavy-duty + nozzles	£999.99	£1199.99

<sup>\*</sup>Sucks Water (Low Pressure Priming Necessary)

3 YEAR

**IDEAL FOR FARMING &** CONTRACTOR

**POWERED** by

HONDA







#### SIP HONDA™ PETROL ENGINE COLD WATER PRESSURE WASHER



SUCKS WATER
FROM BARRELS,
TANKS & CONTAINERS...
NO MAINS WATER SUPPLY NEEDED!

# DIESEL POWERED COLD WATER PRESSURE WASHER





#### SIP MAINS ELECTRIC FLOOR SCRUBBER/DRYERS

#### SIP MAINS-POWERED WALK-BEHIND FLOOR SCRUBBER / DRYERS

Designed for commercial and industrial environments, these mains supply solutions combine powerful brush and vacuum motors alongside a large scrubbing and squeegee area for outstanding cleaning performance.



360mm / 440mm

450mm / 540mm

11ltr / 13ltr

30ltr / 35ltr

130rpm

150rpm

61kg

£1643.99

£1369.99

£1679.99

SIP SD1260AC

SIP SD1600AC

230v (13A)

230v (13A)

1260m3/hr

1600m3/hr

370w (0.49hp)

400w (0.53hp)

400w (0.53hp)

700w (0.93hp)



£431.99





**ACCESSORIES INCLUDED** Upholstery cleaning head with 2mtr hose

**SUPERIOR QUALITY 1200W** 2-STAGE **MOTOR WITH BYPASS COOLING FOR HIGHER** SUCTION

#### **SIP Floor Carpet Wand** For use with 07928



#### **SIP Valeting Detergent**

- A heavy-duty concentrated, low foam cleaner specially formulated for cleaning and removal of soiling from carpets and upholstery
- Lightly perfumed, economical and rapid action in use
- 5ltr container





#### SIP BATTERY-POWERED FLOOR SCRUBBER/DRYERS

#### SIP RECHARGEABLE WALK-BEHIND FLOOR SCRUBBER / DRYERS

For added flexibility & convenience, our battery powered solutions offer the same powerful cleaning capacity without the restriction of a mains power cable. Supplied with a rechargeable 12v DC 55Ah battery to maintain intensive cleaning of stubborn dirt and grime.

CLEAR & EASY-TO-USE **CONTROL PANEL** 

**BATTERY** 

SQUEEGEES INCLUDED

07982



EASY ACCESS TO MECHANICAL PARTS

FOLDING ARM For convenient storage



CLEAR & EASY-TO-USE CONTROL PANEL



**EASY ACCESS TO BATTERY PACKS** 

07986



Item No	MODEL	INPUT SUPPLY	WORKING CAPACITY	BRUSH MOTOR POWER		SCRUBBING AREA / SQUEEGEE WIDTH		CLEANING/SOLUTION TANK	BRUSH Speed	WEIGHT	EX. VAT	INC. VAT
07982	SIP SD1260BAT	12v DC (1x 55Ah)	1260m³/hr	250w (0.33hp)	180w (0.24hp)	360mm / 440mm	360mm	11ltr / 13ltr	130rpm	70kg	£1899.99	£2279.99
07986	SIP SD1600BAT	12v DC (2x 55Ah)	1600m³/hr	400w (0.53hp)	400w (0.53hp)	450mm / 540mm	430mm	30ltr / 35ltr	150rpm	97kg	£2399.99	£2879.99

**SIP Scrubber Detergent** 

A low foaming, multi-functional alkaline cleaner which is suitable for use in most types of cleaning equipment. Particularly recommended for use in scrubber dryer equipment in factory storage areas and industrial warehousing etc.

10ltr container



**ACCESSORIES AVAILABLE SEE WEBSITE FOR DETAILS** 

## **ELECTRIC SUBMERSIBLE WATER PUMPS**





#### SIP SUB 3040-FS **WATER PUMP**

- 230v (13A) input supply
- 400w (0.5p) motor
- · 6mtr max. pump head
- 9,000ltr/hr flow rate
- · 5mm particle diameter
- · 7mtr operating depth
- 25 40mm Ø / 1" BSP outlet diameter
- · Float switch prevents the pump from running dry
- 9mtr power cable





# You Tube

#### **SIP SUB 3075-FS DIRTY WATER PUMP**

- 230v (13A) input supply
- 750w (1hp) motor
- 8mtr max. pump head
- 14,100ltr/hr flow rate
- · 35mm particle diameter
- · 7mtr operating depth
- 25 40mm Ø / 1" BSP outlet diameter
- Float switch prevents the pump from running dry
- 10mtr power cable

£69.99 EX.VAT



#### SIP 3/4" WATER BUTT PUMP

- Designed specifically for extracting water from butts
- 230v (13A) input supply
- 300w (1hp) motor
- 11mtr max. pump head
- 2,200ltr/hr flow rate
- Ideal for garden applications with a sturdy and long aluminium swan neck for all popular butt sizes
- · Supplied with a quick fit connector and tap
- · Fitted with a float switch to turn off the pump when the water level is low
- 10mtr power cable



FLOAT SWITCH;





#### **SIP SUB 3010-SS HEAVY-DUTY DIRTY WATER PUMP**

- 230v (13A) input supply
- 1000w (1.3hp) motor
- 9mtr max. pump head
- 18,000ltr/hr flow rate
- 35mm particle diameter
- 7mtr operating depth
- Stainless steel body
- 25 40mm Ø / 1" BSP outlet diameter
- Float switch prevents the pump from running dry
  - 10mtr power cable

#### SIP SUB 3075-SS HEAVY-DUTY DIRTY WATER PUMP

- 230v (13A) input supply
- 750w (1hp) motor
- · 8mtr max. pump head
- 16,500ltr/hr flow rate
- · 35mm particle diameter
- · 7mtr operating depth
- 25 40mm Ø / 1" BSP outlet diameter
- Stainless steel casing & base
- Float switch prevents the pump from running dry
- 10mtr power cable



FLOAT SWITCH; AUTO CUT ON/OFF

SUITABLE FOR DIRTY WATER





FLOAT SWITCH; AUTO CUT ON/OFF

SUITABLE FOR DIRTY WATER



# TO PLACE AN ORDER: © 01509 500500

## **ELECTRIC** JRFACE-MOUNTED ATER PUMPS



#### SIP EP2M ELECTRIC SURFACE WATER PUMP

- 230v (13A) input supply
- Powerful 550w (0.7hp) motor
- 8mtr max. suction head
- 40mtr max. pumping head 40ltr/min max. water flow rate
- Heavy-duty cast iron housing
- Brass impeller with easy access
- Thermal overload protection
- 1" suction outlet diameter 2x couplers included
- Ideal for general pumping and draining





**IMPELLER** 

40 METRE MAX. **PUMPING HEAD** 

Item No: 07614 £69.99 EX.VAT £83.99

#### SIP 1" STAINLESS STEEL SELF-PRIMING SURFACE-MOUNTED WATER PUMP

- 230v (13A) input supply Powerful 1200w motor
- 8mtr max. suction head
- 50mtr max. pumping head
- 4800ltr/hr max. water flow rate
- 1" outlet / inlet diameter
- 35°C max. water temperature
- Hand-portable and lightweight design; just 9kg Heavy-duty corrosion-resistant stainless steel pump
- Pump driven by a powerful 1200w motor
- Versatile pump perfect for a variety of domestic and professional applications



LIGHTWEIGHT & PORTABLE



13A 230v

**50 METRE MAX. PUMPING HEAD** 

£129.99

#### SIP 1" STAINLESS STEEL **SURFACE-MOUNTED BOOSTER WATER PUMP**

· Pump designed for boosting and maintaining water pressure

· Suitable for fixed installation from mains water supply or from ponds, and external supplies for garden and agricultural applications

- 230v (13A) input supply
- Powerful 1000w motor
- 8mtr max, suction head
- 45mtr max. pumping head · 4500ltr/hr max. water flow rate
- · Water pressure is maintained using a fitted pressure switch; controlled between 1.4 - 2.8bar (20 - 40.6psi)
- 1" outlet / inlet diameter
- 35°C max. water temperature
- Heavy-duty corrosion-resistant stainless steel
- Heavy-duty braided pump connector hose
- Pump motor switches on/off depending on demand
- 20ltr tank

**OPTIONAL Inlet filter & NRV Foot Valve** available see table below



Item No

PW11-00600

PW11-00601





06907 **45 METRE MAX. PUMPING HEAD** 

**20 LITRE** 

TANK









## **L & DIESEL POWERED** ATER PUMPS





**TOUGH CAST IRON IMPELLER AND VOLUTE HOUSING LOW OIL SHUT DOWN** (04913, 03933, 04919)



Item No	MODEL	MOTOR / ENGINE	MAX. PUMPING HEAD	WATER FLOW Rate	MAX. SUCTION HEAD	OUTLET DIAMETER	EX. VAT	INC. VAT
04913	SIP 1" PETROL WATER PUMP	SIP 2.6hp	30mtr	116ltr/min (7m³/hr)	7mtr	25mm (1")	£159.99	£191.99
03933	SIP 2" PETROL WATER PUMP	SIP 7hp	30mtr	550ltr/min (33m³/hr)	7mtr	50mm (2")	£189.99	£227.99
04919	SIP 3" PETROL WATER PUMP	SIP 7hp	28mtr	1000ltr/min (60m³/hr)	7mtr	80mm (3")	£199.99	£239.99
04917	SIP 3" DIESEL WATER PUMP (ELECTRIC START)	SIP 8.7hp	26mtr	1000ltr/min (60m³/hr)	6mtr	80mm (3")	£799.99	£959.99

Euro 5 Compliant Engines to meet emissions directive for non-road mobile machinery

#### SIP SUCTION & LAYFLAT DELIVERY HOSES



			INC. VAT
07602 1"W 105mm	Suction 10	mtr <b>£27.29</b>	£32.75
<b>07623</b> 2" 205mm	Suction 10	mtr <b>£78.49</b>	£94.19
<b>07321</b> 3" 320mm	Suction 10	mtr <b>£119.89</b>	£143.87

Item No	DIAMETER	TYPE	LENGTH	EX. VAT	INC. VAT
07671	1"	Layflat - Delivery	10mtr	£23.99	£28.79
07615	11/4"	Layflat - Delivery	10mtr	£29.49	£35.39
07630	1½"	Layflat - Delivery	10mtr	£32.69	£39.23
07631	1½"	Layflat - Delivery	100mtr	£131.89	£158.27
07621	2"	Layflat - Delivery	10mtr	£35.99	£43.19
07622	2"	Layflat - Delivery	100mtr	£155.89	£187.07
07692	3"	Layflat - Delivery	10mtr	£42.49	£50.99

#### **Reasons to Choose an SIP Inverter Generator**

#### **Outstanding Functionality**

Smart power solution, perfect for outdoor and leisure applications. Powers devices such as smartphones, laptops, portable lighting and small appliances.

#### **Clean, Safe & Stable Supply**

4th generation digital inverter technology with pure sine wave output ensures a reliable supply.

Thermally protected inverter module for added user safety.

#### **Greater Fuel Economy**

Fitted with an integrated economy control switch for low loads. Helps to reduce fuel consumption for greater efficiency.

Quiet, Compact and Portable

**Quiet, Compact and Portable**Considerably quieter than traditional power generators.





RUN LAPTOPS, MOBILES & OTHER ELECTRONIC DEVICES















Item No	25400	25401	25402
MODEL	SIP ISG1101 DIGITAL INVERTER GENERATOR	SIP ISG2202 DIGITAL INVERTER GENERATOR	SIP ISG3303 DIGITAL INVERTER GENERATOR
OUTPUT SUPPLY	1x 230v AC & 1x 12v DC	2x 230v AC & 1x 12v DC	2x 230v AC & 1x 12v DC
MAXIMUM PEAK OUTPUT	1100w	2000w	3000w
CONTINUOUSLY RATED OUTPUT	1000w	1800w	2700w
USB OUTPUT	2x 5v 2A	2x 5v 2A	2x 5v 2A
ENGINE	60cc	78.5cc	149cc
FUEL TYPE	Unleaded Petrol	Unleaded Petrol	Unleaded Petrol
FUEL TANK CAPACITY	2.4ltr	4ltr	6ltr
MAX. RUN TIME	6hrs	8hrs	10hrs
NOISE LEVEL* (at 7 metres running at 1/4 load)	55dB	58dB	68dB
WEIGHT	13.75kg	20kg	28kg
EX. VAT	£299.99	£549.99	£769.99
INC. VAT	£359.99	£659.99	£923,99







#### **SIP MEDUSA T952 COMPACT GENERATOR**

- Up to 750w peak output, 650w continuously rated
- · 60cc, 2hp, 2 stroke petrol engine EURO V
- 1x 230v (13A) AC socket & 1x 12v DC battery charging (up to 40Ah batteries)
- · 4ltr fuel tank capacity
- · Up to 6.5hrs running time
- · Capable of powering small power tools, and work lights etc.

#### **720W PEAK OUTPUT**

**UP TO 6.5hrs RUNTIME** 

**VOLT METER** 

OUTPUT SOCKETS: 1X 230V, 13A (AC) 1X 12V (DC)

#### **SIP MEDUSA T2500W GENERATOR**

- Up to 2200w peak output, 2000w continuously rated
- 212cc, 4 stroke, air-cooled, OHV petrol engine EURO V
- 2x 230v (13A) AC sockets & 1x 12v DC battery charging (up to 40Ah batteries)
- Automatic Voltage Regulator (AVR)
- · 15ltr fuel tank capacity
- · Up to 10hrs running time
- · Low oil pressure alert system

2200W PEAK OUTPUT

**UP TO 10hrs RUNTIME** 

**LONG RANGE FUEL TANK** 

OUTPUT SOCKETS: 2X 230V, 13A (AC) 1X 12V (DC)

A.V.R.
(AUTO VOLTAGE REGULATION)
STABLE OUTPUT FOR SENSITIVE
EQUIPMENT





#### **SIP MEDUSA T3000W GENERATOR**

- Up to 3000w peak output, 2700w continuously rated
- 212cc, 4 stroke, air-cooled, OHV petrol engine EURO V 1x 230v (16A) AC, 1x 110v (16A) AC sockets &
- 1x 12v DC battery charging (up to 40Ah batteries)
- Automatic Voltage Regulator (AVR)
- 15ltr fuel tank capacity
- · Up to 8hrs running time
- · Low oil pressure alert system

#### **3000W PEAK OUTPUT**

**UP TO 8hrs RUNTIME** 

LONG RANGE FUEL TANK

OUTPUT SOCKETS:

A.V.R.
(AUTO VOLTAGE REGULATION)
STABLE OUTPUT FOR SENSITIVE
EQUIPMENT

#### **SIP MEDUSA T5500W GENERATOR**

- Up to 5500w peak output, 5000w continuously rated
- 390cc (13hp), 4-stroke, air-cooled, OHV petrol engine EURO V
- 1x 230v (32A), 1x 110v (32A) AC sockets & 1x 12v DC battery charging (up to 8.3A)
- Includes AVR (Automatic Voltage Regulator)
- 25ltr fuel tank Up to 8hrs running time
- · Low oil pressure alert system
- · Wheel-mounted, full frame design with integrated handles
- Electric start (battery included)

**ELECTRIC START** 

**5500W PEAK OUTPUT** 

**UP TO 8hrs RUNTIME** 

LONG RANGE FUEL TANK







#### **SIP GENERATOR PLUGS & ADAPTORS**

#### SIP 13A/16A Socket Adaptor (230v)

- Suitable for 13A and 16A sockets
- Durable heavy-duty plastic casing
- Manufactured for long life



£29.99 EX.VAT £35.99

#### SIP 16A Socket Plug (230v)

- Suitable for 16A sockets
- · Durable heavy-duty plastic casing



£4.99 EX.VAT £5.99

Euro 5 Compliant Engines to meet emissions directive for non-road mobile machinery

#### SIP PROFESSIONAL KOHLER® ENGINE PETROL-POWERED GENERATORS





Our range of KOHLER® engine petrol generators boast fantastic power output and 3 year manufacturer engine warranty. These generators are robust and reliable comprising of a HEAVY-DUTY MAINTENANCE-FREE ALTERNATOR, CAST IRON CYLINDER AND RUGGED FRAME.

- Quad Clean™ heavy-duty cyclonic air cleaner which forces large particles of contaminants out of the engine
- · Engineered for enhanced durability · Oversized mufflers, steel-forged crankshafts and oversized ignition systems
- Engine designed in the USA Electric start option available (see below for details)











PREMIER QUALITY

LONG RANGE FUEL TANK OPTION

DUAL VOLTAGE 110V / 230V OUTPUT







Item No	MODEL	OUTPUT SUPPLY SOCKETS	MAX. PEAK OUTPUT	CONT. RATED MAX. OUTPUT	ENGINE	FUEL TANK Size	RUN TIME	FRAME TYPE	EX. VAT	INC. VAT
04340	SIP MEDUSA MGKP3.5FF	1x 110v (16A) 1x 230v (16A)	3.75kVA	3.5kVA	KOHLER® 7HP 207CC	4.1ltr	3hrs	Full Frame	£619.99	£743.99
04355	SIP MEDUSA MGKP7FF	1x 110v (16A) / 1x 230v (16A) 1x 110v (32A) / 1x 230v (32A)	7.5kVA	7kVA	KOHLER® 14HP 429CC	7.5ltr	2.8hrs	Full Frame	£1249.99	£1499.99
04357	SIP MEDUSA MGKP7FE	1x 110v (16A) / 1x 230v (16A) 1x 110v (32A) / 1x 230v (32A)	7.5kVA	7kVA	KOHLER® 14HP 429CC	25ltr Long Range	8.5hrs	ELECTRIC START	£1499.99	£1799.99

Item No	KOHLER PETROL ENGINE MAINTENAN	CE SERVICE KITS	EX. VAT	INC. VAT	ı
04480A	SERVICE KIT for CH270 - 7HP		£44.69	£53.63	
04482A	SERVICE KIT for CH395 - 7HP and C	CH440 - 14HP	£47.99	£57.59	







#### SIP PROFESSIONAL HONDA™ ENGINE PETROL-POWERED GENERATORS

Our popular HONDA™ engines are powerful, reliable and are covered by a 3 year manufacturer engine warranty.

These generators are robust comprising of a HEAVY-DUTY MAINTENANCE-FREE ALTERNATOR, CAST IRON CYLINDER AND RUGGED FRAME.

- Splash-fed oil lubrication system Low oil shutdown prevents engine damage
- Cast iron cylinder liner Hot spark electronic ignition available (see below for details)



Honda" GX Engines Reliability, excellent build quality, compact design, low oil alert





LONG RANGE FUEL TANK OPTION

DUAL VOLTAGE 110V / 230V OUTPUT





	^
mecc alte	(u.k.) Ltd.
	ALTERNATORS

Item No	MODEL	OUTPUT SUPPLY SOCKETS	MAX. PEAK OUTPUT	CONT. RATED MAX. OUTPUT	ENGINE	FUEL TANK SIZE	RUN TIME	FRAME Type	EX. VAT
04462	SIP MEDUSA MGHP3.5FF	1x 110v (16A) 1x 230v (16A)	3.75kVA	3.5kVA	HONDA™ GX200 196CC	3.6ltr	2.6hrs	Full Frame	£719.99
04468	SIP MEDUSA MGHP3.5FLR	1x 110v (16A) 1x 230v (16A)	3.75kVA	3.5kVA	HONDA™ GX200 196CC	15ltr Long Range	9hrs	Full Frame	£749.99
04476	SIP MEDUSA MGHP6.0FLR	1x 110v (16A) / 1x 230v (16A) 1x 110v (32A) / 1x 230v (32A)	7.2kVA	6kVA	HONDA™ GX390 389CC	25ltr Long Range	8.5hrs	Full Frame	£1599.99
04478	SIP MEDUSA MGHP6.0FELR	1x 110v (16A) / 1x 230v (16A) 1x 110v (32A) / 1x 230v (32A)	7.2kVA	6kVA	HONDA™ GX390 389CC	25ltr Long Range	8.5hrs	ELECTRIC START	£1799.99

Item No	HONDA ENGINE MAINTENANCE SERVICE KITS	EX. VAT	INC. VAT
14552	AIR FILTER for HONDA™ GX160 / GX200 / GP200	£32.99	£39.59
14553	AIR FILTER for HONDA™ GX240 / GX270 / GP270	£31.59	£37.91
14564	AIR FILTER for HONDA™ GX340 / GX390 / GP390	£44.99	£53.99
14594	SPARK PLUG for HONDA™ GP and GX Engines	£7.69	£9.23







INC. VAT

£863.99

£899.99

£1919.99

£2159.99





#### **SIP MEDUSA T5500 SILENCED DIESEL GENERATOR**

This mobile power supply solution is suitable for workshops, general construction and mobile hospitality. Other uses include powering machinery, tools and

Enclosed in a heavy-duty silenced metal cabinet, it delivers an overall runtime of 15hrs at 50% load from a 16ltr fuel tank.

- Output: Peak 5.5kVA/5.5kW - Continuous 5kVA/5kW (1000 hour intermittent use)

- Current (A): 230v 5kW 24A / 115v 3.5kW 30A (1000 hour intermittent use)
- 110v and 230v supply with AVR (Automatic Voltage Regulator)
- Heavy-duty silenced generator cabinet
- · Digital display indicates volts and running time
- Fitted with large wheels for rough terrain surfaces

5.5kW PEAK OUTPUT


UP TO 7.5hrs RUNTIME

**16LTR FUEL TANK** 

1X 110V, 32A (AC) 1X 230V, 32A (AC) 1X 12V (DC)

**A.V.R.** AUTO VOLTAGE REGULATION STABLE OUTPUT FOR SENSITIVE **EQUIPMENT** 











**IDEAL AS A MOBILE POWER SUPPLY** 





#### **SIP MEDUSA T14000 SILENCED DIESEL GENERATOR**

Offering greater power output and an Automatic Transfer Switch, this silenced generator provides additional functionality for stand-by applications. Ensuring supply continues running when power is interrupted, it provides runtime of 18hrs at 50% load from a 35ltr fuel tank.

- Output: Peak 13.7kVA/11kW. Continuous 12.5kVA/10kW (1000 hour intermittent use)
- Current (A): 230v 3.2kW 13.9A / 400v 10kW 18A
- 230v & x2 400v supply with AVR (Automatic Voltage Regulator)
- Heavy-duty silenced generator cabinet
- Digital display indicates volts and running time
- Automatic transfer switch
- · Fitted with castor wheels for indoor mobility

#### **ELECTRIC START**

**11kW PEAK OUTPUT** 

**UP TO 9hrs RUNTIME** 

**35LTR FUEL TANK** 

A.V.R. **AUTO VOLTAGE** REGULATION STABLE OUTPUT EQUIPMENT



\*2 years or 1000 working hours warranty valid on intermittent use only'



SUPPLIED WITH ATS BOX FOR UNINTERRUPTED POWER SUPPLY





**IDEAL FOR** STAND-BY APPLICATIONS



E)	SOUND POWER (LwA)	RUN Time	FUEL TANK SIZE	
01101			401	0 V

ENGINE INC. VAT (. VAT SIP MEDUSA T5500 SILENCED DIESEL GENERATOR 0.5ltr FUR 1x 110v £1799.99 5.5kVA / 5.5kW 5kVA / 5kW 16ltr 7.5hrs 97dB(A) £1499.99 1x 230v Single Cylinder SIP MEDUSA T14000 SILENCED DIESEL GENERATOR 0.9ltr FURO V 1x 230v 13.7kVA / 11kW 12.5kVA / 10kW 35ltr 9hrs 112dB(A) £3999.99 £4799.99 2x 400v Single Cylinder

## **IMPROVED RANGE**

#### SIP PROFESSIONAL PILLAR DILLS

Ideal for preparing and finishing a variety of work piece materials including ferrous and non-ferrous metals, soft and hard woods and high-density plastics.

- STURDY CAST IRON BASES FOR ADDED STABILITY
- HEAVY-DUTY INDUCTION MOTORS; EXCELLENT PERFORMANCE FOR DEMANDING ENVIRONMENTS
- SAFETY CHUCK GUARDS INCLUDED
- ONE PIECE CAST STEEL SOFT-GRIP HANDLE (NOT ITEMS: 01710 & 01711)

#### **BENCH-STANDING OPTIONS**







ONE PIECE CAST STEEL SOFT-GRIP HANDLES (NOT ITEM: 01710, 01711)



FULLY ADJUSTABLE TABLE; Versatile Drill Positioning With Table Tilt Scale




NVR SWITCH: ADDITIONAL SAFETY, PREVENTS ACCIDENTAL START-UP AFTER POWER INTERRUPTIONS (NOT ITEM: 01710)











MAX. DRILLING CAPACITY (MILD STEEL)


Item No	01710	01711	01712	01713	01714	01715	01716	01717	01718
MODEL	SIP B13 5-SPEED 350w	SIP B16 12-SPEED 450w	SIP B16 16-SPEED 550w	SIP B20 16-SPEED 750w	SIP F16 16-SPEED 550w	SIP F20 16-SPEED 750w	SIP F20 12-SPEED 750w	SIP F20 12-SPEED 1100w	SIP F20 12-SPEED 1100w 400v
TYPE	Bench	Bench	Bench	Bench	Floor	Floor	Floor	Floor	Floor
INPUT SUPPLY	230v (13A)	230v (13A)	230v (13A)	230v (13A)	230v (13A)	230v (13A)	230v (13A)	230v (13A)	400v (3 phase)
MOTOR	350w	450w	550w	750w	550w	750w	750w	1100w	1100w
SPEED RANGE	580 - 2650rpm	300 - 2550rpm	220 - 2800rpm	150 - 3000rpm	220 - 2800rpm	150 - 3000rpm	280 - 2380rpm	150 - 2500rpm	150 - 2500rpm
SPEED SETTINGS	5	12	16	16	16	16	12	12	12
DRILL BIT SIZE Ø	1.5 - 13mm	3 - 16mm	3 - 16mm	5 - 20mm	3 - 16mm	5 - 20mm	5 - 20mm	5 - 20mm	5 - 20mm
MAX. DRILLING CAPACITY	13mm	16mm	16mm	20mm	16mm	20mm	25mm	32mm	32mm
SPINDLE TAPER	B16	B16	MT2	MT2	MT2	MT2	MT3	MT4	MT4
SWING	210mm	260mm	325mm	360mm	316mm	360mm	350mm	506mm	506mm
MAX. SPINDLE STROKE	50mm	60mm	80mm	80mm	80mm	80mm	80mm	120mm	120mm
OVERALL HEIGHT	580mm	840mm	975mm	1000mm	1570mm	1575mm	1575mm	1720mm	1720mm
EX. VAT	£129.99	£199.99	£319.99	£379.99	£339.99	£399.99	£479.99	£799.99	£829.99
INC. VAT	£155.99	£239.99	£383.99	£455.99	£407.99	£479.99	£575.99	£959.99	£995.99



#### **FLOOR-STANDING OPTIONS**









Item No	DESCRIPTION	EX. VAT	INC. VAT
66609	SIP 40mm Chuck Guard (for 01710, 01711)	£11.99	£14.39
07662	<b>SIP 55mm Chuck Guard</b> (for 01712, 01713, 01714, 01715)	£15.29	£18.35
07664	SIP 65mm Chuck Guard (for 01716)	£17.49	£20.99
68328	SIP 75mm Chuck Guard (for 01717, 01718)	£20.69	£24.83

# SIP PROFESSIONAL METAL-CUTTING CIRCULAR SAWS & ABRASIVE CUT-OFF SAW

## Metal-cutting circular saws designed for industrial applications.



SIP 10" INDUSTRIAL CIRCULAR SAW   SIP 12" INDUSTRIAL CIRCULAR SAW   SIP 12" INDUSTRIAL CIRCULAR SAW   100 (5A)   11 (10 (10 (10 (10 (10 (10 (10 (10 (10	
MOTOR 1.1kW (1.5hp) 750w (1hp) / 1.3kW (1	
RI ADE SPEEDS 42rpm 18rpm @ 1hp / 36rpm	(1.7hp)
TELEGO TELEGO TELEGO TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TELEGO	@ 1.7hp
CUTTING @ 90°: 60mm (round) / 75 x 45mm (box) @ 90°: 100mm (round) / 140 : @ 45°: 55mm (round) / 55 x 45mm (box) @ 45°: 90mm (round) / 100 x	` '
BLADE SIZE 250mm max. 315mm max.	
EX. VAT £1599.99 £2299.99	)
INC. VAT £1919.99 £2759.99	



Item No	01307
MODEL	SIP 14" ABRASIVE CUT-OFF SAW
INPUT SUPPLY	230v (13A)
MOTOR	2000w
BLADE SPEEDS	3800rpm
CUTTING CAPACITY	@ 90°: 130mm (round) / 120 x 120mm (box) / 180 x 85mm (rect.) / 130 x 130mm (angle) @ 45°: 110mm (round) / 90 x 90mm (box) 100 x 80mm (rect.) / 90 x 90mm (angle)
BLADE SIZE	355mm (14")
EX. VAT	£169.99
INC. VAT	£203.99

#### SIP METAL-CUTTING CIRCULAR SAW BLADES & DISCS

Item No	DESCRIPTION	EX. VAT	INC. VAT
06891	SIP 14" Abrasive Disc (for 01307)	£7.69	£9.23
05210	SIP Blade - 250 x 2.0 x 32mm Z160 T5 (for 01554)	£76.29	£91.55
05212	SIP Blade - 250 x 2.0 x 32mm Z200 T4 (for 01554)	£76.29	£91.55
05199	SIP Blade - 315 x 2.5 x 40mm Z160 T5 (for 01565)	£139.99	£167.99





#### Metal-cutting bandsaws designed for professional heavy-duty applications.

All bandsaws supplied with Bi-Metal, Vari-pitch blades



#### 01593

#### **HEAVY-DUTY MOTOR**

4 SPEED BELT-DRIVEN GEARBOX; FOR VARYING MATERIAL THICKNESSES & TYPES

CAST IRON SWIVEL HEAD; REDUCED VIBRATION, INCREASED ACCURACY & QUICK ANGLE ADJUSTMENTS

ADJUSTABLE HYDRAULIC RAM
DAMPENER; FOR SMOOTH CUTTING
DESCENT AND CONTROL, AIDS
BLADE PERFORMANCE

COOLANT SYSTEM; EXTENDS BLADE LIFE AND COOLS THE CUTTING AREA





SAFETY FEATURE; 24V CONTROL CIRCUIT





Item No	MODEL	INPUT SUPPLY	MOTOR	SPEEDS	•	CUTTING CAPACIT	Y	FEATURES	EX. VAT	INC. VAT
01572	SIP 6" SWIVEL HEAD SAW	230v (13A)	370w (0.5hp)	3 speeds 20/29/50mtr/min	@ 0°: 110mm @ 45°: 85mm	@ 0°: 110 x 110mm @ 45°: 85mm	@ 0°: 110 x 150mm @ 45°: 85 x 110mm	SWIVEL BOW	£529.99	£635.99
01593	SIP 8" SWIVEL HEAD SAW	230v (13A)	1.1kW (1.5hp)	4 speeds 22/33/45/65mtr/min		@ 0°: 178 x 178mm @ 45°: 127 x 127mm	@ 0°: 178 x 210mm @ 45°: 85 x 140mm	SWIVEL BOW	£1899.99	£2279.99

#### Metal-cutting bandsaws designed for professional heavy-duty applications.

All bandsaws supplied with Bi-Metal, Vari-pitch blades



4 SPEED BELT-DRIVEN GEARBOX; FOR VARYING MATERIAL THICKNESSES & TYPES  $\,$ 

COOLANT SYSTEM; EXTENDS BLADE LIFE AND COOLS THE CUTTING AREA

CAST IRON HEAD; REDUCED VIBRATION, INCREASED ACCURACY


LARGE ADJUSTABLE VICE; IDEAL FOR LARGE STEEL SECTIONS, AND FOR STRAIGHT & ANGLE CUTS

ADJUSTABLE HYDRAULIC RAM DAMPENER; FOR SMOOTH CUTTING DESCENT AND CONTROL, AIDS BLADE PERFORMANCE

SINGLE & THREE PHASE HEAVY-DUTY MOTOR MODELS; FOR PROFESSIONAL WORKSHOPS



SAFETY FEATURE; 24V CONTROL CIRCUIT





6	
e	••/
16A	400v

Item No	MODEL	INPUT SUPPLY	MOTOR	SPEEDS	•	CUTTING CAPACIT	ГҮ	FEATURES	EX. VAT	INC. V
01594	SIP 12" 230V SAW (1ph)	230v (13A)	1.1kW (1.5hp)	4 speeds 22/33/45/65mtr/min	@ 0°: 178mm @ 45°: 127mm	@ 0°: 178 x 178mm @ 45°: 127 x 127mm		-	£1459.99	£1751.9
01595	SIP 12" 400V SAW (3ph)	400v (5A)	0.75kW (1hp)	4 speeds 22/33/45/65mtr/min	@ 0°: 178mm @ 45°: 127mm	@ 0°: 178 x 178mm @ 45°: 127 x 127mm	@ 0°: 178 x 305mm @ 45°: 120 x 125mm	-	£1599.99	£1919.9



#### Metal-cutting bandsaws designed for professional heavy-duty applications.

All bandsaws supplied with Bi-Metal, Vari-pitch blades



Item No	MODEL	INPUT SUPPLY	MOTOR	SPEEDS		CUTTING CAPACI	ТҮ	FEATURES	EX. VAT	INC. VAT
01573	SIP 12" 230V GEAR-DRIVE SAW	230v (13A)	1.1kW (1.5hp)	3 speeds 39/55/67mtr/min	@ 0°: 180mm @ 45°: 110mm	@ 0°: 180 x 180mm @ 45°: 110 x 110mm	@ 0°: 178 x 305mm @ 45°: 110 x 180mm	GEAR DRIVEN	£1599.99	£1919.99

#### **Metal-cutting bandsaw designed for professional** heavy-duty applications.

All bandsaws supplied with Bi-Metal, Vari-pitch blades



ADJUSTABLE HYDRAULIC RAM DAMPENER; FOR SMOOTH CUTTING DESCENT AND CONTROL, AIDS BLADE PERFORMANCE

COOLANT SYSTEM;

EXTENDS BLADE LIFE AND COOLS THE CUTTING AREA

LARGE ADJUSTABLE VICE;

**IDEAL FOR LARGE STEEL SECTIONS, FOR STRAIGHT & ANGLE CUTS** 

HEAVY-DUTY CAST IRON BOW;
REDUCED VIBRATION, INCREASED ACCURACY 4 SPEED BELT-DRIVEN GEARBOX

SINGLE & THREE PHASE HEAVY-DUTY MOTOR MODELS; FOR PROFESSIONAL WORKSHOPS



SAFETY FEATURE; 24V CONTROL CIRCUIT







Item No	MODEL	INPUT SUPPLY	MOTOR	SPEEDS	•	CUTTING CAPACIT	ГҮ	FEATURES	EX. VAT	INC. VAT
01599	SIP 18" 230V SAW (1ph)	230v (13A)	1.5kW (2hp)	4 speeds 29/50/73/95mtr/min			@ 90°: 127 x 457mm @ 45°: 150 x 190mm	-	£4399.99	£5279.99
01597	SIP 18" 400V SAW (3ph)	400v (5A)	1.5kW (2hp)	4 speeds 29/50/73/95mtr/min			@ 90°: 127 x 457mm @ 45°: 150 x 190mm	-	£4699.99	£5639.99





SWIVEL HEAD	



Item No	MODEL	INPUT SUPPLY	MOTOR	SPEEDS	•	CUTTING CAPACIT	Y	BLADE SIZE	EX. VAT	INC. VAT
01520	SIP 8" SWIVEL HEAD PULL-DOWN SAW	230v (13A)	1.1kW (1.5hp)	80mtr/min	@ 90°: 170mm @ 60°: 70mm @ 45°: 120mm	@ 90°: 170 x 170mm @ 60°: 60 x 60mm @ 45°: 110 x 110mm	@ 90°: 170 x 200mm @ 60°: 60 x 60mm @ 45°: 110 x 110mm	20 x 0.9 x 2085mm	£1899.99	£2279.99
01524	SIP 10" SWIVEL HEAD PULL-DOWN SAW	230v (13A)	1.1kW (1.5hp)	72mtr/min	@ 60°: 90mm	@ 60°: 100 x 100mm	@ 90°: 260 x 110mm @ 60°: 85 x 85mm @ 45°: 150 x 125mm	27 x 0.9 x 2455mm	£2479.99	£2975.99

#### SIP PROFESSIONAL PULL-DOWN METAL-CUTTING BANDSAWS

Metal-cutting bandsaws designed for professional heavy-duty applications.

All bandsaws supplied with Bi-Metal, Vari-pitch blades



Item No	MODEL	INPUT SUPPLY	MOTOR	SPEEDS	•	CUTTING CAPACIT	Y 	BLADE Size	EX. VAT	INC. VAT
01526	SIP 10" VARI-SPEED SWIVEL HEAD SAW	230v (13A)	1.1kW (1.5hp)	Variable 0 - 90mtr/min	@ 0°: 220mm @ 30°: 190mm @ 45°: 160mm @ 60°: 100mm	@ 0°: 200mm @ 30°: 180mm @ 45°: 160mm @ 60°: 100mm	@ 0°: 260 x 140mm @ 30°: 200 x 140mm @ 45°: 160 x 140mm @ 60°: 120 x 140mm	27 x 0.9 x 3160mm	£2799.99	£3359.99

#### SIP METAL-CUTTING BANDSAW BLADES


Item No	DESCRIPTION	EX. VAT	INC. VAT
WK04-00650	SIP Blade - 1630 x 12.5 x 0.64mm Carbon Steel 16 TPI (for 01572)	£29.99	£35.99
07739	SIP Blade - 2362 x 20 x 0.9mm M42 5/8 TPI (for 01593, 01594, 01595)	£36.99	£44.39
01427	SIP Blade - 3280 x 27 x 0.9mm M42 4/6 TPI (for 01597, 01599)	£58.89	£70.67
WK04-00400	SIP Blade - 2085 x 20 x 0.9mm M42 4/6 TPI (for 01520)	£38.19	£45.83
WK04-00401	SIP Blade - 2455 x 27 x 0.9mm M42 4/6 TPI (for 01524)	£49.99	£59.99
WK04-00651	SIP Blade - 2450 x 27 x 0.9mm M42 4/6 TPI (for 01526)	£79.99	£95.99
WK04-00652	SIP Blade - 2360 x 19 x 0.9mm M42 4/6 TPI (for 01573)	£59.99	£71.99
WK04-00653	SIP Blade - 3160 x 27 x 0.9mm M42 4/6 TPI (for 01530)	£109.99	£131.99





#### SIP PROFESSIONAL PULL-DOWN METAL-CUTTING BANDSAWS

@ 45°(L): 150 x 180mm



@ 45°(L): 210mm

@ 45°(L): 180mm

#### SIP METAL BELT LINISHERS

SIP belt linishers designed for trade & professional applications. Supplied as standard with zirconium bonded linisher belt for improved finishing on all types of metals including stainless steel.



Item No	01960	01948	01949
MODEL	SIP 4" BELT LINISHER	SIP HEAVY-DUTY 3" BELT LINISHER	SIP HEAVY-DUTY 6" BELT LINISHER
INPUT SUPPLY	230v (13A)	400v (3ph)	400v (3ph)
MOTOR	1.5kW (2hp)	3kW (4hp)	3kW (4hp)
BELT SIZE	1200 x 100mm / P60	2000 x 75mm / P80	2000 x 150mm / P80
BELT SPEED	19mtr/s	34mtr/s	34mtr/s
FLAT GRINDING	860mm	530mm	530mm
CONTACT WHEEL	125 x 100mm	200 x 75mm	225 x 150mm
WORKING HEIGHT	800mm	475 - 1240mm	475 - 1240mm
WEIGHT	40kg	75kg	100kg
EX. VAT	£499.99	£899.99	£1099.99
INC. VAT	£599.99	£1079.99	£1319.99

#### SIP REPLACEMENT LINISHER BELTS

Item No	DESCRIPTION	EX. VAT	INC. VAT			
WK05-00467	SIP 710 x 50mm Aluminium Oxide Belt P80 (for 01459)	£3.99	£4.79			
WK05-00286	SIP 1220 x 80mm Zirconium Belt P80 (for 01960)	£13.49	£16.19			
08662	SIP 2000 x 75mm Zirconium Belt P80 (for 01948)	£14.19	£17.03			
08668	SIP 2000 x 150mm Aluminium Oxide Belt P60 (for 01949)	£29.49	£35.39			
08670	SIP 2000 x 150mm Aluminium Oxide Belt P80 (for 01949)	£26.19	£31.43			
08678	SIP 2000 x 150mm Zirconium Belt P80 (for 01949)	£28.39	£34.07			





## SIP METAL DUST COLLECTOR & 3-in-1 METAL SHEAR, FOLDER, PYRAMID ROLLER





## SIP METAL BUFFER POLISHER & PROFESSIONAL BENCH GRINDER/LINISHERS

07698

#### SIP 8" METAL BUFFER POLISHER

IDEAL FOR BUFFING AND POLISHING METAL MATERIALS WHEN FINISHING OR PROCESSING METALWORK ITEMS.

HIGHLY VERSATILE AND DURABLE, BUFFER/POLISHER MACHINES ARE AN ESSENTIAL ITEM FOR ANY PROFESSIONAL METALWORK WORKSHOP.

QUALITY BEARINGS AND MACHINED PARTS FOR LONG LIFE USE ROBUST CAST IRON BASE ENSURES STABILITY WHEN IN OPERATION EFFECTIVE FORCED AIR COOLING FOR INCREASED PERFORMANCE CAST IRON BASE WITH RUBBER FEET FOR REDUCED VIBRATION



01459

#### SIP 8"x 2" BENCH GRINDER/LINISHER

A DUAL PROCESS METALWORK MACHINE IDEAL FOR GRINDING, SHAPING AND SMOOTHING METAL WORKPIECES. IT'S ALSO SUITABLE FOR SHARPENING WORKSHOP TOOLS.

THIS HIGHLY VERSATILE MACHINE FEATURES A DURABLE GRINDING WHEEL AND 0°-45° TILTING LINISHER BELT WITH AN ADJUSTABLE LED WORK LIGHT FOR GREATER PRECISION AND VISIBILITY CAST IRON BASE WITH RUBBER FEET FOR REDUCED VIBRATION






07650

#### SIP PROFESSIONAL BENCH GRINDERS

OFFERING HEAVY-DUTY PERFORMANCE IN A RANGE OF GENERAL METAL GRINDING APPLICATIONS INCLUDING SHARPENING OF TOOLS, DRILL BITS, CHISELS, AND KNIVES THANKS TO FINE AND COARSE GRIT WHEELS; IDEAL FOR SMALL AND LARGE METAL REMOVAL



۱ (	Item No	07698	01459	07625	07628	07650
	MODEL	SIP 8" METAL Buffer Polisher	SIP 8"x 2" BENCH GRINDER/LINISHER	SIP 6" PROFESSIONAL BENCH GRINDER	SIP 8" PROFESSIONAL BENCH GRINDER	SIP 10" PROFESSIONAL BENCH GRINDER
	INPUT SUPPLY	230v 50Hz	230v 50Hz	230v 50Hz	230v 50Hz	230v 50Hz
	MOTOR	550w S2 30mins / 370w S1	550w S2 30mins / 370w S1	370w S2 30mins / 250w S1	550w S2 30mins / 370w S1	750w S2 30mins / 550w S1
	WHEEL SPEED	2980rpm	2980rpm	2980rpm	2980rpm	2980rpm
	WHEEL DIAMETER	8" (200mm)	8" (200mm)	6" (150mm)	8" (200mm)	10" (250mm)
	WHEEL WIDTH	3%" (10mm)	%" (10mm)	¾" (20mm)	1" (25mm)	1" (25mm)
	BORE SIZE	%" (15.88mm)	5%" (15.88mm)	½" (12.7mm)	%" (15.88mm)	¾" (20mm)
	BELT SIZE / GRIT	n/a	710 x 50mm / P60	n/a	n/a	n/a
	ADDITIONAL FEATURES	2x MOP wheels for 1st & 2nd finishing	Integrated work light	Wire Wheel included	Wire Wheel included	n/a
	EX. VAT	£99.99	£129.99	£109.99	£129.99	£219.99
	INC. VAT	£119.99	£155.99	£131.99	£155.99	£263.99



#### SIP INVERTER INDUCTION HEATERS

 $Perfect for \ releasing \ seized \ fixings, components \ and \ parts \ from \ vehicles. \ Also \ suitable \ for \ a \ variety \ of \ manufacturing \ and \ heavy-duty \ processes.$ 

Easy to control and highly efficient, our new range safely reaches temperatures of up to 1000°C in 30 seconds and offer greater levels of safety compared to oxy-acetylene methods.

Features including liquid cooled induction cable and torch maximise product life and ensure user safety.







#### SIP Induction Heater Coolant

- Specially formulated for use with items 01157 & 01158
- Supplied in 3ltr or 10ltr
   sentainer



Item No: HY02-0	0958 - 3L
£32.99	EX.VAT
£39.59	INC.VAT

Item No: HY02-00980 - 10L		
£99.99	EX.VAT	
£119.99	INC.VAT	

					FLEXIBL
01156 POWERFUL 1500W MOTOR				4-PIECE INDU Supplied with a sc ir (x1) 19mm & (x1) 26mm 0 - both	et of multi-use nduction tools (1) Helix Coils: 220mm length
13A 230v	SIP 1500W OSD			(xl) 65mm width & (3) Flexi-In (xl) HOUSED IN A STURDY BI CARRY/S	duction Lead: 800mm length
	2				SIP Ind Heater • Specially fr with items
		3	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	20 132 24 14 20 24 14 20	with items - Supplied in container
SIP 3700w	SSD BBB TO	OPTIONAL SIP 3 THE CART (05714) SEE PAGE			Item No
01157	Tip 27 tow Induction Head		01158		£32 £33
16A 230v		1		ATOUID COO	16A 400v £11

Item No	01156	01157	01158
MODEL	SIP 1500W Induction Heater Kit	SIP 3700W Induction Heater	SIP 10000W Induction Heater
INPUT SUPPLY	230v (13A)	230v (16A)	400v 3-Phase
INDUCTION POWER	1.5kW	3.7kW	10kW
POWER STEPS	Fixed	Infinitely Variable	Multi-level
HEAT RANGE	800°C (maximum)	1000°C (maximum)	1000°C (maximum)
INDUCTION CABLE LENGTH	850mm	2mtr	5mtr
POWER CABLE LENGTH	3mtr	3mtr	5mtr
COOLING SYSTEM	Fan Cooled Torch	Liquid Cooled Torch, Induction Cable & Inverter Unit	Liquid Cooled Torch & Induction Cable
COOLANT TANK CAPACITY	n/a	2.5ltr	10ltr
INVERTER VENTILATION	Cooling Fan	Twin Cooling Fans	Six Cooling Fans
EX. VAT	£649.99	£2499.99	£6299.99
INC. VAT	£779 99	£2999 99	£7559.99

#### SIP INDUCTION HEATER CONSUMABLES













HY02-00945

Item No	FOR ITEM: 01156 (1500w)	EX. VAT	INC. VAT
HY02-00931	Induction Flexi Coil - 800mm	£34.99	£41.99
HY02-00936	Induction Coil Straight - 19/220mm	£21.99	£26.39
HY02-00939	Induction Coil Straight - 26/220mm	£24.99	£29.99
HY02-00942	Induction Coil Straight - 45/220mm	£25.99	£31.19

Item No	FOR ITEM: 01157 (3700w)	EX. VAT	INC. VA
HY02-00943	Pad Coil Holder Extender	£66.99	£80.39
HY02-00944	Pad Coil Inclined	£279.99	£335.99
HY02-00945	Pad Coil Flat	£279.99	£335.99

SIP WELDING



# SIP WELDMATE® MIG & MIG/ARC/TIG WELDERS







Item No	05729	05731	05733
MODEL	SIP WELDMATE <sup>®</sup> 100A MIG	SIP WELDMATE® 120A MIG/ARC/TIG	SIP WELDMATE° 160A MIG/ARC/TIG
INPUT SUPPLY	230v (13A)	230v (13A)	230v (16A)
OUTPUT CURRENT	20 - 100A (MIG)	20 - 120A (MIG) / 20 - 100A (ARC) / 20 - 100A (TIG)	20 - 160A (MIG) / 20 - 140A (ARC) / 20 - 140A (TIG)
MIG DUTY CYCLE 15%	100A	120A	160A
OUTPUT POWER SETTINGS	Infinitely Variable	Infinitely Variable	Infinitely Variable
APPROX. WELDING THICKNESS	1.2 - 4.2mm (mild steel)	1.2 - 5.0mm (mild steel)	1.2 - 6.0mm (mild steel)
WIRE SIZE	0.8 and 0.9mm Flux-cored	0.6 - 0.8mm	0.6 - 0.8mm
WIRE SPOOL SIZE	0.7kg	0.7kg	0.7kg / 5kg
WEIGHT	5.4kg	6.0kg	6.8kg
ADDITIONAL FEATURES	-	3-IN-1 FUNCTION (MIG/ARC/TIG)	3-IN-1 FUNCTION (MIG/ARC/TIG)
EX. VAT	£109.99	£169.99	£199.99
INC. VAT	£131.99	£203.99	£239.99

#### **SIP 3 TIER CART**

- Suitable for NEW SIP WELDMATE® machines:
- 05729, 05731, 05733, 05737, 05738, 05739, 05740, 05734

  Suitable for SIP Welding machines:
- 05705, 05707, 05710, 05711, 05715, 05717,05723, 05724, 05732, 05736, 05756, 05773, 05770, 05771, 05775, 05781, 05793, 05794
  - Suitable for SIP Plasma Cutters:
- 05782, 05783, 05785, 05787, 05788,
- Suitable for TIGREN models: 08200, 08201, 08202, 08203, 08204

Item No: 05714		
£59.99	EX.VAT	
£71.99	INC.VAT	

- · Wheel-mounted trolley with all-metal design
- · Holds gas cylinders of up to 50kg
- Welding accessory storage



#### **SIP LARGE CYLINDER** WELDING TROLLEY •

- Compatible with all SIP WELDMATE® AUTOPLUS & WELDMATE® PRO Inverter Welders
- · Heavy-duty wheel-mounted trolley with all-steel design
- Holds larger gas cylinders of up to 99kg on rear facing footplate
- Cylinders can be secured at two points on trolley via pull-through chains
- Large solid wheels ensure great movability around the workshop

719
EX.VAT
INC.VAT





# SIP WELDMATE® AUTOPLUS MIG/ARC/TIG SYNERGIC WELDERS





ALLOWS FOR AUTONOMOUS CONTROL Of the Welding Parameters For ease of Operation





SIP WELDMATE® AUTOPLUS 160A MIG/ARC/TIG SYNERGIC with





£419.99



Item No	05737	05738
MODEL	SIP WELDMATE® AUTOPLUS 130A MIG/ARC/TIG SYNERGIC	SIP WELDMATE® AUTOPLUS 160A MIG/ARC/TIG SYNERGIC
INPUT SUPPLY	230v (13A)	230v (16A)
OUTPUT CURRENT	50 - 130A (MIG) / 20 - 130A (ARC) / 20 - 130A (TIG)	50 - 160A (MIG) / 20 - 160A (ARC) / 20 - 160A (TIG)
MIG DUTY CYCLE 15%	130A	160A
OUTPUT POWER SETTINGS	Infinitely Variable	Infinitely Variable
APPROX. WELDING THICKNESS	0.8 - 6.4mm (mild steel)	0.8 - 6.4mm (mild steel)
WIRE SIZE	0.6 - 1.0mm	0.6 - 1.0mm
WIRE SPOOL SIZE	0.7kg	0.7kg / 5kg
WEIGHT	6.3kg	8.7kg
ADDITIONAL FEATURES	3-IN-1 FUNCTION	3-IN-1 FUNCTION
EX. VAT	£249.99	£299.99
INC. VAT	£299.99	£359.99

SIP WELDING



# SIP WELDMATE® AUTOPLUS MIG/ARC/TIG SYNERGIC WELDERS





LOWS FOR AUTONOMOUS COM OF THE WELDING PARAMETE FOR EASE OF OPERATION









EX.VAT

£449.99

£539.99



8.7kg

3-IN-1 FUNCTION

£399.99

£479.99

WEIGHT

EX. VAT

8.7kg

3-IN-1 FUNCTION

£349.99

£419.99

## SIP WELDMATE® PRO MIG/ARC/TIG SYNERGIC WELDERS





ALLOWS FOR AUTONOMOUS CONTROL OF THE WELDING PARAMETERS FOR EASE OF OPERATION







ADVANCED MIG WELDING SPRAY TRANSFER



	- N	PULSE-SYNERGIC CONTROL PANEL
Item No	05734	05735
MODEL	SIP WELDMATE° PRO 200A MIG/ARC/TIG SYNERGIC	SIP WELDMATE° PRO 200A MIG/ARC/TIG PULSE SYNERGIC
INPUT SUPPLY	230v (16A)	230v (16A)
OUTPUT CURRENT	50 - 200A (MIG) / 20 - 200A (ARC) / 20 - 200A (TIG)	50 - 200A (MIG) / 30 - 170A (Pulsed MIG) / 20 - 180A (ARC) / 20 - 180A (TIG)
MIG DUTY CYCLE 30%	200A @ 20°C	200A / 170A (Pulsed) @ 20°C
OUTPUT POWER SETTINGS	Infinitely Variable	Infinitely Variable
APPROX. WELDING THICKNESS	0.8 - 6.4mm (mild steel) / 3.2 - 7.9 (aluminium)	0.8 - 6.4mm (mild steel) / 3.2 - 7.9 (aluminium)
WIRE SIZE	0.6 - 1.0mm	0.6 - 1.2mm
WIRE SPOOL SIZE	0.7kg / 5kg	5kg / 15kg
WEIGHT	11.7kg	14.8kg
ADDITIONAL FEATURES	3-IN-1 FUNCTION	4-IN-1 FUNCTION
EX. VAT	£499.99	£599.99
INC. VAT	£599.99	£719.99





# SIP AUTOPLUS TRANSFORMER MIG WELDERS

#### **FEATURES:**

- PROFESSIONAL 3MTR MIG WELDING TORCH
- GAS HOSE
- EARTH LEAD

- 2-ROLL WIRE FEED
- · WHEEL-MOUNTED DESIGN WITH INTEGRATED BOTTLE CARRIER



30A LOW CURRENT PERFORMANCE FOR WELDING CAR BODY PANELS

DUAL PURPOSE GAS/GASLESS OPERATION

WHEEL-MOUNTED











Item No	05718	05720	05722	
MODEL	SIP AUTOPLUS 180ST - MIG	SIP AUTOPLUS 210ST - MIG	SIP AUTOPLUS 250ST - MIG	
INPUT SUPPLY	230v	230v	230v	
OUTPUT CURRENT	30 - 180A (peak)	30 - 210A (peak)	30 - 250A (peak)	
OPEN CIRCUIT VOLTAGE	15.5 - 21.25v	15.5 - 22.75v	15.5 - 24.5v	
OUTPUT POWER SETTINGS	6 16A 230v	6 16A 230v	6 32A 230v	
APPROX. WELDING THICKNESS	0.8 - 7mm (mild steel)	0.8 - 9mm (mild steel)	0.8 - 10mm (mild steel)	
WIRE SIZE	0.6 - 1mm	0.6 - 1mm	0.6 - 1mm	
WIRE SPOOL SIZE	5kg / 15kg	5kg / 15kg	5kg / 15kg	
WEIGHT	51.5kg	52kg	53.5kg	
ADDITIONAL FEATURES	HEAVY-DUTY TRANSFORMER PROFESSIONAL EURO CONNECTION MIG TORCH ALL-METAL 2-ROLL WIRE FEED TURBO FAN-COOLED FOR INCREASED DUTY CYCLES WHEEL-MOUNTED	HEAVY-DUTY TRANSFORMER PROFESSIONAL EURO CONNECTION MIG TORCH ALL-METAL 2-ROLL WIRE FEED TURBO FAN-COOLED FOR INCREASED DUTY CYCLES WHEEL-MOUNTED	HEAVY-DUTY TRANSFORMER PROFESSIONAL EURO CONNECTION MIG TORCH ALL-METAL 2-ROLL WIRE FEED TURBO FAN-COOLED FOR INCREASED DUTY CYCLES WHEEL-MOUNTED	
EX. VAT	£419.99	£519.99	£799.99	
INC. VAT	£503.99	£623.99	£959.99	





Item No	05769	05772	05777	05776
MODEL	SIP HG2400 COMPACT MIG INVERTER	SIP HG3000 COMPACT MIG INVERTER	SIP HG3000S MIG INVERTER SEPARATE WIRE FEED	SIP HG4500 MIG INVERTER SEPARATE WIRE FEED
INPUT SUPPLY	230v	230v	230v	400v
MIG OUTPUT CURRENT	50 - 200A	50 - 250A	50 - 250A	40 - 350A
MIG DUTY CYCLE @ 60%	200A	250A	250A	350A
WIRE SIZE	0.8 - 1mm	0.8 - 1mm 32A 230v	0.8 - 1mm 32A 230v	0.8 - 1.2mm 32A 400v
ARC OUTPUT CURRENT	30 - 200A	30 - 200A	30 - 200A	30 - 350A
ELECTRODE SIZE	1.6 - 4mm	1.6 - 6mm	1.6 - 6mm	1.6 - 6mm
WEIGHT	48.1kg	48.1kg	53kg	71kg
WHAT'S IN THE BOX?	MB25 TORCH 3mtr, 3mtr earth lead, gas hose, 0.6 & 1mm contact tips	MB25 TORCH 3mtr, 3mtr earth lead, gas hose, 0.6 & 1mm contact tips	MB25 TORCH 3mtr, 3mtr earth lead, 5mtr interconnecting harness, 1x set 0.8/Imm feed rolls, 1x set 1.2/1.6mm feed rolls	MB36 TORCH 4mtr, 3mtr earth lead, 5mtr interconnecting harness, 1x set 0.8/1mm feed rolls, 1x set 1.2/1.6mm feed rolls, 1x 1.2mm contact tip
EX. VAT	£899.99	£999.99	£1299.99	£1999.99
INC. VAT	£1079.99	£1199.99	£1559.99	£2399.99

### SIP SPOT WELDERS

Ideal for a range of automotive and sheet metal applications, SIP's range of hand held and stationery spot welders are ideal for both light-duty and heavy-duty uses.



# SIP PROFESSIONAL HAND-HELD SPOT WELDERS

2 hand-held compact and portable spot welders, fitted with heavy-duty transformers. Manufactured in Italy, and are suitable for automotive and light sheet metal applications, especially where access is limited. Both welders are supplied with quality arms and electrodes.

25287 comes equipped with a manual welding time adjuster

25288 is equipped with an electronic control for welding power, welding time and



ILEIII NO	23201	23200
MODEL	SIP PROFESSIONAL SPOTWELD 21	SIP PROFESSIONAL SPOTWELD 22E
INPUT SUPPLY	230v (16A)	230v (25A)
MAX. INPUT POWER	1.2kW	2.3kW
MAX. WELDING CURRENT	3800A	6300A
MAX. WELDING CAPACITY	1+1mm (mild steel) / 6+6mm Ø	2+2mm (mild steel) / 6+6mm Ø
OPERATION	Weld timer	Electronic welding current & welding time
ARM / ELECTRODE LENGTH	120mm / 100mm (top), 50mm (bottom)	120mm / 100mm (top), 50mm (bottom)
WEIGHT	10.6kg	11.1kg
ADDITIONAL FEATURES	MANUAL WELDING CURRENT TIME CONTROL FULLY ADJUSTABLE ARM PRESSURE	MICROPROCESSOR CONTROLLED AUTOMATIC WELDING CURRENT TIME CONTROL - DEPENDING ON THICKNESS FULLY ADJUSTABLE TIP PRESSURE
EX. VAT	£779.99	£899.99
INC. VAT	£935.99	£1079.99

# SIP PROFESSIONAL COLUMN SPOT WELDER

## SIP CSW25P PNEUMATIC COLUMN SPOT WELDER

- 400v (50A) 1-phase input supply
- 50kVA max / 25kVA @ 50% welding output
- 5+5mm (mild steel plate) / 20+20mm (bar) welding capacity
- 340 480mm standard arm length
- 4bar 8bar air pressure
- Single and double spot welding modes; perfect on oxidised or coated steels
- · Digital display for welding current and welding time
- Adjustable air regulator with dampener; controls air pressure and arm descent speed



#### **SIP WATER COOLER**

For use with SIP CSW25P Column Spot Welder

- 400v input supply
- · 8ltr/min water flow rate







## SIP ARC/MMA INVERTER WELDERS

These dual-process inverter welders are portable and lightweight and come complete with electrode holder, welding cable, earth cable and clamp.

They are also available with a digital display, which indicates current amperage output.





Item No	05705	05707	05711	05715	05732
MODEL	SIP T1400 ARC INVERTER	SIP T1600 ARC INVERTER	SIP HG1401DA Inverter	SIP HG2001DA Inverter	SIP HG2600DA INVERTER
INPUT SUPPLY	230v (13A)	230v (16A)	230v (13A)	230v (20A)	230v (22A)
CURRENT OUTPUT	20 - 140A	20 - 160A	20 - 140A	20 - 200A	30 - 250A
DUTY CYCLE	140A @ 20%	160A @ 20%	140A @ 60%	200A @ 60%	250A @ 60%
ELECTRODE DIAMETER	1.6 - 3.2mm 13A 230v	1.6 - 4mm	1.6 - 3.2mm 13A 230v	1.6 - 5mm 32A 230v	1.6 - 5mm 32A 230v
APPROX. WELDING THICKNESS	1.5 - 7mm	1.5 - 8mm	1.5 - 7mm	1.5 - 9mm	1.5 - 10.5mm
DIGITAL DISPLAY	X	X	✓	✓	✓
WEIGHT	3.8kg	3.8kg	4.8kg	6.5kg	9.8kg
ADDITIONAL FEATURES	SCRATCH-TIG FUNCTION THERMAL OVERLOAD PROTECTION ON-DEMAND COOLING GENERATOR FRIENDLY			VOLTAGE REDUCTION DEVICE (VRD) LIFT-TIG FUNCTION THERMAL OVERLOAD PROTECTION GENERATOR FRIENDLY	
EX. VAT	£129.99	£139.99	£189.99	£229.99	£369.99
INC. VAT	£155.29	£167.99	£227.99	£275.99	£443.99

#### SIP PROFESSIONAL DUAL VOLTAGE ARC/MMA INVERTER WELDER

#### **SIP HG2001DV ARC INVERTER WELDER**

- 230v (20A) / 110v (16A) supply
- 25A 120A output current range (110v)
  25A 200A output current range (230v)
- Hot-Start, Arc Force and electrode selection from Rutile / Basic to Cellulosic
- Integrated PFC (Power Factor Correction) reduces mains power consumption and is incorporated in the welders electronic design
- Switchable Voltage Reduction Device (VRD)
- · Reliable Lift-TIG torch starting function
- · Anti-stick circuitry and easier controls
- Digital display for easy measurement

- Added thermal overload protections
- Generator friendly and super lightweight
- 2mtr electrode lead / 2mtr earth lead



## IMPROVED FEATURES

Hot-Start, Arc Force & electrode selection from Rutile / Basic to Cellulosic










GENERATOR FRIENDLY



CONSTRUCTION SITES, **WHERE NO MAINS ELECTRICITY IS AVAILABLE** 




**HEAVY-DUTY** 

**LEADS** 

BATTERY POWERED









INTEGRATED CONTROL PANEL PROTECTION VISOR



**SUPPLIED WITH FAST CHARGER** 



## SIP PROFESSIONAL **WELDING GENERATORS**

Product features and benefits:

- · KOHLER® 14hp OHV engine
- · Cast iron cylinder liners
- Splash-fed lubrication system
- Dinse socket connection
- DC Welding: Allows for the use of specialist electrodes for ferrous and non-ferrous metals

Item No	25167
MODEL	SIP P200W-AC
ENGINE	KOHLER® 14 HP OHV
OUTPUT CURRENT	AC
WELDING POWER	60 - 200A
APPROX. WELD THICKNESS	1.5 - 8mm
ELECTRODE SIZE	1.6 - 5mm
GENERATOR OUTPUT	7kVA
FUEL TANK CAPACITY	7.3ltr
APPROX. RUNTIME (FULL LOAD)	2.8hrs
EX. VAT	£1699.99
INC VAT	£2039 99







PETROL POWERED





#### **Product features and benefits:**

- · HONDA™ GX OHV engine
- Cast iron cylinder liners
- Splash-fed lubrication system
- Dinse socket connection
- DC Welding: Allows for the use of specialist electrodes for ferrous and non-ferrous metals





Item No	25017	25169	25020	25172
MODEL	SIP P200W-AC	SIP P200W-AC ES	SIP P200W-DC	SIP P200W-DC ES
ENGINE	HONDA™ GX390 OHV	HONDA™ GX390 OHV	HONDA™ GX390 OHV	HONDA™ GX390 OHV
OUTPUT CURRENT	AC	AC	DC	DC
WELDING POWER	60 - 200A	60 - 200A	50 - 200A	50 - 200A
APPROX. WELD THICKNESS	1.5 - 8mm	1.5 - 8mm	1.5 - 8mm	1.5 - 8mm
ELECTRODE SIZE	1.6 - 5mm	1.6 - 5mm	1.6 - 5mm	1.6 - 5mm
GENERATOR OUTPUT	7kVA	7kVA	4kVA	4kVA
FUEL TANK CAPACITY	7.3ltr	7.3ltr	7.3ltr	7.3ltr
APPROX. RUNTIME (FULL LOAD)	2.45hrs	2.45hrs	2.45hrs	2.45hrs
ADDITIONAL FEATURES	-	ELECTRIC START	-	ELECTRIC START
EX. VAT	£1899.99	£2299.99	£2399.99	£2699.99
INC. VAT	£2279 99	£2759 99	£2879 99	£3239 99

# WELDMATE® TIG/ARC INVERTER WELDERS

Our range of floor fans are mounted on balanced and sturdy steel frames that are fully adjustable to  $360^\circ$  rotation for effective air circulation.

The new oscillating pedestal fan is fixed to a heavy-duty weighted steel base for stability, which has a height adjustable stand. Whilst, the new orbital floor fan can rotate 360° on its horizontal axis and 360° on its vertical axis to create 720° coverage of air circulation.





LOW OUTPUT FOR WELDING THIN MATERIAL



Item No	05775	05771
MODEL	SIP HG1801HF DC TIG/ARC	SIP HG2200P TIG/ARC with PULSE
INPUT SUPPLY	230v (16A)	230v (16A)
OUTPUT CURRENT	DC	DC
TIG OUTPUT CURRENT	10 - 160A	5 - 200A
TIG DUTY CYCLE @ 60%	160A	200A
2 TOUCH / 4 TOUCH CONTROL	-	✓
PULSE	-	✓
ARC OUTPUT CURRENT	10 - 140A	20 - 200A
MMA ELECTRODE DIAMETER	1.6 - 3.2mm	1.6 - 4mm
WEIGHT	14.5kg	13kg
ADDITIONAL FEATURES	HFTIG/LIFT ARC TIG/ MMA ARC	TIG PULSE FACILITY FOR EASIER PRECISION WELDS SLOPE-UP / SLOPE-DOWN CURRENT FEATURE HF TIG / LIFT ARC TIG / MMA ARC
EX. VAT	£349.99	£419.99
INC. VAT	£419.99	£503.99

£1199.99







Item No	05795
MODEL	SIP WELDMATE® PRO 200A AC/DC TIG/ARC with PULSE
INPUT SUPPLY	230v (16A)
OUTPUT CURRENT	AC/DC
TIG OUTPUT CURRENT	5 - 200A
TIG DUTY CYCLE @ 60%	150A
2 TOUCH / 4 TOUCH CONTROL	✓
PULSE	✓
ARC OUTPUT CURRENT	30 - 160A
MMA ELECTRODE DIAMETER	1.6 - 4mm
WEIGHT	15.9kg
ADDITIONAL FEATURES	4x DIFFERENT AC WAVE FORMS TIG PULSE FACILITY FOR EASIER PRECISION WELDS SLOPE-UP / SLOPE-DOWN CURRENT FEATURE HF TIG / PULSE TIG / MMA ARC
EX. VAT	£949.99

16A 230v

# WELDMATE® PROFESSIONAL INVERTER PLASMA CUTTERS





Item No	05782	05785	05783
MODEL	SIP HG250 INVERTER PLASMA	SIP HG400 INVERTER PLASMA	SIP INT300 PLASMA Internal compressor
INPUT SUPPLY	230v (13A)	230v (16A)	230v (16A)
OUTPUT CURRENT	15 - 25A	15 - 40A	10 - 25A
DUTY CYCLE	25A @ 30%	40A @ 60%	25A @ 60%
CUTTING CAPACITY	5.5mm (Quality Cut) 8mm (Severance)	10mm (Quality Cut) 12mm (Severance)	8mm (Quality Cut) 10mm (Severance)
POWER SETTINGS	Infinitely Variable	Infinitely Variable	Infinitely Variable
COMPRESSED AIR PRESSURE	5bar	3 - 6bar	-
AVERAGE AIR CAPACITY	200ltr/min	200ltr/min	-
TORCH TYPE	Contact HF	Contact HF	Pilot ARC Ignition
WEIGHT	6.7kg	9.3kg	17kg
ADDITIONAL FEATURES	LIGHTWEIGHT AIR PRESSURE SENSOR SWITCH 'PARTS IN PLACE' SAFETY CIRCUIT	LIGHTWEIGHT AIR PRESSURE SENSOR SWITCH 'PARTS IN PLACE' SAFETY CIRCUIT	ONE-PERSON LIFT BUILT-IN AIR COMPRESSOR 'PARTS IN PLACE' SAFETY CIRCUIT
EX. VAT	£259.99	£499.99	£799.99
INC. VAT	£311.99	£599.99	£959.99





Item No	05787	05788	05789
MODEL	SIP HG500 INVERTER PLASMA	SIP HG600 INVERTER Plasma	SIP HG700 INVERTER PLASMA
INPUT SUPPLY	230v (16A)	230v (16A)	400v (16A)
OUTPUT CURRENT	15 - 50A	15 - 45A	25 - 70A
DUTY CYCLE @ 60%	50A @ 60%	45A @ 60%	70A @ 60%
CUTTING CAPACITY	12mm (Quality Cut) 15mm (Severance)	14mm (Quality Cut) 25mm (Severance)	20mm (Quality Cut) 25mm (Severance)
POWER SETTINGS	Infinitely Variable	Infinitely Variable	Infinitely Variable
COMPRESSED AIR PRESSURE	3 - 6bar	3 - 6bar	3 - 6bar
AVERAGE AIR CAPACITY	200ltr/min	150ltr/min	300ltr/min
TORCH TYPE	Contact HF	Contact HF	Pilot ARC Ignition
WEIGHT	9.3kg	11kg	23kg
ADDITIONAL FEATURES	LIGHTWEIGHT AIR PRESSURE SENSOR SWITCH 'PARTS IN PLACE' SAFETY CIRCUIT	LIGHTWEIGHT AIR PRESSURE SENSOR SWITCH 'PARTS IN PLACE' SAFETY CIRCUIT	ONE-PERSON LIFT AIR PRESSURE SENSOR SWITCH 'PARTS IN PLACE' SAFETY CIRCUIT
EX. VAT	£599.99	£799.99	£999.99
INC. VAT	£719.99	£959.99	£1199.99

### SIP REPLACEMENT HEADSHIELD LENSES SEE PAGE 61 FOR PRICE

#### SIP METEOR 2000 ELECTRONIC WELDING HEADSHIELD

- TRUE COLOUR HD LCD Lens technology enhances detail and clarity of the weld
- Fixed 11 SHADE welding setting
- · 3/10000 second light-to-dark response time protects eyes from sudden arc
- · 2x light sensors
- Solar panel

£24.99 f29.99



- · Adjustable padded headband for extended comfort
- · Lightweight construction weighs only 0.35kg



#### SIP METEOR 2185 ELECTRONIC WELDING HEADSHIELD

- · TRUE COLOUR HD LCD Lens technology enhances detail and clarity of the weld
- · Adjustable Weld / Cut / Grind mode settings: 9 - 13 SHADE for MMA (ARC) / MIG / TIG welding
- 3/10000 second light-to-dark response time protects eyes from sudden arc
- Side-mounted shade dial convenient shade control
- Automatic darkening filter (ADF) lens with sensitivity and delay controls
- 2x light sensors
- Solar panel
- Adjustable padded headband for extended comfort
- Lightweight construction weighs only 0.48kg







#### Item No: 02883

£38,99 FXVAT

£46.79



#### SIP METEOR 2300 ELECTRONIC WELDING HEADSHIELD

- TRUE COLOUR HD LCD Lens technology enhances detail and clarity of the weld
- Adjustable Weld / Cut / Grind mode settings: 9 13 SHADE for MMA (ARC) / MIG / TIG welding 5 9 SHADE for Plasma cutting 4 SHADE for grinding
- 1/10000sec light-to-dark response time protects eves from sudden arc
- 4x light sensors
- Large viewing area 100 x 59.5mm






Solar panel + 2x Lithium CR2450 3v batteries

· Lightweight construction - weighs only 0.5kg

with low power warning light Adjustable padded headband for extended comfort





**xLIGHT** 





#### £54.99



TRUE COLOUR



- TRUE COLOUR HD LCD Lens technology enhances detail and clarity of the weld
- Striking, distinctive flame design
- Adjustable Weld / Cut / Grind mode settings: 9 13 SHADE for MMA (ARC) / MIG / TIG welding 9 SHADE for Plasma cutting 4 SHADE for grinding
- 1/10000sec light-to-dark response time protects eyes from sudden arc

FYVΔT

· 4x light sensors

£59.99

f71.99

- Large viewing area 100 x 59.5mm
- Test button checks headshield functions correctly
- Solar panel + 2x Lithium CR2450 3v batteries with low power warning light
- Adjustable padded headband for extended comfort
- Lightweight construction weighs only 0.5kg









#### SIP METEOR 8000 PANORAMIC ELECTRONIC WELDING HEADSHIELD

- TRUE COLOUR HD LCD Lens technology enhances detail and clarity of the weld PANORAMIC side windows aid peripheral vision (5 Shade)
- 100 x 83mm viewing area
- · SHADE RANGE:
- 9 13 SHADE for MMA (ARC) / MIG / TIG Welding 5 - 9 SHADE - for Plasma Cutting 4 SHADE - for Grinding
- 1/10000sec light-to-dark response time rapid eye protection from sudden arc

£99.99 EX.VAT £119.99

- Side mounted shade dial adjustable sensitivity and delay controls
- 4x light sensors for fast and stable lens control
- Test butting function
- Solar panel / Lithium CR2450 battery
- Low battery warning light
- Adjustable padded headband for extended comfort
- LIGHTWEIGHT only 0.65kg







PANORAMIC SIDE WINDOWS (5 SHADE)

PLACE AN ORDER: 🔾 01509 500500

TH2 RESPIRATOR
CONFORMS TO EN12941







Item No	02814	02815
MODEL	SIP ELECTRONIC WELDING HEADSHIELD PAPR WR1000	SIP ELECTRONIC WELDING HEADSHIELD PAPR WR2000
	WELDING H	EADSHIELD
VIEWING AREA	98 x 43mm	98 x 55mm
WELDING SHADE	DIN 9-13 Variable External Control	DIN 9-13 Variable External Control
GRIND SHADE	DIN 4	DIN 4
PLASMA SHADE	-	DIN 5-9 Variable External Control
LIGHT to DARK REACTION TIME	1/30000s (0.0003sec)	1/30000sec (0.0003sec)
ARC SENSORS	4	4
WEIGHT	4.6kg	4.6kg
	AIR RESI	PIRATOR
BATTERY TYPE	Rechargeable Lithium-Ion	Rechargeable Lithium-Ion
AIR FLOW SPEEDS	2 (180 & 200ltr/min)	2 (180 & 200ltr/min)
APPROX. RUNTIME	10hrs (low speed) / 6hrs (high speed)	10hrs (low speed) / 6hrs (high speed)
CHARGE TIME	3hrs	3hrs
FILTRATION LEVEL	TH2	TH2
EX. VAT	£349.99	£389.99
INC VAT	£/10.00	£46700

The European standard for Powered Air Purifying Respirators is EN12941.

This standard defines 3 classes of performance. These levels are TH1, TH2 and TH3.

The numbers define level of performance (\*Inward Leakage) & the strengths of the tubes and couplings.

Maximum Inward Leakage for the classifications are:-

TH1 = 10%

TH2 = 2%

TH3 = 0.2%

SIP PAPR Filters are TH2P (Particle Filter).

\*Inward Leakage is defined as the combination of contaminated air that leaks through a respirator from various sources, including face seals, valves & gaskets and the penetration through the filter.

Item No	DESCRIPTION	DIMENSIONS	EX. VAT	INC. VAT
WE09-00013	SIP Front Cover Lens True Colour (for 02814, 02815)	123 x 98 mm	£4.39	£5.27
WE09-00017	SIP Inner Cover Lens (for 02814, 02815)	107.5 x 58.6mm	£2.79	£3.35
WE09-00028	SIP Main HEPA Filter (for 02814, 02815)	-	£24.99	£29.99
WE09-00029	SIP Pre-filter (for 02814, 02815)	-	£5.49	£6.59



Item No	05800	05802	05812	05806
MODEL	FX PORTABLE WELDING FUME EXTRACTOR	PROFESSIONAL FX-EH MOBILE WELDING FUME EXTRACTOR	PROFESSIONAL FX-WM WALL-MOUNTED WELDING FUME EXTRACTOR	PROFESSIONAL FX-WM WALL-MOUNTED WELDING FUME EXTRACTOR
INPUT SUPPLY	230v	230v	230v	230v
INPUT POWER	1.1kW	1.1kW	1.5kW	1.5kW
POWER CONSUMPTION	4.85A	4.85A	6.5A	6.5A
MAX. FLOW RATE	250m³/hr	2500m³/hr	2500m³/hr	2500m³/hr
MAX. SUCTION	110m³/hr	1200m³/hr	1480m³/hr	1480m³/hr
FILTRATION	85%	99.5%	99.5%	99.5%
ADJUSTABLE EXTRACTION	Extraction hose	3mtr flexible arm	3mtr flexible arm	2x 3mtr flexible arms
NOISE LEVEL	65dB(A)	73dB(A)	73dB(A)	73dB(A)
WEIGHT	20kg	85kg	100kg	100kg
ADDITIONAL FEATURES	FOR MEDIUM/LOW CONCENTRATIONS OF POLLUTANTS FOR INTERMITTENT OPERATION WITH ADJUSTABLE MOTOR SPEED REGULATION	HIGH PERFORMANCE CENTRIFUGAL EXTRACTION FAN ENCASED IN A SOUNDPROOF COMPARTMENT	HIGH PERFORMANCE CENTRIFUGAL EXTRACTION FAN ENCASED IN A SOUNDPROOF COMPARTMENT SELF INSTALL	HIGH PERFORMANCE CENTRIFUGAL EXTRACTION FAN ENCASED IN A SOUNDPROOF COMPARTMENT SELF INSTALL
EX. VAT	£839.99	£1789.99	£2999.99	£3599.99
INC. VAT	£1007.99	£2147.99	£3599.99	£4319.99

#### SIP WELDING FUME EXTRACTOR ACCESSORIES

Item No	DESCRIPTION	EX. VAT	INC. VAT
WE08-00003	SIP Anti-spark Metallic Filter (for 05800)	£27.29	£32.75
WE08-00004	SIP Cartridge Filter - 85% efficient (for 05800)	£65.39	£78.47
WE08-00005	SIP Carbon Filter (for 05800)	£116.69	£140.03
WE08-00008	SIP Absolute Filter (for 05802, 05806, 05812)	£282.29	£338.75
WE08-00009	SIP Anti-spark Metallic Filter (for 05802, 05806, 05812)	£36.99	£44.39
WE08-00010	SIP Pre Filter (for 05802, 05806, 05812)	£32.69	£39.23

# TO PLACE AN ORDER: Www.sip-group.com

#### SIP REPLACEMENT WELDING HEADSHIELD LENSES

DESCRIPTION	DIMENSIONS	EX. VAT	INC. VAT
SIP Front Cover Lens True Colour (for 02883)	118 x 95mm	£4.39	£5.27
SIP Back Cover Lens (for 02883)	103 x 47mm	£3.29	£3.95
SIP Front Cover Lens (for 02884, 02886)	134 x 114mm	£3.29	£3.95
SIP Back Cover Lens (for 02884, 02886)	105 x 66mm	£3.29	£3.95
SIP Front Cover Lens (for 02803)	338.9 x 155.7mm	£5.49	£6.59
SIP Back Cover Lens (for 02803)	103.5 x 88.6mm	£4.39	£5.27
	SIP Front Cover Lens True Colour (for 02883) SIP Back Cover Lens (for 02883) SIP Front Cover Lens (for 02884, 02886) SIP Back Cover Lens (for 02884, 02886) SIP Front Cover Lens (for 02803)	SIP Front Cover Lens True Colour (for 02883)       118 x 95mm         SIP Back Cover Lens (for 02883)       103 x 47mm         SIP Front Cover Lens (for 02884, 02886)       134 x 114mm         SIP Back Cover Lens (for 02884, 02886)       105 x 66mm         SIP Front Cover Lens (for 02803)       338.9 x 155.7mm	SIP Front Cover Lens True Colour (for 02883)       118 x 95mm       £4.39         SIP Back Cover Lens (for 02883)       103 x 47mm       £3.29         SIP Front Cover Lens (for 02884, 02886)       134 x 114mm       £3.29         SIP Back Cover Lens (for 02884, 02886)       105 x 66mm       £3.29         SIP Front Cover Lens (for 02803)       338.9 x 155.7mm       £5.49



#### **SIP MIG TORCHES**



Heavy-duty welding torches for use with MIG welders

Item No	DESCRIPTION	EX. VAT	INC. VAT
05502	SIP 15 3mtr Euro MIG Welding Torch	£81.79	£98.15
05505	SIP 25 3mtr Euro MIG Welding Torch	£111.19	£133.43
05510	SIP 25 4mtr Euro MIG Welding Torch	£115.59	£138.71
05515	SIP 36 4mtr Euro MIG Welding Torch	£179.89	£215.87

#### **SIP TIG TORCHES**



Item No	DESCRIPTION	EX. VAT	INC. VAT
05029	SIP 17V Small Dinse TIG Welding Torch	£59.99	£71.99
05035	SIP 17V Large Dinse TIG Welding Torch	£59.99	£71.99
05018	SIP 17 4mtr 3-Pin TIG Welding Torch	£92.69	£111.23
05015	SIP 26 4mtr 5-Pin TIG Welding Torch	£110.09	£132.11
05016	SIP 26 4mtr 3-Pin TIG Welding Torch	£92.69	£111.23

#### **SIP PLASMA TORCHES**



Hard-wearing plasma torches for accurate and reliable metal cutting

That a wearing plasma torones for accurate and remade metal eating			
Item No	DESCRIPTION	EX. VAT	INC. VAT
WE04-00177	SIP P80 Plasma Torch Pilot ARC	£179.99	£215.99
05123	SIP 6mtr P80 Plasma Torch without Connector	£128.69	£154.43

#### SIP ELECTRODE HOLDERS



Item No	DESCRIPTION	EX. VAT	INC. VAT
02744	SIP 400A Twist Electrode Holder	£10.89	£13.07
02715	SIP 300A Electrode Holder	£10.89	£13.07
02700	SIP 200A Electrode Holder	£7.69	£9.23

#### **SIP EARTH CLAMPS**



Item No	DESCRIPTION	EX. VAT	INC. VAT
02743	SIP 400A Steel Earth Clamp	£8.79	£10.55
02750	SIP 600A Cast Brass Earth Clamp	£37.09	£44.51



#### SIP ARC/MMA WELDING ELECTRODES - DIY DISPLAY PACKS



High quality general purpose electrodes for all ARC/MMA machines Suitable for mild steel (E6013)

Item No	DESCRIPTION	EX. VAT	INC. VAT
02691	SIP 10x 1.6mm	£5.49	£6.59
02692	SIP 10x 2.0mm	£5.49	£6.59
02693	SIP 10x 2.5mm	£5.49	£6.59
02694	SIP 10x 3.25mm	£5.49	£6.59
02689	SIP 6x 1.6mm, 5x 2mm, 4x 2.5mm	£6.59	£7.91

#### SIP ARC/MMA WELDING ELECTRODES - BULK BOXES



High quality general purpose ARC/MMA electrodes Suitable for mild steel (E6013)

Item No	o DESCRIPTION		EX. VAT	INC. VAT
02769	SIP 1.6mm, Mild Steel (6013)	g	£9.99	£11.99
02921	SIP 2.0mm, Mild Steel (6013) 2.5	ikg	£8.99	£10.79
02777	SIP 2.5mm, Mild Steel (6013) 5k	g	£16.99	£20.39
02778	SIP 3.25mm, Mild Steel (6013) 5k	g	£15.99	£19.19
02779	SIP 4.0mm, Mild Steel (6013) 5k	g	£16.99	£20.39

#### **SIP MIG WELDING TORCH TIPS & SHROUDS**



Item No	DESCRIPTION	EX. VAT	INC. VAT
04040	SIP 0.6mm Tips M5 (Pack of 5)	£3.69	£4.43
04045	SIP 0.8mm Tips M5 (Pack of 5)	£3.69	£4.43
04144	SIP 0.8mm Tips M6 (Pack of 5)	£5.49	£6.59
04142	SIP MB15 Conical MIG Shrouds (2 Per Pack)	£5.99	£7.19
04035	SIP Migmate MIG Shrouds (2 Per Card)	£4.99	£5.99
04058	SIP MIG Torch Starter Kit (S/Liner 2x Shroud, 5x Tips)	£10.89	£13.07

#### **SIP MIG WELDING WIRE**



Premium quality MIG wire for gas / gasless welding applications

Item No	DESCRIPTION		EX. VAT	INC. VAT
04000	SIP Display 0.6mm Mild Steel	0.7kg	£5.89	£7.07
02666	SIP 0.6mm Mild Steel	5kg	£23.99	£28.79
02668	SIP 0.6mm Mild Steel	15kg	£69.99	£83.99
04005	SIP 0.8mm Mild Steel	0.7kg	£5.59	£6.71
02669	SIP 0.8mm Mild Steel	5kg	£18.99	£22.79
02671	SIP 0.8mm Mild Steel	15kg	£44.99	£53.99
02681	SIP 1.0mm Mild Steel	15kg	£43.59	£52.31
04055	SIP Display 0.8mm Flux Cored Mini	0.227kg	£7.69	£9.23
04010	SIP Display 0.8mm Flux Cored	0.45kg	£8.19	£9.83
02678	SIP 0.8mm Flux Cored for Gasless	0.90kg	£13.99	£16.79
02706	SIP 0.8mm Flux Cored for Gasless	4.5kg	£54.39	£65.27
04060	SIP Display 0.8mm Aluminium	0.5kg	£12.59	£15.11
04065	SIP Display 0.8mm Stainless Steel	0.7kg	£17.99	£21.59

#### SIP MIG WELDING GAS & GAS BOTTLE REGULATOR



Item No	DESCRIPTION		EX. VAT	INC. VAT
04015	SIP Display CO <sub>2</sub> Gas	390g	£18.49	£22.19
04020	SIP Display Argon/CO <sub>2</sub> Gas	390g	£17.99	£21.59
04025	SIP Display Argon Gas	390g	£18.59	£22.31
04012	SIP Display CO₂ Gas	600g	£19.99	£23.99
04030	SIP Gas Regulator for disposable bottles		£19.99	£23.99

# 04156 04146 04148 04156 04156 04156 04151 04156 04151 04156


04151	25112	The second	
Item No DESCRIPTION		EX. VAT	INC. VAT
02846 SIP Flip-Top Welding Head	dshield	£11.99	£14.39
04156 SIP Welding Gauntlets		£4.49	£5.39
04146 SIP Deluxe Welding Gaun	tlets	£9.79	£11.75
04148 SIP TIG Welding Gauntlets	S	£8.79	£10.55
04151 SIP Welding Apron (24"x :	36")	£8.79	£10.55
25112 SIP Leather Welding Glov	es and Apron	£34.99	£41.99

#### **SIP WELDING BLANKET & CURTAIN**



Item No	DESCRIPTION	EX. VAT	INC. VAT
04161	SIP Welding Blanket (2 x 1m)	£41.39	£49.67
04166	SIP Welding Curtain (6' x 6')	£38.19	£45.83
04167A	SIP Welding Curtain & Frame Package	£96.89	£116.27

#### **SIP MIG PLIERS**



Used for nozzle and tip installation, wire cutting, nozzle cleaning and spatter removal

Item No	DESCRIPTION	EX. VAT	INC. VAT
04168	SIP MIG Pliers	£14.19	£17.03







Item No	DESCRIPTION	EX. VAT	INC. VAT
09550	SIP Magnetic Holder M Model holds up to 50lbs / 23kg	£9.79	£11.75
09552	SIP Magnetic Holder L Model holds up to 75lbs / 34kg	£10.89	£13.07
09530	SIP Welding Clamps (Set of 3)	£20.69	£24.83
02820	SIP Advanced Anti Spatter Spray - 400ml	£4.39	£5.27
02709	SIP Spring Handle Metal Chipping Hammer	£4.39	£5.27

#### **SIP MAGNETIC WELDING EARTH CLAMP**



#### **SIP MAGNETIC WELDING TORCH HOLDERS**



Ultra magnetic welding torch holders with strong gripping power to any ferrous object Ideal for storing MIG / TIG torches whilst preparing the area to be welded

Item No	DESCRIPTION	EX. VAT	INC. VAT
04158	SIP Magnetic Welding Torch Holder MIG	£7.69	£9.23
04159	SIP Magnetic Welding Torch Holder TIG	£7.69	£9.23



#### **SIP WELDING WIRE BRUSHES**



Item No	DESCRIPTION	EX. VAT	INC. VAT
04173	SIP Wire Brush - 3 Row (Mild Steel)	£1.89	£2.27
04174	SIP Wire Brush - 4 Row (Mild Steel)	£2.29	£2.75
04169	SIP Wire Brush - 3 Row (Stainless Steel)	£2.79	£3.35
04171	SIP Wire Brush - 4 Row (Stainless Steel)	£2.99	£3.59
04176	SIP Converging Wire Brush	£10.99	£13.19

#### **SIP PREMIUM 10" WOOD BANDSAW**

- Solid cast steel table for accurate cutting 350 x 330mm
- 0° 45° table tilt
- · Steel frame construction
- 230v (13A) input supply
- Powerful 370w (0.5hp) motor
- 245mm throat width
- 100mm max. cutting height
- 1750mm blade length
- 6 13mm blade width
- 1 speed 13mtr/sec
- · Fully adjustable blade tensioning
- Integrated rip fence and bearing guide
- · Mitre gauge
- 100mm dust extraction outlet
- Magnetic NVR switch

#### SIP PROFESSIONAL 12" WOOD BANDSAW

- Solid cast steel table for accurate cutting - 400 x 500mm
- 0° 45° table tilt
- · Steel frame construction
- 230v (13A) input supply
- Powerful 750w (1hp) motor
- 300mm throat width
- 175mm max. cutting height
- 2240mm blade length
- 6 15mm blade width
- 2 speed 6mtr/sec, 12mtr/sec
- Fully adjustable blade tensioning
- · Integrated rip fence and bearing guide
- Mitre gauge
- 100mm dust extraction outlet
- Magnetic NVR switch



















#### SIP PROFESSIONAL 14" WOOD BANDSAW **Heavy-Duty**

- Large 535 x 435mm solid cast steel table
- 0° 45° table tilt
- 230v (13A) input supply
- Powerful 1500w (2hp) motor
- 355mm throat width
- 235mm max. cutting height
- 2750mm blade length
- 6 25mm blade width
- 2 speeds 8mtr/sec, 14mtr/sec
- Rack & pinion rise and fall
- Fully adjustable blade tensioning
- · Integrated rip fence with bearing guide
- Heavy-duty cast mitre fence
- Cast mitre gauge
- Dust extraction
- Magnetic NVR switch
- Stand included

#### SIP PROFESSIONAL 16" WOOD BANDSAW Heavy-Duty

- Large 535 x 435mm solid cast steel table
- 0° 45° table tilt
- 230v (13A) input supply
- Powerful 2200w (2hp) motor
- 405mm throat width
- 254mm max. cutting height
- 3345mm blade length
- 10 25mm blade width
- 2 speeds 7mtr/sec, 14mtr/sec

- Rack & pinion rise and fall
- Fully adjustable blade tensioning
- · Integrated rip fence with bearing guide
- · Heavy-duty cast mitre fence
- Cast mitre gauge
- Dust extraction
- Magnetic NVR switch













RIP FENCE WITH BEARING GUIDE







RIP FENCE WITH BEARING GUIDE

#### SIP MITRE, TABLE & SCROLL SAWS

#### SIP 10" SLIDING COMPOUND MITRE SAW WITH LASER

- Input voltage: 230v (13A) Heavy-duty, high torque 2kW (2.7hp) motor
- Belt-drive for powerful and smooth performance Sliding action for extended range
- · Laser for greater cutting accuracy
- · Adjustable depth stop tenoning & trenching tasks
- · Dust collection bag
- No load blade speed: 5500rpm
- High quality Ø 254mm Ø x 30mm bore x 40TCT saw blade
- Mitre Table Angles: -45° / 0° / +45°
- Bevel Angles: Up to 45° (Left & Right)
- Cutting Capacity:

Straight Cut at 0°x 0°: 340mm x 80mm Mitre Cut at 45°x 0°: 240mm x 80mm Bevel Cut at 0°x 45°: 340mm x 50mm











#### SIP 12" SLIDING COMPOUND MITRE SAW WITH LASER

- Input voltage: 230v (13A) Heavy-duty, high torque 1.8kW (2.4hp) motor
- Belt-drive for powerful and smooth performance Sliding action for extended range
- · Laser for greater cutting accuracy
- Adjustable depth stop tenoning & trenching tasks
- Dust collection bag
- No load blade speed: 3800rpm
- High quality Ø 305mm x 30mm bore x 40TCT saw blade

- Cutting Capacity:







- 550 - 1600spm blade speed

• 15mm blade stroke

64 piece grinding /

2000W MOTOR LASER GUIDANCE

• 0° - 45° tilting cast aluminium table • 406mm throat size

SIP 16" SCROLL SAW WITH FLEXI-DRIVE SHAFT - 230v (13A) input supply - 90w motor - Flexible work light - Flexi-Drive tool





#### SIP 10" TABLE SAW WITH STAND

- 230v (13A) input supply
- Powerful 1.8kW (2.4hp) motor
- · Large versatile cutting capacities: 65mm depth of cut @ 45° 85mm depth of cut @ 90°
- 5000rpm no-load blade speed
- 2x side extensions, 940 x 640mm
- 0° to 45° full blade tilting capability
- 'Quick-Lock' length rip fence
- · Mitre guide and push stick included
- Built-in 35mm dust extraction port
- Rise and fall tilting arbor
- Integrated NVR switch











UNIQUE

13A 230v





Eliminate sawdust from indoor wood cutting tasks. An innovation for professionals working in domestic or commercial premises, the 2-in-1 Table Saw features an integrated dust extractor which collects up to 95% of the sawdust it creates.

An extendable cutting table and adjustable tilting saw blade add greater versatility to the job, whilst a compact all-in-one design allows the saw to be easily transported between work sites.

- Integrated Dust Extractor
- Versatile Cutting Capacity
- **Extendable Cutting Table**
- **Outstanding Portability**



Integrated dust extractor with easy-change collection bag





pact all-in-one unit can be easily moved between jobs - WEIGHS ONLY 16KG





- INDOOR WOOD CUTTING! - CLEAN WORK AREA! - LESS MESS!


2 MOTORS

1000W (EXTRACTOR)





SIP 2-in-1 Table Saw





- **Skirting boards**
- **Architrave**
- **Panelling**
- Floor boards
- **Wood, MDF composites** & laminates





# SIP PROFESSIONAL COMPACT 10" CAST IRON TABLE SAW

Compact design for smaller footprint in the workshop, helping to minimise lost floor space

- Sliding carriage (sold separately) offers added stability and woodcutting accuracy
- Extendable table area 635mm x 1000mm
- Cast iron table, adjustable blade height & tilt, mitre setting, fence & extraction port
- Table size: 635mm(D) x 420mm(W) (with extension table) 635mm(D) x 1000mm(W)
- Saw blade: bore size 254mm, Ø30mm
- Powerful 2200W (3hp) 230v induction motor
- Blade speed 4000rpm
- Max. depth of cut 80mm @ 90°
- Max. depth of cut 65mm @ 45°
- Cutting width (with extension table) 750mm
- Table Dimension 1450 x 1000 x 1000mm
- Net Weight (including floor stand) 107kg







100MM Ø DUST EXTRACTION OUTLET





**SIP SLIDING CARRIAGE** 

for Compact 10" Cast Iron Table Saw



- Designed to position and manoeuvre woodworking machines around the workshop
- Ideal for environments requiring added workspace flexibility







£119.99

- Compatible with: 01332, 01444, 01445, 01446 & 01456







#### SIP PROFESSIONAL 12" CAST IRON TABLE SAW

- 230v (16A) input supply

**£1599.99** EX.VAT £1919.99 INC.VAT

- Powerful 3000w (4hp) induction motor
- Accurate 0° 45° arbour with blade lock
- Fine adjustment saw blade rise and fall with lock
- Maximum depth of cut: 80mm @ 45° / 100mm @ 90°
- 12" TCT blade supplied as standard
- 'T' slotted heavy-duty cast mitre guide and push stick included
- · Quick adjust rip fence with 'Quick-lock' micro adjust
- 100mm Ø dust extraction outlet
- · Cabinet stand included

PERFECT

| Item No: 01448
| REAR EXTENSION TABLE | FOR 12" TABLE SAW | £87.19 | EXWAT | £104.63 | INC.VAT

Item No: 01495 £632.99 EX.VAT

**PARTNERS** 



#### SIP WOOD LATHES





IIEM NO.	U1936	01938	01940	
MODEL	SIP VARIABLE SPEED Cast Iron Midi Wood Lathe	SIP 12"x 36" SWIVEL HEAD WOOD LATHE	SIP 14"x 43" SWIVEL HEAD WOOD LATHE	
INPUT SUPPLY	230v (13A)	230v (13A)	230v (13A)	
MOTOR POWER	550w (0.75hp)	550w (0.75hp)	750w (1hp)	
SPEED RANGE	500 - 3500rpm (variable)	500 - 2000rpm (variable)	500 - 2000rpm (variable)	
MAX. DISTANCE BETWEEN CENTRES	432mm	900mm	1100mm	
MAX. TURNING DIAMETER	305mm	300mm	350mm	
SPINDLE THREAD SIZE	¾" x 16TPI	¾" x 16TPI	¾" x 16TPI	
WEIGHT	32kg	77kg	130kg	
ADDITIONAL FEATURES	-	-	Cast iron leg stand included	
EX. VAT	£399.99	£549.99	£799.99	
INC. VAT	£479.99	£659.99	£959.99	

#### SIP PLANER THICKNESSERS & BELT/DISC SANDERS

#### SIP 8"x 5" PLANER THICKNESSER

- 230v (13A) input supply Powerful 1500w (2hp) motor
- 9000rpm cutter block speed
- 204mm planer width
- 740mm table length
- 2.5mm max. cutting depth

#### THICKNESSING:

- 5 120mm timber size thicknessing
- 204mm max, timber width
- 6.4mtr/min feed speed
- · 2mm max. depth of cut
- Fitted with dust extraction port



#### SIP 10"x 5" PLANER THICKNESSER

- 230v (13A) input supplyPowerful 1500w (2hp) motor9000rpm cutter block speed
- 252mm planer width
- 920mm table length
- 2.5mm max. cutting depth
- 90 135° fence tilt


13A 230v

#### THICKNESSING:

- 5 120mm timber size thicknessing
- 252mm max. timber width
- 6.4mtr/min feed speed
- 2mm max. depth of cut
- Fitted with dust extraction port

#### SIP 4"x 8" BELT/DISC SANDER

- 230v (13A) input supply
- Powerful 500w motor
- 0° to 45° disc workable tilt
- 0° to 90° belt tilt
- 100 x 914mm sanding belt, 200mm sanding disc





Supplied with 2 large aluminium adjustable sanding tables and one mitre guide for increased accuracy

· Dust extraction/collection











- 230v (13A) input supply
- 750w (1hp) brushless motor
- 150 x 1220mm (6" x 48") belt size
- 250mm (10") disc size 0° to 45° disc workable tilt
- 0° to 90° belt tilt
- 2980rpm disc speed
- · 470mtr/min belt speed
- Supplied with 2 adjustable sanding tables and mitre guide



#### SIP 12" DISC SANDER WITH MANUAL BRAKE

- 230v (13A) input supplyPowerful 800w S1 motor

£239.99


- 305mm (12") disc size • 1490rpm disc speed
- 410 x 175 x 25mm table working area
- 0 45° downwards table tilt



£349.99

**LEG STAND** INCLUDED 13A 230v

NVR SWITCH



#### SIP BENCH MORTICERS

#### **SIP BENCH MORTICER**

- 230v (13A) input supply 340 x 150mm table size
- 370w (0.5hp) motor
- 1400rpm speed
- 76mm chisel stroke
- 6 12mm (1/4" 1/2")
- chisel capacity
- 65mm max. chisel
- to fence
- 3/4" standard bush size
- Cast iron construction

#### **SIP BENCH MORTICER** with Sliding Table

- 230v (13A) input supply - 100mm max. chisel to table

80mm max. clamping

· Cast iron construction

width

- 370w (0.5hp) motor
- 1400rpm speed
- · 130mm chisel stroke
- 6 16mm (1/4" 5/8") chisel capacity
- 100mm (lateral) /
- spindle to fence



**SIP HEAVY-DUTY BENCH MORTICER** with Cabinet

- 230v (13A) input supply - 750w (1hp) motor • 1400rpm speed • 210mm chisel stroke

• 6 - 26mm (1/4" - 1") chisel capacity

· Table movement: 170mm (lateral) / 145mm (longitúdinal)

- 140mm max. spindle to fence

· 210mm max. chisel to table

- 400 x 150mm table size

· Cabinet stand included







£279.99 EX.VAT £335.99

NVR SWITCH

£429.99 EX.VAT

13A 230v

NVR SWITCH

£869.99 EX.VAT £1043.99



#### **SIP SINGLE ROLLER STAND**

- 80kg load capacity
- · Precision-made, fully adjustable single roller
- 400mm roller length

£49.99

- 700 - 1100mm adjustable height



#### **SIP ADJUSTABLE V-TYPE ROLLER BALL STAND**

100KG

CAPACITY

- 100kg load capacity
- 2 sets of 4 rollers
- · Each roller set tilts and locks at 45° independently
- 700 1150mm fully adjustable





#### **SIP HEAVY-DUTY 5 ROLLER STAND**

- 100kg load capacity
- 5 rollers
- 57mm roller



#### **SIP BEECH WORKBENCH**

- · High-quality beech construction
- (L)1350mm x (W)620mm x (H)900mm
- Integrated waist-high storage drawer
- 2 x integral wooden vices
- 4x metal work piece holding pegs
- · Low-level, full-length storage shelf





£179.99





Item No	01923	01963	01968	01969	01954	01956
MODEL	SIP 50LTR DUST & CHIP COLLECTOR	SIP 1HP PORTABLE SINGLE BAG DUST COLLECTOR	SIP SINGLE BAG DUST COLLECTOR c/w FLOOR ATTACHMENT	SIP 1HP SINGLE BAG DUST COLLECTOR c/w FLOOR ATTACHMENT	SIP 2HP SINGLE BAG DUST COLLECTOR	SIP 3HP DOUBLE BAG DUST COLLECTOR
INPUT SUPPLY	230v (13A)	230v (13A)	230v (13A)	230v (13A)	230v (13A)	230v (16A)
MOTOR TYPE	1100w (brushed)	750w (brushless induction)	550w (brushless induction)	750w (brushless induction)	1500w (brushless induction)	2200w (brushless induction)
MAX. AIR FLOW VOLUME	183m³/hr	850m³/hr	1200m³/hr	850m³/hr	2500m³/hr	3900m³/hr
FAN DIAMETER	80mm	230mm	230mm	230mm	300mm	305mm
CAPACITY	50ltr	56ltr	57ltr	57ltr	153ltr	2x 153ltr
INLET DIAMETER	100mm	100mm	100mm	100mm	1x 125mm or 2x 100mm	1x 150mm or 3x 100mm
FILTRATION	0.5 micron (cartridge)	5 micron (bag)	5 micron (bag)	5 micron (bag)	5 micron (bag)	2x 5 micron (bag)
ADDITIONAL Features	5 PIECE ADAPTOR 2mtr Hose Cartridge & Paper Bag Filtration	COMPACT Wheel-mounted chassis 4x Castor Wheels	WHEEL-MOUNTED FLOOR VACUUM ATTACHMENT HOSE EXTRACTION	WHEEL-MOUNTED FLOOR VACUUM ATTACHMENT HOSE EXTRACTION	WHEEL-MOUNTED TWIN INLET ADAPTOR RUN TWO MACHINES WITH ONE COLLECTOR	WHEEL-MOUNTED TRIPLE INLET ADAPTOR RUN THREE MACHINES WITH ONE COLLECTOR
EX. VAT	£109.99	£189.99	£199.99	£229.99	£299.99	£399.99
INC. VAT	£131.99	£227.99	£239.99	£275.99	£359.99	£479.99







				9.99 EXMAT £199.99 EXMAT £239.99 INCMAT
Item No	01964	01990	01992	01994
MODEL	SIP 1HP WALL-MOUNTED Single Cartridge Dust Collector	SIP 1HP SINGLE CARTRIDGE Dust collector c/w Floor attachment package	SIP 2HP SINGLE CARTRIDGE DUST COLLECTOR PACKAGE	SIP 3HP DOUBLE CARTRIDGE DUST COLLECTOR PACKAGE
INPUT SUPPLY	230v (13A)	230v (13A)	230v (13A)	230v (16A)
MOTOR TYPE	750w (brushless induction)	750w (brushless induction)	1500w (brushless induction)	2200w (brushless induction)
MAX. AIR FLOW VOLUME	850m³/hr	850m³/hr	2500m³/hr	3900m³/hr
FAN DIAMETER	230mm	230mm	300mm	305mm
CAPACITY	56ltr	57ltr	153ltr	2x 1531tr
INLET DIAMETER	100mm	100mm	1x 125mm or 2x 100mm	1x 150mm or 3x 100mm
FILTRATION	1 micron (cartridge)	c/w 1 micron (cartridge 62605)	c/w 1 micron (cartridge 62606)	c/w 2x 1 micron (cartridges 62606)
ADDITIONAL Features	WALL-MOUNTED HIGH FILTRATION FOR FINE PARTICLES Including MDF	WHEEL-MOUNTED HIGH FILTRATION FOR FINE PARTICLES INCLUDING MDF FLOOR VACUUM ATTACHMENT	WHEEL-MOUNTED HIGH FILTRATION FOR FINE PARTICLES INCLUDING MDF TWIN INLET ADAPTOR RUN TWO MACHINES WITH ONE COLLECTOR	WHEEL-MOUNTED HIGH FILTRATION FOR FINE PARTICLES INCLUDING MDF TRIPLE INLET ADAPTOR RUN THREE MACHINES WITH ONE COLLECTOR
EX. VAT	£319.99	£349.99	£489.99	£729.99
INC VAT	£303.00	£/10.00	£59700	£975.00



INC. VAT

£191.99

£102.11

£134.75

£119.99

£19.67

£14.39

£19.67

£27.47

£28.79

£28.79

£27.47

£14.39

£14.39

£14.39

£9.23

£10.55

£14.39

£15.59

£13.07

£28.79

£28.79 £29.<u>99</u>

£6.59

£6.59

£29.99

£18.35

£167.99

£239.99 £155.99

£5.27

#### **SIP WOODWORKING - REPLACEMENT BLADES**

Item No DESCRIPTION	EX. VAT	INC. VAT
06925 SIP 2750mm x 6mm x 0.25mm 6TPI Bandsaw Blade (for 01444)	£33.79	£40.55
06927 SIP 2750mm x 19mm x 0.80mm 6TPI Bandsaw Blade (for 01444)	£31.59	£37.91
06930 SIP 2750mm x 12mm x 0.65mm 6TPI Bandsaw Blade (for 01444)	£19.99	£23.99
06931 SIP 2750mm x 25mm x 0.9mm 4TPI Bandsaw Blade (for 01444)	£35.99	£43.19
06932 SIP 3345mm x 13mm x 0.65mm 6TPI Bandsaw Blade (for 01445)	£22.89	£27.47
06933 SIP 3345mm x 25mm x 0.9mm 4TPI Bandsaw Blade (for 01445)	£42.49	£50.99
09430 SIP 3345mm x 20mm x 0.8mm 6TPI Bandsaw Blade (for 01445)	£40.39	£48.47
09440 SIP 1750mm x 6.3mm x 0.35mm 6TPI Bandsaw Blade (for 01475)	£11.99	£14.39
09442 SIP 1750mm x 9.5mm x 0.35mm 6TPI Bandsaw Blade (for 01475)	£12.99	£15.59
09444 SIP 1750mm x 12.7mm x 0.52mm 4TPI Bandsaw Blade (for 01475)	£15.29	£18.35
09446 SIP 2240mm x 6.3mm x 0.35mm 6TPI Bandsaw Blade (for 01477)	£13.99	£16.79
09448 SIP 2240mm x 9.5mm x 0.52mm 6TPI Bandsaw Blade (for 01477)	£16.39	£19.67
09450 SIP 2240mm x 12.7mm x 0.52mm 4TPI Bandsaw Blade (for 01477)	£17.49	£20.99
WD07-02070 SIP 165mm x 20mm TCT (50T) Circular Saw Blade (for 01513)	£9.99	£11.99
O7773 SIP 254mm x 16mm TCT (40T) Circular Saw Blade (for 01511)	£42.49	£50.99
06184 SIP 254mm x 25.4mm TCT (40T) Circular Saw Blade (for 01332)	£37.09	£44.51
06128 SIP 254mm x 30mm TCT (40T) Circular Saw Blade (for 01930, 01986)	£36.99	£44.39
06123 SIP 254mm x 30mm TCT (40T) Circular Saw Blade (for 01511)	£42.49	£50.99
06138 SIP 254mm x 30mm TCT (36T) Circular Saw Blade (for 01986)	£47.99	£57.59
06122 SIP 305mm x 30mm TCT (40T) Circular Saw Blade (for 01504)	£19.99	£23.99
O6156 SIP 315mm x 30mm TCT (30T) Circular Saw Rip Blade (for 01446)	£42.49	£50.99
06158 SIP 315mm x 30mm TCT (40T) Circular Saw Blade (for 01350, 01446)	£57.79	£69.35
06160 SIP 315mm x 30mm TCT (60T) Circular Saw Trim Blade (for 01350, 01446)	£57.79	£69.35
06849 SIP 10pc Assorted Scroll Saw Blades (for 01928, 01947)	£12.99	£15.59
WD01-01445 SIP 6" Planer Blade (for 01557)	£31.59	£37.91
WD01-01581 SIP 8" Planer Blades (for 01558)	£37.99	£45.59

#### **SIP WOODWORKING - GENERAL ACCESSORIES**







#### SIP 5 TON HORIZONTAL LOG SPLITTER WITH CAGE

- 230v (13A) input supply Powerful 2.2kW (3hp) motor 5 Ton splitting force
- Log capacity: 50 250mm diameter, 520mm maximum length
- Integrated handle and large wheels for extra portability
- Ram lock for optimum safety
- Cutting wedge automatically returns to starting position after the log is split



The stand raises the splitter to a workable height when a work bench is not available



REMOVABLE WHEELS FOR USE WITH OPTIONAL SPLITTER STAND (01972)



£299.99 EX.VAT

£359.99

3HP (2.2KW) MOTOR **5 TON SPLITTING FORCE** 

LOG CAPACITY 50 - 250MM Ø / 520MM MAX. LENGTH

NVR SWITCH



#### **SIP 7 TON VERTICAL LOG SPLITTER**

- 230v (13A) input supply
- Powerful 3kW (4hp) motor
- 7 Ton splitting force
- Log capacity: 80 300mm diameter, 100 550mm maximum length
- · Integrated handle and large wheels for extra portability
- Ram lock for optimum safety



£549.99 EX.VAT

4HP (3KW) MOTOR

7 TON SPLITTING FORCE

LOG CAPACITY 80 - 300MM Ø / 100 - 550MM LENGTH



# **TO PLACE AN ORDER: (C)** 01509 500500

### ERY LOW-NOISE AIR COMPRESSORS





# ONLY 59dB

#### **4 TANK SIZES AVAILABLE**









Innovative, low noise, high-quality - QT Air Direct Drive Compressors are engineered with components to reduce the sound generated when in operation, without compromising on air production efficiency.

Essential for use in environments where sound output is a concern, these low maintenance, oil-free compressors operate at just 59dB.

- · Featuring slow-running, 4-pole brushless induction motors and braided hoses for added durability
- · Fan-cooled, twin cylinder motor and pump for efficient air production
- · Carry handle and wheel-mounted options for outstanding movability in the work area and between locations
- Anti-vibration mounts support low noise operation
- · Pressure switch and air regulator
- · Delivers up to 10bar max. pressure



Item No	00000	U430I	U430Z	04303
MODEL	SIP QT 6ltr OIL-FREE LOW-NOISE COMPRESSOR	SIP QT 24/10 OIL-FREE LOW-NOISE COMPRESSOR	SIP QT 50/10 OIL-FREE LOW-NOISE COMPRESSOR	SIP QT 100/10 OIL-FREE LOW-NOISE COMPRESSOR
INPUT SUPPLY	230v (13A)	230v (13A)	230v (13A)	230v (13A)
MOTOR	0.75HP (0.5kW), 4 POLE, Brushless	1.3HP (1kW), 4 POLE, Brushless	1.3HP (1kW), 4 POLE, Brushless	2x 1.3HP (1kW), 4 POLE, Brushless
AIR RECEIVER	6ltr	24ltr	50ltr	100ltr
PISTON DISPLACEMENT	2CFM	7.3CFM	7.3CFM	14.6CFM
FREE AIR DELIVERY	1.5CFM	5.4CFM	5.4CFM	10.8CFM
MAX. AIR PRESSURE	8bar (116psi)	10bar (145psi)	10bar (145psi)	10bar (145psi)
NOISE LEVEL	59dB(A)	59dB(A)	59dB(A)	59dB(A)
ADDITIONAL FEATURES	TWIN-CYLINDER MOTOR/PUMP UNIT HEAVY-DUTY HANDLE ANTI-VIBRATION RUBBER FEET	TWIN-CYLINDER MOTOR/PUMP UNIT HEAVY-DUTY HANDLE SOLID WHEELS	TWIN-CYLINDER MOTOR/PUMP UNIT HEAVY-DUTY HANDLE SOLID WHEELS	2x TWIN-CYLINDER MOTOR/PUMP UNIT HEAVY-DUTY HANDLE SOLID WHEELS
EX. VAT	£139.99	£199.99	£259.99	£449.99
INC. VAT	£167.99	£239.99	£311.99	£539.99















#### 05313 **SIP QT-AIR BATTERY & MAINS OILLESS COMPRESSOR**

INPUT SUPPLY: 18V - 20V (DC) 230V (13A) MOTOR: 0.67HP (500W) **BATTERY TYPE: 20V 4AH (AI01-00484) BATTERY RUN-TIME: 20MIN (CONTINUOUS) BATTERY CHARGE TIME: 7.5HRS** AIR RECEIVER: 5LTR **PISTON DISPLACEMENT: 2.8CFM FREE AIR DELIVERY: 2.3CFM MAX PRESSURE: 9BAR (130PSI)** 

£299.99 EX.VAT £359.99 INC.VAT **LCD SCREEN** 

**TWIN CYLINDER HALF SPEED FUNCTION** 





PORTABLE ONLY 10.8KG!

# BATTERY & MAINS OPERATION



1x BATTERY & CHARGER INCLUDED





# SIP PROFESSIONAL BELT-DRIVEN SILENCED PISTON AIR COMPRESSORS

SIP silenced compressors are designed to give you powerful performance but with a fraction of the noise, an excellent addition to any workshop where the installation is required close to the workspace.





Item No	06219	05202	04205	04208
MODEL	SIP PB3800/3M/100	SIP PB3800/3M/200	SIP NB5.5/270	SIP NB7.5/270
INPUT SUPPLY	230v (16A)	230v (16A)	400v (20A)	400v (20A)
MOTOR	2.2kW (3hp)	2.2kW (3hp)	4kW (5.5hp)	5.5kW (7.5hp)
AIR RECEIVER SIZE	100ltr	200ltr	270ltr	270ltr
PISTON DISPLACEMENT	14CFM	14CFM	23CFM	30CFM
MAX. PRESSURE	145psi (10bar)	145psi (10bar)	160psi (11bar)	145psi (10bar)
SOUND POWER*	69dB(A)	69dB(A)	64dB(A)	64dB(A)
ADDITIONAL FEATURES	HEAVY-DUTY Twin-cylinder Pump	HEAVY-DUTY TWIN-CYLINDER PUMP	HEAVY-DUTY 2 STAGE PUMP	HEAVY-DUTY 2 STAGE PUMP
EX. VAT	£1299.99	£1499.99	£2599.99	£2799.99
INC. VAT	£1559.99	£1799.99	£3119.99	£3359.99

WALL MOUNTED AIR COMPRESSOR

Low noise wall mounted air compressor that provides a quick and easy solution for a variety of uses around the garage and home workshop.

In a compact, space-saving design the Airhub delivers 8bar of pressure to a 9mtr self-retracting hose reel, whilst the wall-mount bracket offers 180° rotation for added versatility.

Lightweight and easy to install, the AirHub is a convenient, multi-purpose compressed air solution.









**Stapling** Cleaning











**SUPPLIED WITH 5 PIECE AIR KIT** 

**QUICK RELEASE COUPLER** 

**SELF-RETRACTING HOSE** 

**COMPACT DESIGN** 











IDEAL FOR A VARIETY OF USES AROUND THE GARAGE AND HOME WORKSHOP



#### **Suitable for low pressure & low volume applications Compact, durable & lightweight** Tyre inflation/cleaning/nailing-stapling











LIGHTWEIGHT ONLY 9KG

PERFECT FOR HOUSEHOLDS & TRAVELLING



6 piece kit includes: inflating gun, 3 needles (for inflating balls, bicycle tyres and small air mattresses), inflator gun and 3mtr rubber hose













PERFECT FOR LOW PRESSURE & LOW VOLUME APPLICATIONS: INFLATING CAR / BIKE TYRES & DUSTER GUNS

EASY-TO-READ GAUGE & ERGONOMIC DIAL

OIL-FREE CLEAN AIR SUPPLY & MAINTENANCE-FREE

Neat rear power cable storage hooks

QUICK RELEASE COUPLER









COMPACT ULTRA-PORTABLE DESIGN

INTEGRATED FOOTPLATE

SUITABLE FOR LOW PRESSURE AND LOW VOLUME APPLICATIONS - TYRE INFLATION AND NAIL GUNS 110V PERFECT FOR SITE APPLICATIONS

INTEGRATED CONTROL PANEL; EASY-TO-READ GAUGE AND ERGONOMIC PRESSURE REGULATOR

BUILT WITH AN EFFICIENT COOLING SYSTEM; EXTENDED LIFE OF THE COMPRESSOR



230v & 110v options available









Item No	MODEL	INPUT SUPPLY	MOTOR	AIR RECEIVER SIZE	PISTON DISPLACEMENT	MAX. PRESSURE	WEIGHT	ADDITIONAL Features	EX. VAT	INC. VAT
05291	SIP SUPER BOXY	230v (13A)	1.5hp	2ltr	6.4CFM	116psi (8bar)	9kg	OIL-FREE	£164.99	£197.99
05295	SIP 6	230v (13A)	1.5hp	6ltr	6.4CFM	116psi (8bar)	9kg	OIL-FREE	£139.99	£167.99
06254	SIP OL197/10RC	230v (13A)	1.5hp	10ltr	8CFM	145psi (10bar)	11kg	OIL-FREE	£279.99	£335.99
06256	SIP OL197/10RC	110v (16A)	1.5hp	10ltr	8CFM	145psi (10bar)	11kg	OIL-FREE	£279.99	£335.99

#### **Ideal for small garages and** mobile environments

06457

AIRMATE SID



OIL-LUBRICATED

EXTERNAL AIR FILTERS; EASY ACCESS FOR GENERAL MAINTENANCE

\_ \_ 13A 230v

IDEAL FOR GARAGES, WORKSHOPS AND MOBILE ENVIRONMENTS

BUILT WITH AN EFFICIENT COOLING System; extended life of the Compressor

INTEGRATED PRESSURE SWITCH AND PRESSURE REGULATOR; EASY-TO-READ GAUGE AND ERGONOMIC PRESSURE REGULATOR CONTROL QUICK RELEASE COUPLER; EURO-TYPE FITTING

INTEGRATED PRESSURE SWITCH AND PRESSURE REGULATOR; EASY-TO-READ GAUGE AND ERGONOMIC PRESSURE REGULATOR CONTROL QUICK RELEASE COUPLER; EURO-TYPE FITTING



KIT INCLUDES: Gravity-fed spray gun, inflator with pressure gauge, degreasing gun, duster gun, nozzles and 5mtr recoil air hose.

OIL-FREE CLEAN AIR SUPPLY & MAINTENANCE-FREE



06249

DESIGNED FOR SMALL WORKSHOPS AND TRADE APPLICATIONS



OIL-FREE CLEAN AIR SUPPLY & MAINTENANCE-FREE



INTEGRATED TOP-MOUNTED CONTROL PANEL WITH EASY-TO-READ GAUGE

QUICK RELEASE COUPLER; EURO TYPE FITTING



SPACE-SAVING VERTICAL DESIGN







Item No	MODEL	INPUT SUPPLY	MOTOR	AIR RECEIVER SIZE	PISTON DISPLACEMENT	MAX. PRESSURE	NOISE Level	ADDITIONAL Features	EX. VAT	INC. VAT
06457	SIP DD 2HP 24ltr	230v (13A)	2hp	24ltr	8CFM	116psi (8bar)	94.5dB(A)	OIL-LUBRICATED	£119.99	£143.99
06296	SIP 245/25	230v (13A)	2hp	24ltr	8CFM	116psi (8bar)	97dB(A)	OIL-FREE	£179.99	£215.99
06249	SIP V215/25	230v (13A)	1.5hp	24ltr	6.5CFM	116psi (8bar)	97dB(A)	OIL-FREE, VERTICAL	£149.99	£179.99





#### Suitable for trade, workshop, medium-sized garage operators Ideal for mobile environments











Item No	MODEL	INPUT SUPPLY	MOTOR	AIR Receiver Size	PISTON DISPLACEMENT	MAX. Pressure	NOISE Level	ADDITIONAL Features	EX. VAT	INC. VAT
06459	SIP DD 2HP 50ltr	230v (13A)	2hp	50ltr	8CFM	116psi (8bar)	94.5dB(A)	OIL-LUBRICATED	£149.99	£179.99
06243	SIP V245/50	230v (13A)	2hp	50ltr	8CFM	116psi (8bar)	97dB(A)	OIL-FREE	£219.99	£263.99
05325	SIP DDVT 3HP 50ltr V-Twin	230v (13A)	3hp	50ltr	HIGH 14CFM	145psi (10bar)	97dB(A)	OIL-LUBRICATED	£279.99	£335.99
06456	SIP BD 3HP 50ltr	230v (13A)	3hp	50ltr	HIGH 14CFM	145psi (10bar)	96dB(A)	OIL-LUBRICATED BELT-DRIVE	£499.99	£599.99






#### Suitable for trade, workshop, medium-sized garage operators **Ideal for mobile environments**

















Item No	MODEL	INPUT SUPPLY	MOTOR	AIR Receiver Size	PISTON DISPLACEMENT	MAX. Pressure	NOISE LEVEL	ADDITIONAL Features	EX. VAT	INC. VAT
06455	SIP DDVT 3HP 100ltr V-Twin	230v (13A)	3hp	100ltr	13CFM	145psi (10bar)	97dB(A)	OIL-LUBRICATED	£369.99	£443.99
06245	SIP V300/100	230v (13A)	2.5hp	100ltr	10CFM	116psi (8bar)	97dB(A)	OIL-FREE, VERTICAL	£399.99	£479.99
06458	SIP BD 3HP 100ltr	230v (13A)	3hp	100ltr	HIGH 14CFM	145psi (10bar)	96dB(A)	OIL-LUBRICATED	£569.99	£683.99

#### **SIP Advanced Air Compressor Oil**

- Formulated high-quality oil designed specifically for use with our range of air compressors
- SAE40, low carbon forming
- Supplied in 1ltr (02350) and 5ltr (02352) containers



	<b>B</b> 4	7
	V	
02352		SID I

2350
EX.VAT
INC.VAT

Item No: 02	2352
£34.99	EX.VAT
£41.99	INC.VAT





#### Suitable for workshop, industrial & light commercial applications Space-saving design is ideal for when space is at a premium



OVERSIZED CRANKCASE, CAST IRON BARREL & HEAVY-DUTY ALUMINIUM AFTERCOOLER OIL-LUBRICATED Belt-driven

**B2800 PUMP** 

**3HP MOTOR** 





- B2800 pump
- Belt-drive
- Oversized crankcase, cast iron barrel and heavy-duty aluminium aftercooler for prolonged trade use









- Space-saving vertical 'squat tank' design
- NB5 heavy-duty pump
- Belt-drive
- Oversized crankcase, cast iron barrel and heavy-duty aluminium aftercooler for prolonged trade use







Item No MODEL	INPUT Supply	MOTOR	AIR Receiver Size	PISTON DISPLACEMENT	MAX. Pressure	NOISE LEVEL	OVERALL HEIGHT	EX. VAT	INC. VAT
06323 SIP VN3/150-SB	230v (13A)	3hp	150ltr	13CFM	145psi (10bar)	96dB(A)	1460mm	£849.99	£1019.99
06335 SIP VN5.5/150-TB	400v (20A) 3 phase	5.5hp	150ltr	24CFM	145psi (10bar)	97dB(A)	1750mm	£1399.99	£1679.99





#### Suitable for a range of trade and professional applications





#### OIL-LUBRICATED BELT-DRIVEN

- · Cast iron barrel for longer service life
- Oversized crankcase, finned manifolds and durable aluminium aftercooler for prolonged trade use
- · Fitted with air regulator
- · Supplied with 1/2" ball valve
- · Wheel mounted air receiver





EXTRA STRONG MOULDED PLASTIC BELT & FLYWHEEL GUARDS MULTI-FINNED FLYWHEEL FOR IMPROVED COOLING & LONGER PUMP LIFE

UTLRA HEAVY-DUTY B3800B PUMP

#### OIL-LUBRICATED BELT-DRIVEN

- · Ultra heavy-duty B3800B pump
- Cast iron barrel for longer service life
- Oversized crankcase, finned manifolds and durable aluminium aftercooler for prolonged trade use



WHEEL KIT AVAILABLE ITEM: 02068 **SEE BELOW** 







Item No	MODEL	INPUT Supply	MOTOR	AIR Receiver Size	PISTON DISPLACEMENT	MAX. Pressure	NOISE LEVEL	ADDITIONAL Features	EX. VAT	INC. VAT
06476	SIP BD 3HP 150ltr	230v (13A)	3hp	150ltr	HIGH 14CFM	145psi (10bar)	96dB(A)	-	£629.99	£755.99
05300	SIP PX3/150-SRB	230v (16A)	3hp	150ltr	16CFM	145psi (10bar)	97dB(A)	-	£699.99	£839.99



#### **SIP Air Compressor Wheel Kits**

02068 - for 150ltr models 02069 - for 200ltr models Kit includes:

1x pull handle, 2x heavy-duty solid rubber wheels and 2x swivel castors

£83.99	EX.VAT
£100.79	INC.VAT
Item No: 02	069
£89.99	EX.VAT
£107.99	INC.VAT

#### **Anti-Vibration Mounts**

up to 250kg (sold singly)





#### Suitable for a range of trade and professional applications











Item No	MODEL	INPUT Supply	MOTOR	AIR RECEIVER SIZE	PISTON DISPLACEMENT	MAX. Pressure	WEIGHT	ADDITIONAL Features	EX. VAT	INC. VAT
06477	SIP BD 3HP 200ltr	230v (13A)	3hp	200ltr	HIGH 14CFM	145psi (10bar)	84kg	-	£699.99	£839.99
05302	SIP PX3/200-SRB	230v (16A)	3hp	200ltr	HIGH 16CFM	145psi (10bar)	96kg	-	£749.99	£899.99
05308	SIP PX4/200B	230v (18A)	4hp	200ltr	HIGH 18CFM FROM 1 PHASE	145psi (10bar)	96kg	-	£849.99	£1019.99
05311	SIP PX4-3/200B	400v (20A) 3 Phase	4hp	200ltr	HIGH 18CFM	145psi (10bar)	96kg	-	£869.99	£1043.99
06583	SIP TN5.5/200	400v (20A) 3 Phase	5.5hp	200ltr	24CFM	145psi (10bar)	112kg	2 Stage Pump	£1299.99	£1559.99



#### **Designed for industrial and professional applications**







Item	No MODEL	INPUT SUPPLY	MOTOR	AIR RECEIVER SIZE	PISTON DISPLACEMENT	MAX. Pressure	WEIGHT	ADDITIONAL FEATURES	EX. VAT	INC. VAT
0658	5 SIP TN7.5/270	400v (20A) 3 Phase	7.5hp	270ltr	34CFM	145psi (10bar)	168kg	2 Stage Pump	£1599.99	£1919.99
065	SIP TN10/270	400v (20A) 3 Phase	10hp	270ltr	42CFM	145psi (10bar)	201kg	STAR DELTA STARTER	£2499.99	£2999.99
052	SIP B3800/270 Tandem	230v (32A)	2x 3hp	270ltr	HIGH 32CFM FROM 1 PHASE	145psi (10bar)	152.5kg	TWIN PUMPS TWIN MOTORS	£2399.99	£2879.99

#### **Premium compressors for heavy-industrial applications**



06289

06291

06295

LARGE INTERSTAGE COOLERS - COOLER AIR, REDUCED MOISTURE & PUMP TEMPERATURE CONTROL

LONG-STROKE CAST IRON CYLINDERS - SLOWER RUNNING & INCREASED PUMP LIFE

10 YEAR AIR RECEIVER ANTI-CORROSION WARRANTY



OIL-LUBRICATED Belt-driven

HEAVY-DUTY PUMP FOR INDUSTRIAL APPLICATIONS

INDUSTRIAL 3 PHASE MOTORS

ROBUST VALVE PLATE WITH INDIVIDUAL VALVES FOR EFFICIENT PERFORMANCE

SUPPLIED WITH ANTI-VIBRATION MOUNTS

Worth up to £100!







Item No	MODEL	INPUT SUPPLY	MOTOR	AIR RECEIVER SIZE	PISTON DISPLACEMENT	MAX. Pressure	WEIGHT	ADDITIONAL FEATURES	EX. VAT	INC. VAT
06289	SIP ISBD5.5/270	400v (20A) 3 Phase	5.5hp	270ltr	23.5CFM	160psi (11bar)	166kg	-	£1599.99	£1919.99
06291	SIP ISBD7.5/270	400v (20A) 3 Phase	7.5hp	270ltr	31CFM	160psi (11bar)	190kg	-	£1899.99	£2279.99
06295	SIP ISBD10/270	400v (20A) 3 Phase	10hp	270ltr	38CFM	160psi (11bar)	220kg	STAR DELTA STARTER	£2999.99	£3599.99



#### **Premium industrial compressors for heavy-industrial applications**





Item No	MODEL	INPUT Supply	MOTOR	AIR Receiver Size	PISTON DISPLACEMENT	MAX. Pressure	WEIGHT	ADDITIONAL FEATURES	EX. VAT	INC. VAT
06297	SIP ISBD15/500	400v (32A) 3 Phase	15hp	500ltr	61.5CFM	160psi (11bar)	313kg	STAR DELTA STARTER	£3999.99	£4799.99

#### SIP COMPRESSED AIR DRYERS

Reduce moisture from the air supply and extends the life of air tools. Suitable for screw and piston compressors.







Item No	05303	05306	05307
MODEL	SIP PS9	SIP PS11	SIP PS17
INPUT SUPPLY	230v (13A)	230v (13A)	230v (13A)
LTR/MIN	900	1100	1700
FLOW RATE M3/HR	54	66	102
CFM	32	39	60
MAX. PRESSURE	232psi (16bar)	232psi (16bar)	232psi (16bar)
CONNECTION	½" BSP	½" BSP	1" BSP
EX. VAT	£854.99	£875.99	£941.99
INC. VAT	£1025.99	£1051.19	£1130.39







#### **SIP Professional KOHLER Petrol-Powered Industrial Super Air Compressors**

All Kohler petrol-powered air compressors are assembled by SIP in the UK and feature a 10 year anti-corrosion air receiver warranty.

10 YEAR AIR RECEIVER ANTI-CORROSION WARRANTY\*\*







POWE	
ASSEMBLED & TESTED BY SIP IN THE UK	

Item No	MODEL	ENGINE	AIR RECEIVER SIZE	PISTON DISPLACEMENT	MAX. AIR Pressure	FRAME DESIGN	ADDITIONAL FEATURES	EX. VAT	INC. VAT
04328	SIP Industrial Super ISKP7/50	KOHLER 7HP - 207CC	50ltr	16CFM	150psi (10.3bar)	✓	WHEEL KIT	£1099.99	£1319.99
04330	SIP Industrial Super ISKP7/150	KOHLER 7HP - 207CC	150ltr	16CFM	150psi (10.3bar)		-	£1299.99	£1559.99
04331	SIP Industrial Super ISKP7/150ES	KOHLER 7HP - 207CC	150ltr	16CFM	150psi (10.3bar)		ELECTRIC START*	£1449.99	£1739.99

D DDAFFAAIANA	I HANDAM DETDAL	<b>ENGINE BELT-DRIVEN</b>	
O DOUBLESSIIINIA			

#### SIP Professional HONDA Petrol-Powered Industrial Super Air Compressors

All Honda petrol-powered air compressors are assembled by SIP in the UK and feature a 10 year anti-corrosion air receiver warranty.

10 YEAR AIR RECEIVER ANTI-CORROSION WARRANTY\*\*



Honda GP Engines





Item No	MODEL	ENGINE	AIR RECEIVER SIZE	PISTON DISPLACEMENT	MAX. AIR Pressure	FRAME DESIGN	ADDITIONAL Features	EX. VAT	INC. VAT
04644	SIP Industrial Super ISHP6/50	HONDA GP200 - 196CC	50ltr	16CFM	150psi (10.3bar)	✓	WHEEL KIT	£1149.99	£1379.99
04650	SIP Industrial Super ISHP6/150	HONDA GP200 - 196CC	150ltr	16CFM	150psi (10.3bar)		-	£1349.99	£1619.99
04444	SIP Industrial Super ISHP5.5/50	HONDA GX160 - 163CC	50ltr	16CFM	150psi (10.3bar)	<b>✓</b>	WHEEL KIT	£1249.99	£1499.99
04450	SIP Industrial Super ISHP5.5/150	HONDA GX160 - 163CC	150ltr	16CFM	150psi (10.3bar)		-	£1449.99	£1739.99
04451	SIP Industrial Super ISHP5.5/150ES	HONDA GX160 - 163CC	150ltr	16CFM	150psi (10.3bar)		ELECTRIC START*	£1799.99	£2159.99
04459	SIP Industrial Super ISHP11/150	HONDA GX340 - 340CC	150ltr	35CFM	150psi (10.3bar)		-	£2399.99	£2879.99
04465	SIP Industrial Super ISHP11/150ES	HONDA GX340 - 340CC	150ltr	35CFM	150psi (10.3bar)		ELECTRIC START*	£2699.99	£3239.99
04461	SIP Industrial Super ISHP11/200	HONDA GX340 - 340CC	200ltr	35CFM	150psi (10.3bar)		-	£2599.99	£3119.99
04463	SIP Industrial Super ISHP11/200ES	HONDA GX340 - 340CC	200ltr	35CFM	150psi (10,3bar)		ELECTRIC START*	£2849.99	£3419.99



# HIGH QUALITY PREMIUM AIR COMPRESSORS







#### SILVERSTONE RANGE

#### Single Cylinder Oil-Free Compact Air Compressors Direct drive crankshaft via the motor shaft

- · Motors available up to 0.6HP / 0.45kW
- · High-quality pumps with technopolymer piston rings
- Oil-free for long life and low maintenance
- · Forced air cooling; longer run times
- 5ltr receiver
- Stand alone models; suitable for low pressure volume applications
- Integrated adjustable air pressure regulators
- · Lightweight and portable; ideal for air brushing and nebulising applications
- 12 / 24v DC battery power models for tyre inflation
- · Ideal for vehicle applications



www.sip-group.com





Silverstone 0.5HP (no tank)

# ESPRIT RANGE

## "Flat Twin" Cylinder Oil-Free Compact Air Compressors Direct drive crankshaft via the motor shaft

- Motors available up to 0.9HP / 0.65kW
- · High-quality pumps with technopolymer piston rings
- Oil-free for long life and low maintenance
- Forced air cooling; longer run times
- 3, 5, 10 and 15ltr tank options; suitable for low pressure volume applications
- Adjustable air pressure regulators
- Lightweight and portable; ideal for air brushing, nailing / stapling
- Low noise and Super Silenced models; perfect for indoor applications
- 12 / 24v DC options for special vehicle installations





Esprit 12v 0.8HP 3L



Esprit Silenced 0.75HP 2800rpm 5L



Esprit 0.75HP 15L

INPUT MOTOR RECEIVER PISTON F.A.D. MAX. NOISE

<b>,</b>	itom no	INODEL .	"" "	moron	SIZE	DISP. CFM	CFM	PRESSURE	LEVEL	LA. VAI	1110. 1711
	SIL56012	Silverstone 12 Volt 0.6HP 5L	12v DC	0.6hp	5ltr	3.5	2.5	8bar	72dB(A)	£489.99	£587.99
	SIL56021224	Silverstone 12/24 Volt 0.5HP 5L	12v DC	0.5hp	5ltr	2.1	1.5	8bar	74dB(A)	£474.99	£569.99
	31L300Z1ZZ4	Silverstolle 12/24 voit 0.5HP 3L	24v DC	ducin	JIII	4.2	2.9	OUdi	74ub(A)	14/4.99	1009.99
	ESP1550024	Esprit 24v 0.75HP 15L	24v DC	0.75hp	15ltr	7.9	5.5	10bar	62dB(A)	£749.99	£899.99
5	ESP360012	Esprit 12v 0.8HP 3L	12v DC	0.8hp	3ltr	7.9	5.5	10bar	62dB(A)	£774.99	£929.99
	ESP1560012	Esprit 12v 0.8HP 15L	12v DC	0.8hp	15ltr	7.9	5.5	10bar	62dB(A)	£854.99	£1025.99
}	SIL1602	Silverstone 0.5hp (No Tank)	230v	0.5hp	-	3.5	2.45	8bar	72dB(A)	£169.99	£203.99
1	SIL502	Silverstone 0.5HP 5L	230v	0.5hp	5ltr	3.5	2.45	8bar	52dB(A)	£234.99	£281.99
2	ESP3604	Esprit 0.75HP 3L	230v	0.75hp	3ltr	3.7	2.6	10bar	74dB(A)	£399.99	£479.99
	ESP15604	Esprit 0.75HP 15L	230v	0.75hp	15ltr	3.7	2.6	10bar	52dB(A)	£454.99	£545.99
	ESP10604	Esprit 0.75HP 10L (Wheel Mounted Trolley)	230v	0.75hp	10ltr	3.7	2.6	10bar	52dB(A)	£469.99	£563.99
	ESPS5604	Esprit Silenced 0.75HP 1400rpm 5L	230v	0.75hp	5ltr	3.7	2.6	10bar	48dB(A)	£744.99	£893.99

# HIGH QUALITY PREMIUM AIR COMPRESSORS







#### **HOOKAH SNORKELLING EXTREME RANGE**

**BREATHING AIR COMPRESSORS** FOR SNORKELLING TO 15mtrs

"V Twin" Oil-Free Compact High Performance Air Compressors Direct drive crankshaft via the motor shaft

- · 230v AC, 12 / 24v DC models
- · Power options up to 2hp
- · Oil-free for long life and low maintenance pumps
- Forced air cooling; longer run times
- 5 / 7ltr receivers
- · Adjustable air pressure
- · Lightweight and portable, perfect for outdoor use **Standard Configuration**
- · HOOKAH Extreme Compressor
- · 1x Breathing Air Filter
- 1x 17mtr hose with snorkel tube / valve



Sip

STANDARD

SILVER WARRANTY



HOOKAH Snorkelling Extreme 3T 230v Electric Motor-Driven



HOOKAH Snorkelling Extreme 5G Petrol Engine-Driven

#### **EXTREME PORTABLE & EXTREME SILENCED RANGE**

#### "V Twin" Cylinder Oil-Free Compact **High Performance Air Compressors** Direct drive crankshaft via the motor shaft

#### Motors available up to 2HP / 1.5kW

- Oil-free for long life and low maintenance pumps
- Forced air cooling; longer run times
- 5 to 30ltr & 25 or 50ltr (LOW NOISE) receiver options
- · Integrated adjustable air pressure regulators
- Lightweight and portable models
- 12 / 24v DC options for special vehicle installations\*
- · Low noise option; perfect for noise critical situations

\*not on Extreme Silenced option



**Extreme 1.5HP 5L** 



**Extreme 3.0HP 7L Petrol Engine** 







#### **EXTREME WORKSHOP RANGE** INDUSTRIAL AIR COMPRESSORS

#### "V Twin" Cylinder Oil-Free Compact **High Performance Air Compressors**

#### Direct drive crankshaft via the motor shaft

- Single and 3 phase motors available up to 3HP / 2.2kW
- · High-quality 2 and 4 cylinder pumps
- · Oil-free for long life and low maintenance
- 50 and 90ltr receiver options
- Suitable for low / medium volume and low pressure applications
- Adjustable air pressure regulators
- Lightweight and portable models
- · Low noise; perfect for noise critical situations





Extreme 2.0HP 50L



Extreme 2.5HP 90L





Item No	MODEL	INPUT	MOTOR	RECEIVER SIZE	PISTON DISP. CFM	F.A.D. CFM	MAX. PRESSURE	NOISE LEVEL	EX. VAT	INC. VAT
NAR5154	Hookah Snorkelling Extreme 3T 1.5HP	230v	1.5hp	5ltr	8.5	6	10bar	70dB(A)	£829.99	£995.99
NAR5204	Hookah Snorkelling Extreme 3T 2HP 230v	230v	2.0hp	5ltr	12.4	8.7	10bar	71dB(A)	£964.99	£1157.99
NAR780012	Hookah Snorkelling Extreme 3 12v	12v DC	1.1hp	7ltr	8.8	6	10bar	70dB(A)	£1324.99	£1589.99
NAR73070P	Hookah Snorkelling Extreme 5G (70)	24v DC	1.1hp	7ltr	13.4	9.4	10bar	70dB(A)	£1274.99	£1529.99
EXT780024	Extreme 24v 1.1HP 7L	12v DC	1.5hp	30ltr	8.8	6.2	10bar	72dB(A)	£1074.99	£1289.99
EXT100754	Extreme 0.75HP 10L	230v	0.75hp	10ltr	7.0	4.9	10bar	72dB(A)	£579.99	£695.99
EXT5154	Extreme 1.5HP 5L	230v	1.5hp	5ltr	8.5	6.0	10bar	72dB(A)	£509.99	£611.99
EXT50204	Extreme 2.0HP 50L	230v	2.0hp	50ltr	12.4	8.7	10bar	73dB(A)	£779.99	£935.99
EXTS50204	Extreme Silenced 2.0HP 50L	230v	2.0hp	50ltr	12.4	8.7	10bar	67dB(A)	£1209.99	£1451.99
EXT90254	Extreme 2.5HP 90L	230v	2.5hp	90ltr	17.0	11.9	10bar	73dB(A)	£1344.99	£1613.99
EXT90304	Extreme 3.0HP 90L	400v	3.0hp	90ltr	12.2	14.9	10bar	73dB(A)	£1464.99	£1757.99
EXT73060P	Extreme 3.0HP 7L Petrol Engine Driven	Petrol	3.0hp	7ltr	9.5	6.7	10bar	85dB(A)	£1129.99	£1355.99





# HIGH QUALITY PREMIUM AIR COMPRESSORS







## **EXTREME MP MULTI-POWER RANGE**

#### INDUSTRIAL AIR COMPRESSORS

'V Twin' Oil-Free Industrial High **Performance Air Compressors** 

Due to the unique design the MP range of compressors are extremely low maintenance:

- Oil free No oil to check / change
- Direct drive No drive belt to adjust
- Unique air intake Lengthens the life of the air filter element
- Low noise compared with traditional piston compressors, around 25dB reduction (or 25%)

Available in high performing 4, 8 & 12 cylinder models, mounted on 200L, 270L & 500L air receivers.

Supplied with single and 3 phase motors ranging from 2.5HP - 9.0HP.





# **EXCLUSIVE TO SIP\***

ONLY AVAILABLE FROM SIP: **Extreme MP 2.5HP 4 cylinder - 200L** 

Extreme MP 3.0HP 4 cylinder - 200L

Extreme MP 5.0HP 8 cylinder - 200L Tandem Extreme MP 6.0HP 8 cylinder - 200L Tandem

\*only applicable to UK



## **SUPER EXTREME RANGE**

#### INDUSTRIAL AIR COMPRESSORS

#### **'V-Twin' Oil-Free Compact High Performance Air Compressors** Direct drive crankshaft via the motor shaft

- 2.2HP / 1.6kW slow-running 4-pole motors
- · High-quality 2 stage, 2 and 4 cylinder pumps fitted with technopolymer piston rings; oil-free for long life and low maintenance
- · Mid-stage intercooler
- · Unique crankcase air intake particle diffusion; reduced air contamination ensuring longer life of the valve plate
- 18 and 20ltr aluminium receiver options; suitable for low volume and medium pressure (30bar) applications
- Twin colour coded outlets; 10 and 30bar variable
- Lightweight and portable models; ideal for medium flow and pressure applications

Item No	MODEL	INPUT	MOTOR	DRYER	RECEIVER SIZE	PISTON DISP. CFM	F.A.D. CFM	MAX. PRESSURE	NOISE LEVEL	EX. VAT	INC. VAT
SEXT1822430	Super Extreme 2.2HP 2x 9L 30 Bar (Double Pressure)	230v	2.2hp	n/a	9+9ltr	4.6	3.2	30bar	72dB(A)	£1499.99	£1799.99
SEXT2022430	Super Extreme 2.2HP 20L 30 Bar	230v	2.2hp	n/a	20ltr	4.6	3.2	30bar	72dB(A)	£1674.99	£2009.99











#### **INTELLIGENT CONTROL PANEL**

- Bespoke multi-pump control panel; electrical cost-saving, even power distribution across each motor pump configuration
- Service interval indicator; maintain optimum performance and reliability
- Control panel controls up to 3 motor / pump units continually dependant on air requirements; optimises pump usage and energy cost saver
- Individual pump hour meters and timers; microprocessor controlled pump selection for even power distribution, wear and tear



**Extreme MP 9.0HP 12 cylinder 270L with Control Panel** 

Item No	MODEL	INPUT	MOTOR	RECEIVER SIZE	PISTON DISP. CFM	F.A.D. CFM	MAX. PRESSURE	NOISE LEVEL	EX. VAT	INC. VAT
EXTMP20025	Extreme MP 2.5HP 4 cylinder 200L	230v	2.5hp	200ltr	17.0	11.9	10bar	73dB(A)	£1599.99	£1919.99
EXTMP20030	Extreme MP 3.0HP 4 cylinder 200L	400v	3.0hp	200ltr	21.2	14.9	10bar	73dB(A)	£1899.99	£2279.99
EXTMP20050	Extreme MP 5.0HP 8 cylinder 200L Tandem	230v	2x 2.5hp	200ltr	34.0	23.8	10bar	74dB(A)	£2599.99	£3119.99
EXTMP20060	Extreme MP 6.0HP 8 cylinder 200L Tandem	400v	2x 3.0hp	200ltr	42.2	29.8	10bar	74dB(A)	£2799.99	£3359.99
EXTMP27030	Extreme MP 3.0HP 4 cylinder 270L	400v	3.0hp	270ltr	21.2	14.9	10bar	73dB(A)	£2729.99	£3275.99
EXTMP27090CP	Extreme MP 9.0HP 12 cylinder 270L (Tri-Motor Pump & Control Panel)	400v	3x 3.0hp	270ltr	63.6	44.5	10bar	75dB(A)	£6569.99	£7883.99



Super Extreme 2.2HP 2x 9L 30 Bar (SEXT1822430)



Super Extreme 2.2HP 20L 30 Bar (SEXT2022430)





# **NEW RANGE**

#### SIP INDUSTRIAL VSDD ROTARY SCREW AIR COMPRESSORS

SIP'S latest generation of variable speed direct drive compressors are fully configurable with a range of supply, output and receiver tank size options.

These highly efficient compressors offer a greater operating range to meet high-demand air requirements and optimise energy usage.




DIRECT DRIVE TRANSMISSION NEGATES SLIPPAGE FOR GREATER POWER TRANSFER

SILENCED CABINET ENSURES REDUCED NOISE OPERATION

ALL-IN-ONE DESIGN ENSURES SMALLER OVERALL FOOTPRINT

EASY ACCESS CABINET FOR MAINTENANCE & SERVICE





Item No	MODEL	INPUT	MOTOR (IE4)	RECEIVER SIZE	FREE AIR DELIVERY	MAX. WORKING PRESSURE	NOISE LEVEL	EX. VAT	INC. VAT
08254	SIP VSDD 2.2kW 8bar 160ltr	230v (16A)	2.2kW (3hp)	160ltr	9CFM (255ltr/min)	116psi (8bar)	65dB(A)	£2389.99	£2867.99
08250	SIP VSDD 2.2kW 10bar 160ltr	230v (16A)	2.2kW (3hp)	160ltr	8CFM (220ltr/min)	145psi (10bar)	65dB(A)	£2389.99	£2867.99
08255	SIP VSDD 3.0kW 8bar 160ltr	230v (32A)	3kW (4hp)	160ltr	13CFM (380ltr/min)	116psi (8bar)	65dB(A)	£2489.99	£2987.99
08251	SIP VSDD 3.0kW 10bar 160ltr	230v (32A)	3kW (4hp)	160ltr	11CFM (310ltr/min)	145psi (10bar)	65dB(A)	£2489.99	£2987.99
08256	SIP VSDD 4.0kW 8bar 160ltr	230v (32A)	4kW (5hp)	160ltr	19CFM (530ltr/min)	116psi (8bar)	65dB(A)	£2559.99	£3071.99
08252	SIP VSDD 4.0kW 10bar 160ltr	230v (32A)	4kW (5hp)	160ltr	16CFM (450ltr/min)	145psi (10bar)	65dB(A)	£2559.99	£3071.99
08257	SIP VSDD 5.5kW 8bar 160ltr	230v (64A)	5.5kW (7hp)	160ltr	25CFM (720ltr/min)	116psi (8bar)	65dB(A)	£2899.99	£3479.99
08253	SIP VSDD 5.5kW 10bar 160ltr	230v (64A)	5.5kW (7hp)	160ltr	22CFM (630ltr/min)	145psi (10bar)	65dB(A)	£2899.99	£3479.99
08258	SIP VSDD 5.5kW 8bar 200ltr	400v (32A)	5.5kW (7hp)	200ltr	25CFM (720ltr/min)	116psi (8bar)	62dB(A)	£3199.99	£3839.99
08260	SIP VSDD 5.5kW 10bar 200ltr	400v (32A)	5.5kW (7hp)	200ltr	22CFM (630ltr/min)	145psi (10bar)	62dB(A)	£3199.99	£3839.99
08259	SIP VSDD 7.5kW 8bar 200ltr	400v (32A)	7.5kW (10hp)	200ltr	37CFM (1050ltr/min)	116psi (8bar)	62dB(A)	£3289.99	£3947.99
08261	SIP VSDD 7.5kW 10bar 200ltr	400v (32A)	7.5kW (10hp)	200ltr	32CFM (920ltr/min)	145psi (10bar)	62dB(A)	£3289.99	£3947.99
08262	SIP VSDD 11kW 8bar 500ltr	400v (64A)	11kW (15hp)	500ltr	57CFM (1613ltr/min)	116psi (8bar)	62dB(A)	£3919.99	£4703.99
08265	SIP VSDD 11kW 10bar 500ltr	400v (64A)	11kW (15hp)	500ltr	50CFM (1415ltr/min)	145psi (10bar)	62dB(A)	£3919.99	£4703.99
08263	SIP VSDD 15kW 8bar 500ltr	400v (64A)	15kW (20hp)	500ltr	75CFM (2123ltr/min)	116psi (8bar)	62dB(A)	£4389.99	£5267.99
08268	SIP VSDD 15kW 10bar 500ltr	400v (64A)	15kW (20hp)	500ltr	66CFM (1868ltr/min)	145psi (10bar)	62dB(A)	£4389.99	£5267.99
	-								

08264

08271

08269 08280

08266

08272

#### SIP INDUSTRIAL VSDD ROTARY SCREW AIR COMPRESSORS WITH DRYERS

Fitted with refrigerated dryer to reduce air moisture and available with optional particulate and oil filtration system to support guidelines in meeting air quality standard classification 2-4-2 in accordance with ISO 8573-1.



INTEGRATED REFRIGERATED DRYER REDUCES AIR MOISTURE **EASY ACCESS CABINET FOR MAINTENANCE & SERVICE** 

**CONFIGURABLE WITH 200LTR OR 500LTR RECEIVER TANK** 



SIPINDUSTRIAL



Particulate filter  $\leq 1\mu m$  (particle  $\emptyset$ ) Coalescing filter  $\leq 0.01\mu m$  (particle  $\emptyset$ ) Brackets and fixing kit included. For use with SIP VSDD range of Rotary Screw compressors

PRECISION ENGINEERED TWIN PARALLEL ROTARY SCREWS

REAL-TIME DIAGNOSTIC COLOUR DISPLAY INDICATES COMPRESSOR STATUS



08277 08276 08267 08273 08274 08281

.







#### **VARIABLE SPEED MOTOR**



TESTED Spatch	

Item No	MODEL	INPUT	MOTOR (IE4)	RECEIVER SIZE	FREE AIR Delivery	MAX. WORKING PRESSURE	NOISE LEVEL	EX. VAT	INC. VAT
08264	SIP VSDD/RD 7.5kW 8bar 200Ltr with Dryer	400v (32A)	7.5kW (10hp)	200ltr	37CFM (1050ltr/min)	116psi (8bar)	62dB(A)	£4069.99	£4883.99
08271	SIP VSDD/RD 7.5kW 10bar 200Ltr with Dryer	400v (32A)	7.5kW (10hp)	200ltr	32CFM (920ltr/min)	145psi (10bar)	62dB(A)	£4069.99	£4883.99
08269	SIP VSDD/RDF 7.5kW 8bar 200Ltr with Dryer & Filter	400v (32A)	7.5kW (10hp)	200ltr	37CFM (1050ltr/min)	116psi (8bar)	62dB(A)	£4699.99	£5639.99
08280	SIP VSDD/RDF 7.5kW 10bar 200Ltr with Dryer & Filter	400v (32A)	7.5kW (10hp)	200ltr	32CFM (920ltr/min)	145psi (10bar)	62dB(A)	£4699.99	£5639.99
						1			
08266	SIP VSDD/RD 11kW 8bar 500Ltr with Dryer	400v (32A)	11kW (15hp)	500ltr	57CFM (1613ltr/min)	116psi (8bar)	62dB(A)	£4899.99	£5879.99
08272	SIP VSDD/RD 11kW 10bar 500Ltr with Dryer	400v (32A)	11kW (15hp)	500ltr	50CFM (1415ltr/min)	145psi (10bar)	62dB(A)	£4899.99	£5879.99
08277	SIP VSDD/RDF 11kW 8bar 500Ltr with Dryer & Filter	400v (32A)	11kW (15hp)	500ltr	57CFM (1613ltr/min)	116psi (8bar)	62dB(A)	£5499.99	£6599.99
08276	SIP VSDD/RDF 11kW 10bar 500Ltr with Dryer & Filter	400v (32A)	11kW (15hp)	500ltr	50CFM (1415ltr/min)	145psi (10bar)	62dB(A)	£5499.99	£6599.99
08267	SIP VSDD/RD 15kW 8bar 500Ltr with Dryer	400v (64A)	15kW (20hp)	500ltr	75CFM (2123ltr/min)	116psi (8bar)	62dB(A)	£5469.99	£6563.99
08273	SIP VSDD/RD 15kW 10bar 500Ltr with Dryer	400v (64A)	15kW (20hp)	500ltr	66CFM (1868ltr/min)	145psi (10bar)	62dB(A)	£5469.99	£6563.99
08274	SIP VSDD/RDF 15kW 8bar 500Ltr with Dryer & Filter	400v (64A)	15kW (20hp)	500ltr	75CFM (2123ltr/min)	116psi (8bar)	62dB(A)	£5999.99	£7199.99
08281	SIP VSDD/RDF 15kW 10bar 500Ltr with Dryer & Filter	400v (64A)	15kW (20hp)	500ltr	66CFM (1868ltr/min)	145psi (10bar)	62dB(A)	£5999.99	£7199.99



# SIP INDUSTRIAL BELT-DRIVEN ROTARY SCREW AIR COMPRESSORS

SIP rotary screw non-dryer air compressors for industrial and professional applications

**IE3 Premium Efficiency motors for reduced CO2 emissions** 

**ETM II electronic controller** 



SILENCED CABINET ENCLOSURE HELP MAINTAIN THE INTERNAL TEMPERATURE AND REDUCE NOISE LEVELS BELT-DRIVEN TRANSMISSION

HEAVY-DUTY COOLING FAN; MAINTAINS 100% DUTY CYCLE
FRONT & REAR ACCESS PANELS FOR EASY SERVICING AND MAINTENANCE
ITALIAN-MANUFACTURED AIR END DELIVERS HIGH CONSTANT AIR FLOW

ELECTRONIC CONTROL; DIGITAL DISPLAY WITH PRESSURE, HOURS, TEMPERATURE RANGES



Item No	MODEL	INPUT	MOTOR (IE3)	RECEIVER SIZE	FREE AIR Delivery	MAX. WORKING Pressure	NOISE LEVEL	EX. VAT	INC. VAT
05375	SIP RS2.2-10-200BD	230v (16A)	2.2kW (3hp)	200ltr	8.5CFM (240ltr/min)	145psi (8bar)	58dB(A)	£2939.99	£3527.99
05372A	SIP RS4.0-08-200BD	400v (20A)	4kW (5.5hp)	200ltr	20.5CFM (580ltr/min)	116psi (8bar)	60dB(A)	£3339.99	£4007.99
05374	SIP RS4.0-10-200BD	400v (20A)	4kW (5.5hp)	200ltr	17CFM (480ltr/min)	145psi (10bar)	60dB(A)	£3339.99	£4007.99
05376A	SIP RS5.5-08-270BD	400v (20A)	5.5kW (7.5hp)	270ltr	25.4CFM (720ltr/min)	116psi (8bar)	64dB(A)	£3439.99	£4127.99
06201	SIP RS 5.5-10-270BD	400v (20A)	5.5kW (7.5hp)	270ltr	23CFM (650ltr/min)	145psi (10bar)	64dB(A)	£3439.99	£4127.99
06275A	SIP RS08-08-270BD	400v (32A)	7.5kW (10hp)	270ltr	44.1CFM (1,249ltr/min)	116psi (8bar)	68dB(A)	£3999.99	£4799.99
06285	SIP RS08-10-270BD	400v (32A)	7.5kW (10hp)	270ltr	35.3CFM (999ltr/min)	145psi (10bar)	69dB(A)	£3999.99	£4799.99
06387A	SIP RS08-08-500BD	400v (32A)	7.5kW (10hp)	500ltr	44.1CFM (1,249ltr/min)	116psi (8bar)	69dB(A)	£4289.99	£5147.99
06287	SIP RS08-10-500BD	400v (32A)	7.5kW (10hp)	500ltr	35.3CFM (999ltr/min)	145psi (10bar)	68dB(A)	£4289.99	£5147.99
06384A	SIP RS11-08-270BD	400v (40A)	11kW (15hp)	270ltr	58.2CFM (1,648ltr/min)	116psi (8bar)	69dB(A)	£4239.99	£5087.99
06410	SIP RS11-10-270BD	400v (40A)	11kW (15hp)	270ltr	53CFM (1,501ltr/min)	145psi (10bar)	69dB(A)	£4239.99	£5087.99
06302A	SIP RS11-08-500BD	400v (40A)	11kW (15hp)	500ltr	58.2CFM (1,648ltr/min)	116psi (8bar)	69dB(A)	£4519.99	£5423.99
06200	SIP RS11-10-500BD	400v (40A)	11kW (15hp)	500ltr	53CFM (1,501ltr/min)	145psi (10bar)	69dB(A)	£4519.99	£5423.99
06369A	SIP RS15-08-500BD	400v (40A)	15kW (20hp)	500ltr	75.6CFM (2,141ltr/min)	116psi (8bar)	70dB(A)	£4839.99	£5807.99
06269	SIP RS15-10-500BD	400v (40A)	15kW (20hp)	500ltr	65.3CFM (1,841ltr/min)	145psi (10bar)	70dB(A)	£4839.99	£5807.99
06337	SIP RS15-13-500BD	400v (40A)	15kW (20hp)	500ltr	53CFM (1,501ltr/min)	189psi (13bar)	70dB(A)	£5139.99	£6167.99

EX. VAT



#### SIP INDUSTRIAL BELT-DRIVEN **ROTARY SCREW AIR COMPRESSORS WITH DRYERS**

SIP rotary screw air compressors for industrial and professional applications with refrigeration dryers for instant operation

**IE3 Premium Efficiency motors for reduced CO2 emissions** 

**ETM II electronic controller** 

0

SILENCED CABINET ENCLOSURE HELP MAINTAIN THE INTERNAL TEMPERATURE AND REDUCE NOISE LEVELS BELT-DRIVEN TRANSMISSION

INTEGRATED REFRIGERATION DRYER

**HEAVY-DUTY COOLING FAN; MAINTAINS 100% DUTY CYCLE** 

FRONT & REAR ACCESS PANELS FOR EASY SERVICING AND MAINTENANCE

ITALIAN DESIGNED & MANUFACTURED AIR ENDS, THESE ARE THE HEART OF THE MACHINE DELIVERING HIGH CONSTANT AIR FLOW





05378A	SIP RS4.0-08-200BD/RD	400v (20A)	4kW (5.5hp)	200ltr	20.5CFM (580ltr/min)	116psi (8bar)	60dB(A)	£3839.99	£4607.99
06274	SIP RS4.0-10-200BD/RD	400v (20A)	4kW (5.5hp)	200ltr	17CFM (485ltr/min)	145psi (10bar)	60dB(A)	£3839.99	£4607.99
06267A	SIP RS5.5-08-270BD/RD	400v (20A)	5.5kW (7.5hp)	270ltr	25.5CFM (720ltr/min)	116psi (8bar)	64dB(A)	£4319.99	£5183.99
06303	SIP RS5.5-10-270BD/RD	400v (20A)	5.5kW (7.5hp)	270ltr	23CFM (650ltr/min)	145psi (10bar)	64dB(A)	£4319.99	£5183.99
			MOTOR	RECEIVER	FREE AIR	MAX. WORKING	NOISE		
Item No	MODEL	INPUT	(IE3)	SIZE	DELIVERY	PRESSURE	LEVEL	EX. VAT	INC. VAT
06310A	SIP RS08-08-270BD/RD	400v (32A)	7.5kW (10hp)	270ltr	44.1CFM (1,249ltr/min)	116psi (8bar)	68dB(A)	£4929.99	£5915.99
06322	SIP RS08-10-270BD/RD	400v (32A)	7.5kW (10hp)	270ltr	35.3CFM (999ltr/min)	145psi (10bar)	69dB(A)	£4929.99	£5915.99
06412A	SIP RS11-08-270BD/RD	400v (40A)	11kW (15hp)	270ltr	58.2CFM (1,648ltr/min)	116psi (8bar)	69dB(A)	£5139.99	£6167.99
06416	SIP RS11-10-270BD/RD	400v (40A)	11kW (15hp)	270ltr	53CFM (1,501ltr/min)	145psi (10bar)	69dB(A)	£5139.99	£6167.99
06283A	SIP RS08-08-500BD/RD	400v (32A)	7.5kW (10hp)	500ltr	44.1CFM (1,249ltr/min)	116psi (8bar)	68dB(A)	£5139.99	£6167.99
06328	SIP RS08-10-500BD/RD	400v (32A)	7.5kW (10hp)	500ltr	35.3CFM (999ltr/min)	145psi (10bar)	68dB(A)	£5139.99	£6167.99
06430A	SIP RS11-08-500BD/RD	400v (40A)	11kW (15hp)	500ltr	58.2CFM (1,648ltr/min)	116psi (8bar)	69dB(A)	£5439.99	£6527.99
06420	SIP RS11-10-500BD/RD	400v (40A)	11kW (15hp)	500ltr	53CFM (1,501ltr/min)	145psi (10bar)	69dB(A)	£5439.99	£6527.99
06299A	SIP RS15-08-500BD/RD	400v (40A)	15kW (20hp)	500ltr	75.9CFM (2,149ltr/min)	116psi (8bar)	70dB(A)	£5639.99	£6767.99
06263	SIP RS15-10-500BD/RD	400v (40A)	15kW (20hp)	500ltr	65.3CFM (1,849ltr/min)	145psi (10bar)	70dB(A)	£5639.99	£6767.99
06357	SIP RS15-13-500BD/RD	400v (40A)	15kW (20hp)	500ltr	53CFM (1,501ltr/min)	189psi (13bar)	70dB(A)	£6339.99	£7607.99

RECEIVER SIZE



Item No MODEL

# SIP INDUSTRIAL FULL-FEATURE BELT-DRIVEN ROTARY SCREW AIR COMPRESSORS

#### **All-in-one air compressor workstations**

Complete range from 7.5 to 22kW

Integrated compressor, receiver, dryer & filter

High-quality clean air 2-4-2 classification

(in accordance with ISO 8573-1)

**Simple installation & maintenance** 

**Designed for continuous use** 



INTEGRATED DRYERS AND FILTERS
THE SIP ROTARY SCREW
FULL-FEATURE MODELS
FEATURE FULLY INTEGRATED
AIR TREATMENT MODULES,
INCLUDING:-

GENEROUSLY SIZED REFRIGERATOR
AIR DRYERS WITH 3°C DEW POINT
10 MICRON INLET FILTRATION
1 MICRON OUTLET FILTRATION

ALL-IN-ONE SYSTEM WITH COMPACT & MODERN DESIGN WITH EASY ACCESS SERVICING & MAINTENANCE BELT-DRIVEN TRANSMISSION

INTEGRATED AIR SYSTEM PROVIDES BOTH DRY AND CLEAN AIR TO QUALITY STANDARD CLASSIFICATION 2 - 4 - 2, IN ACCORDANCE WITH ISO 8573-1

DRY TANK TECHNOLOGY; CONSTANT FLOW OF AIR, REDUCES CORROSION

ITALIAN DESIGNED & MANUFACTURED AIR ENDS, THESE ARE THE HEART OF THE MACHINE DELIVERING HIGH CONSTANT AIR FLOW

THE AIR END, DRYER, FILTERS, CONTROLLER, AND RECEIVER ARE IN A SINGLE MODULAR UNIT, PROVIDING A SPACE-SAVING SOLUTION

























Item No	MODEL	INPUT	MOTOR (IE3)	RECEIVER SIZE	FREE AIR DELIVERY	NOISE LEVEL*	MAX. WORKING PRESSURE	PARTICULATE FILTER	FEATURES REFRIGERATOR DRYER	OIL FILTER	AIR QUALITY	EX. VAT	INC. VAT
06533	SIP RS7.5-10-270BD/FF	400v (32A)	7.5kW (10hp)	270ltr	35.3 (999ltr/min)	62dB(A)		TILILII	DITTEN	TIETEN		£5499.99	£6599.99
06534	SIP RS11-10-270BD/FF	400v (40A)	11kW (15hp)	270ltr	53 (1500ltr/min)	65dB(A)						£5769.99	£6923.99
06535	SIP RS11-10-500BD/FF	400v (40A)	11kW (15hp)	500ltr	53 (1500ltr/min)	65dB(A)	10bar	10 Micron	3°C (Dew Point)	1 Micron	2 - 4 - 2 ISO 8573-1	£5999.99	£7199.99
06536	SIP RS15-10-500BD/FF	400v (40A)	15kW (20hp)	500ltr	65 (1841ltr/min)	65dB(A)			(bow rount)		100 0070 1	£6179.99	£7415.99
06537	SIP RS22-10-500BD/FF	400v (50A)	22kW (30hp)	500ltr	106 (3002ltr/min)	71dB(A)						£9399.99	£11279.99

<sup>\*</sup> All noise calculations comply with Acoustic Determination ISO 3744:2010



# Rotary Screw with direct transmission system for increased reliability & machine longevity

Designed for continuous use and arduous operating conditions Proven technology - guaranteed high efficiency and constant maintained performance

No power transmission loss - 4% advantage compared to belt-driven transmission









SIP Professional 3/8" Air Hose - 10mtr (1/4" end fittings)

SIP Professional 3/8" Air Hose - 15mtr (1/4" end fittings)

SIP Professional 3/8" Air Hose - 20mtr (1/4" end fittings)

SIP Professional 3/8" Air Hose - 50mtr (1/4" end fittings)

#### **SIP AIR COMPRESSOR ACCESSORIES**



£27.29

£35,99

£45.79

£83.99

£32.75 £43.19

£54.95

£100.79

07435



#### **SIP ELECTRIC CABLE & AIR HOSE REELS**



#### **FLOOR-STANDING DESIGN AIR HOSE REELS**

Item No	07970	07979
MODEL	SIP Air Hose Reel 20	SIP Air Swivel Hose Reel 30
HOSE LENGTH	20mtr	30mtr
HOSE DIAMETER	8mm	8mm
CONNECTION HOSE LENGTH	1.5mtr	2mtr
MAX. PRESSURE	20bar (300psi)	20bar (300psi)
HOSE FITTINGS	Quick Coupler (Euro)	1/4" BSP (male)
WORKING TEMPERATURE	-5°C to 45°C	-5°C to 45°C
ADDITIONAL FEATURES	CARRY HANDLE Through-flow system	FOLDING HANDLE METAL CASING 360° ROTATING BASE
EX. VAT	£39.99	£79.99
INC. VAT	£47.99	£95.99





	TECHNOLOGY	SYSTEM	WALL BRACKET	SYSTEM	WALL BRACKET
Item No	07972	07974	07400	07976	07977
MODEL	SIP Air Hose Reel 12	SIP Air Hose Reel 15	SIP Air Hose Reel 20	SIP Air Hose Reel 30	SIP Air Hose Reel R15
HOSE LENGTH	12mtr	15mtr	20mtr	30mtr	15mtr
INSIDE HOSE DIAMETER	9.3mm (3/8")	9.3mm (3/8")	9.3mm (3/8")	9.3mm (3/8")	9.5mm (3/8")
OUTSIDE HOSE DIAMETER	14.5mm (1/4")	14.5mm (9/16")	14.5mm (9/16")	15.3mm (10/16")	14mm (9/16")
CONNECTION HOSE LENGTH	1mtr	1mtr	2mtr	2mtr	1mtr
MAX. PRESSURE	20bar (300psi)				
HOSE FITTINGS	Air Coupler	Air Coupler	Air Coupler	Air Coupler	1/4" BSP (male)
WORKING TEMPERATURE	-5°C to 45°C				
EX. VAT	£59.99	£89.99	£119.99	£159.99	£119.99
INC. VAT	£71.99	£107.99	£143.99	£191.99	£143.99



# PROFESSIONAL AIR TOOLS STRENGTH & POWER YET LIGHTWEIGHT

#### SIP 1/2" Air Impact Wrench - Twin Hammer

- 610Nm (450ft/lbs) average working torque
- 7500rpm speed
- Twin hammer for more power and smooth balanced blows
- 3 forward / 1 reverse torque settings
- Warm touch handle
- Excellent power-to-weight ratio
- 6.5CFM average air consumption



#### SIP 3/4" Air Impact Wrench - Twin Hammer

- 1356Nm (1000ft/lbs) average working torque
- Twin hammer for more power and smooth balanced blows
- 3 forward / 1 reverse torque settings
- Warm touch handle
- Excellent power-to-weight ratio
- 9.5CFM average air consumption
- 90psi (6bar) operating pressure



Item No: 07202

£179.99 FX.VAT £215.99

LIGHTWEIGHT

WARM-TOUCH HANDLE

#### SIP 1" Air Impact Wrench Extended Anvil

- 2180Nm (1602ft/lbs) working torque 4200rpm working speed
- · Built-in adjustable speed regulator
- 15CFM av. air consumption
- ½" BSP air inlet

£249.99 EX.VAT £299.99



#### SIP 1/2" Air Impact **Wrench Kit**

- Comprehensive
- 17-piece kit
- 312Nm (23ft/lbs) working torque
- 4.5CFM average air consumption
- 8500rpm max. speed capacity 10 chrome vanadium 1/2"sockets:
- 9, 10, 11, 13, 14, 17, 19, 22, 24 & 27mm

£55.99 EX.VAT £67.19

- 3" extension
- Supplied in blow-moulded carry/storage case



#### **SIP 73 Piece Air Tool Kit**

- · 1/2" Air Impact Wrench; 230ft/lbs working torque 8x ½" sockets
- 3" wrench drive extension
- %" Reversible Ratchet; 50ft/lbs working torque %" and ½" drive socket adaptor: 4x sockets 3/8" screwdriver + 10 screw bits
- Air Die Grinder; 22,000rpm and 10 grinding stones
- 150mm Air Hammer; 4500 blows per/min 4x chisels
- Air blow gun; 5x nozzles, 4x bayonets
- Pressure gauge; hex key; PTFE tape
- 1/4" air line coupler and jubilee clip

Item No: 07197				
£179.99	EX.VAT			
£215.99	INCVAT			



TBAD OBSESSION View it in Action at...



#### SIP 1/4" Air Die Grinder

- Compact, lightweight design, high velocity, low vibration grinder
- 22,000rpm speed
- Rubber-coated lightweight aluminium body
- · Safety lever prevents accidental starts
- Rear exhaust directs exhaust away from work



Item No: 06713		
Т		



#### **SIP Air Body Saw**

- Ideal for bodyshop repair
- 10,000spm
- Anti-vibration cover 6CFM av. air consumption
- 1/4" BSP air inlet
- Cutting capacity: 1.2mm 16 gauge (steel) / 1.6mm 14 gauge



#### **SIP Air Nibbler**

- · 3500spm speed
- 18 gauge (1.2mm) mild steel cutting capacity
- · 6CFM average air consumption



#### SIP 6" Air Dual Action Sander

- · Random orbit for swirl-free finish · 10,000rpm working speed
- 6" backing pad included 4CFM av. air consumption





#### SIP 1/2" Reversible Air Ratchet

- 45ft/lbs (61Nm) working torque 150rpm no-load speed
- 5CFM average air consumption ¼" BSP air inlet
- Ball and needle bearing for long service life
- · Easy speed control

#### **SIP Air Belt Sander**

- 18000rpm no load speed 4CFM average air consumption
- 10 x 330mm belt sander with lever throttle control
- Ideal for a variety of materials including steel, aluminium & plastic
- Adjustable arm with quick belt tensioning lever
- 1/4" BSP air inlet
- 90psi (6bar) operating



#### SIP 6" Air Palm Sander

- Designed for one-handed operation 10,000rpm working speed
- 6" backing pad included 2.8CFM av. air consumption
- 90psi (6.3bar) operating pressure
- · ¼" BSP air inlet

#### SIP 4" Air Angle Grinder

- · Ideal for clearing, smoothing welds and castings
- · 4" disc diameter 10000rpm no-load speed • 6CFM av. air consumption • 1/4" BSP air inlet
- · 90psi (6bar) operating pressure

#### **SIP Pistol Grip Air Needle Scaler**

- · Ideal for removal of rust and paint
- 4500blows/min
- · Pistol grip with rubber handle
- 2.8CFM av. air consumption
- 1/4" BSP air inlet
- 90psi (6.3bar) operating pressure







#### **SIP Sandblast Cabinet**

- · Convenient table top design
- 230v (13A) supply
- 7CFM av. air consumption
- One piece seamless construction
- Quick and efficient sandblasting, quickly removes rust, paint and other unwanted debris from metal or wood surfaces
- Automatic air shut-off







TO PLACE AN ORDER: 
Www.sip-group.com



- General purpose gravity-fed spray gun with 1.5mm nozzle
- · 0.40litre paint capacity
- 4.5 6bar (65 87psi) operating pressure
- 1/4" BSP air inlet
- 6.5CFM average air consumption
- · Not suitable for water-based paint





- Professional suction-fed spray gun
- · 1ltr paint capacity
- 2.5 3.5bar (36 50psi) operating pressure
- · ¼" BSP air inlet
- · 14.7CFM av. air consumption





#### **SIP COBALT Spray Gun**

- Professional gravity-fed spray gun with 1.4mm nozzle
- · 0.75ltr paint capacity
- 3 4bar (43.5 58psi) operating pressure • 1/4" BSP air inlet
- · 7CFM av. air consumption



**Spray Gun** 

0.6ltr paint capacity

3 - 4bar (43.5 - 58psi) operating pressure

6.4CFM av. air consumption

1/4" BSP air inlet

£37.99

£45.59

SIP SAPPHIRE HVLP

Professional gravity-fed spray gun with 1.4mm nozzle





Item No: 02132 £32.69 EX.VAT



#### **SIP 5 Piece Air Kit**

- 1.5mm suction spray gun with adjustable fluid/air control
- Inflating gun with rubber-protected gauge and rubber hose
- Degreaser with 1ltr easy clean fluid pot capacity
- Pistol-type duster

£29,99

£35.99

5m kink-resistant hose 1/4" female connectors



**SIP 100mm Air Duster Gun** SIP 300mm Air Duster Gun







02147

#### **SIP Air Duster Gun**

FX VAT

- · A lightweight, general purpose gun for cleaning of dust, swarf, water
- Polished gun body with aluminium pot 50mm nozzle
- Recommended pressure 29 87psi (2 6bar)



#### **SIP Air Brush Set**

- · 0.8mm nozzle · 20ml paint jar capacity
- 15 50psi operating pressure 1.5mtr hose length with
- adaptor 5mm male air inlet
- 2x paint iars included
- Supplied with storage





#### **SIP Trade Engine Cleaning Gun**

- General purpose engine cleaning gun for cleaning, degreasing or
- Large 950ml container Recommended pressure 29 87psi (2 4bar)



#### SIP Air Caulking Gun

Designed to give fast and even application of sealants and glues, with a release valve giving complete control.

- Takes standard 11oz cartridge (215 x 50mm)
- 6CFM min. air pressure



#### **SIP Professional Calibrated** Tvre Inflator

- Gauge calibration specification UNI EN 12645
- WIKA gauge reading bar/psi



#### **SIP Tyre Inflator**



#### SIP Maxi-Flate Tyre Inflator

- Professional inflating gun
  - WIKA gauge reading bar/psi
- 1mtr heavy-duty hose ¼" BSP air inlet Shock-resistant dial rubber casing





£79.99 EX.VAT

106

**TO PLACE AN ORDER: (C)** 01509 500500





CRANE FOLDS FOR EASY & CONVENIENT STORAGE

90MM HEIGHT LOW-PROFILE LEG DESIGN; FOR EASY POSITIONING UNDER **LOW VEHICLES** 

#### **1 Ton Folding Engine Crane**

- 1 Ton maximum capacity
- Heavy gauge, square tube steel
   2-speed hydraulic pump with chrome-plated ram
- · Dead man's controls
- · Fine adjustment lowering handle
- Nylon wheels avoid floor damage
- · Unique supporting baseplate wheels
- Arm has 3 pre-set positions: 1,000kg / 750kg / 500kg
- · Hook with bearing
- · WINNTEC 3 Year warranty

#### **Engine Leveller**

- 550kg max. weight capacity
- · Suitable for all Winntec cranes
- · Durable drop-forged steel frame · Reliable long-lasting performance
- · Full adjustment via threaded rod
- · 2x 100cm heat-treated chains

· WINNTEC 3 Year warranty

No: 09807 (Y440105) £66.99 EX.VAT £80.39





#### **12 Ton Trolley Jack Stands**

EX.VAT

- 12 Ton lifting capacity 302 450mm lifting height
- 22cm square base for added stability Wheel-mounted for easy movement
- · Pin-type support column adjusts to five different
- height positions
- · Supplied in pairs

£599.99

· WINNTEC 3 Year warranty







#### 12 Ton High-Reach **Trolley Jack Stand**

· Supplied in singles

 Pin-type support column
 Multi-angle handle socket and wheels for easy positioning under vehicles

· Adjusts to multiple heights

· Lift height range: 601 - 971mm



No: 09704 (Y451206)				
£249.99	EX.VAT			
£299 99	INCVAT			

#### **Air Hydraulic Pump**

- 700bar (10,000psi) capacity
- 6 10bar working pressure
- 1600cc effective working oil capacity
- Aluminium hydraulic pump housing
- · Suitable for rams, presses, hydraulics
- · Air exhaust muffler · WINNTEC 3 Year warranty



· Integrated internal release valve

Two-stage release mechanism

- 1/4" air inlet and 3/8" air outlet

£399.99 EX.VAT £479.99



#### Hose Assembly for 09831

· Ultra-strong all metal connectors



No: 09	877 (Y	478205)
£83	3.99	EX.VAT
£10	0.79	INC.VAT














Item No	09804 (Y411350)	09701 (Y420250)	09702 (Y420330)	09706 (Y420333)
MODEL	1.35 Ton Aluminium Racing Trolley Jack Nylon Wheels	2 Ton Low-Profile Turbo-Lift Trolley Jack PU Wheels	3 Ton Turbo-Lift Trolley Jack PU Wheels	3 Ton Low-Profile Turbo-Lift Trolley Jack PU Wheels
LIFTING HEIGHT	80 - 375mm	75 - 510mm	120 - 450mm	76 - 503mm
WEIGHT	10.7kg	32kg	32kg	37.5kg
USAGE		-	<b></b>	<b>~</b>
ADDITIONAL Features	ALL-ALUMINIUM CONSTRUCTION UNIVERSAL JOINT SINGLE PUMP SYSTEM CHROME-PLATED PUMP PISTON 100MM RUBBER SADDLE PAD SIDE CARRY HANDLE NON-MARKING NYLON WHEELS WINNTEC 3 YEAR WARRANTY	ULTRA-LOW-PROFILE DESIGN UNIQUE WINNTEC 'TURBO-LIFT' SYSTEM UNIVERSAL JOINT RELEASE MECHANISM DUAL-PUMP PISTONS POLYURETHANE WHEELS CHROME-PLATED MAIN RAM WINNTEC 3 YEAR WARRANTY	UNIQUE WINNTEC 'TURBO-LIFT' SYSTEM UNIVERSAL JOINT RELEASE MECHANISM DUAL-PUMP PISTONS POLYURETHANE WHEELS CHROME-PLATED MAIN RAM WINNTEC 3 YEAR WARRANTY	ULTRA-LOW-PROFILE DESIGN UNIQUE WINNTEC 'TURBO-LIFT' SYSTEM 2-SPEED (FAST & SLOW) CONTROLLED DESCENT DUAL-PUMP PISTONS POLYURETHANE WHEELS CHROME-PLATED MAIN RAM WINNTEC 3 YEAR WARRANTY

£199.99

£239.99

£199.99

£239.99

ULTRA-LOW-PROFILE DESIGN
INTEGRATED AUTO-LOCK STAND
SYSTEM LOCKS-IN @ 390MM
FOR ULTIMATE OPERATOR
SAFETY AND CONTROL

09705 (Y420222)

2 Ton Low-Profile

Turbo-Lift Trolley Jack with Integrated Stand System 75 - 500mm 375kg

UNIQUE WINNTEC
'TURBO-LIFT' SYSTEM
2-SPEED (FAST & SLOW)
CONTROLLED DESCENT
DUAL-PUMP PISTONS
POLYURETHANE WHEELS
CHROME-PLATED MAIN RAM
WINNTEC 3 YEAR WARRANTY

**£299.99** £359.99

£249.99

£299.99

All Winntec products come with a 3 year manufacturer's warranty as standard.

£199.99









- Foot-operated pump for efficient lifting
- Swivel castors for easy movement . WINNTEC 3 Year warranty
- · Automatic overload safety valve
- · Universal joint release valve



· Steel wheels

· Integrated load control knob

Item No	09885 (Y420500)	09886 (Y421000)
MODEL	5 Ton Chassis Jack	10 Ton Chassis Jack
LIFTING HEIGHT	150 - 680mm	160 - 680mm
WEIGHT	90kg	134kg
USAGE	<b>1</b>	<b>□</b>
EX. VAT	£699.99	£999.99
INC. VAT	£839.99	£1199.99

#### **Automotive & Commercial Vehicle Bottle Jacks**

Can be used horizontally and vertically Solid chrome pump linkage Overload protection Polished main ram Cast iron bases WINNTEC 3 Year



warranty









#### 20 Ton Air Bottle Jack

- 20 Ton weight capacity
- 245mm min. jack height
- 470mm max. jack height
- · 225mm lifting height range 80mm adjustable height
- Aluminium air motor
- Integrated manual pump
- Polished main ram
- · WINNTEC 3 Year warranty





#### 20 Ton Low-Profile Air Bottle Jack

- · 20 Ton weight capacity
- 148mm min. jack height
- 260mm max. jack height
- 112mm lifting height range · 45mm adjustable height
- · Aluminium air motor Integrated manual pump
- Polished main ram
- · WINNTEC 3 Year warranty



#### 20 Ton Wheel-Mounted **Air Bottle Jack**

- · 20 Ton weight capacity
- · 253mm minimum jack height
- · 480mm maximum jack height
- · 227mm lifting height range · 80mm adjustable height
- · Integrated manual pur
- · Aluminium air motor · Polished main ram Trolley design
  - WINNTEC 3 Year
  - warranty







#### 24 Ton **Air Service Jack**

- 24 Ton max. weight capacity
- 141mm to 441mm lifting height range
- · 3 extensions; 20mm, 50mm, and 100mm
- 1-stage heavy-duty hydraulic lifting system
- Hydraulically-assisted components allow the jack to ascend/descend with air
- Built-in dead-man controls
- Heavy-duty hard chromed piston and ram
- WINNTEC 3 Year warranty







#### 32/16 Ton Telescopic **Air Service Jack**

- 32 / 16 Ton max. weight capacity
- 150mm to 289mm lifting height range
- 2 extensions supplied; 45mm and 100mm
- Dual-stage telescopic hydraulic lifting system · Hydraulically-assisted components allow the jack to ascend/descend with air
- Built-in dead-man controls
- · Heavy-duty hard chromed piston and ram
- · Optional 260mm extension sold separately
- · WINNTEC 3 Year warranty



£1049.99 EX.VAT





Item No	TROLLEY JACK ACCESSORIES	EX. VAT	INC. VAT
HY01-00456	Replacement Saddle Pad (For 09804)	£16.39	£19.67
HY01-00472	Replacement Saddle Pad (For 09706, 09701)	£23.99	£28.79
HY01-00460	Replacement Saddle Pad (For 09816)	£21.79	£26.15
HY03-00005	Replacement Steel Wheel Set (For 09706, 09701)	£49.99	£59.99












#### **Smart Tyre & Wheel Cart**

- · High-quality construction
- · Patented tilting system
- · Push-Slide secure locking
- · Non-marking durable wheels with industrial bearings
- · Powder-coated steel frame
- · Weighs only 20kg
- Supports 14" to 20" wheels
- Extender kit available
- WINNTEC 3 Year warranty









#### **Hydraulic Truck Wheel Dolly**

- 150kg weight capacity 680mm dolly frame width
- 470mm dolly frame depth 280mm dolly frame height
- Carry handle and belt Compact hydraulic unit for positioning
- Shock-absorbing castors Frame allows for short working distance
- Ergonomic design Ideal for emergency road assistance work
- Lightweight and portableWINNTEC 3 Year warranty







#### 10 Ton Body Repair Kit

- For autobody repair work up to 10 Ton
- 4 extension tubes; 100 / 150 / 300 / 400mm
- 1-speed hand pump; cylinder with 150mm stroke
- Hose, ram flat base, and spreader bits included
- Tube coupling, ram toe, serrated saddle, flex head, plunger toe, 90° wedge head components supplied
- Cast attachments and snap-together pipework for further compatibility with other leading brands
- · Heavy-duty chromed ram and pistons
- Supplied in a heavy-duty storage case



PLEASE NOTE: Ton weights = U.S. Ton

#### **Manual Wheel Dolly**

- · Heavy-duty industrial wheel dolly
- Capable of moving up to 220kg
- · Fast & efficient way to remove wheels
- Ergonomics reduce strain and prevent injury
   Extended rollers are ideal for wide
- base tyres
- · Rollers can have 3 positions for different wheels
- Rubber wheels with unique steel core
- Industrial bearings, Japanese origin

- · WINNTEC 3 Year warranty









**LOW-PROFILE DESIGN** 

**SIP 3 Ton 'Low-Profile' Trolley Jack** · Dual piston pump increased efficiency and durability

Heavy-duty steel construction for added reliability

70 - 508mm lifting height

 Extra-large saddle with rubber pad 2-piece handle with rubber grip

Heavy-duty wheels and castors

Safety bypass system prevents the jack from overloading





#### SIP 5 & 10 Ton Long Floor Jacks

- 'Quick-Lift' pedal gives rapid initial saddle lift to vehicle contact point
- Extra-long handle for easy access under large vehicles
- Rear toe plate for easy positioning
- Release knob
- · Handle lock · Extra-large saddle
- diameter
- · Large diamete wheels



Item No	03642	03647
MODEL	SIP 5 Ton Floor Jack	SIP 10 Ton Floor Jack
LIFTING CAPACITY	5 Ton	10 Ton
LIFTING HEIGHT	150 - 560mm	160 - 560mm
SADDLE DIAMETER	130mm	150mm
EX. VAT	£619.99	£819.99
INC. VAT	£743.99	£983.99

#### SIP **Transmission Adaptor**

- Fully adjustable gearbox support with forward, backward and side-to-side tilt
- For use with: 03871 & 03690 Transmission Jacks



Item No: 03869				
£69.99	EX.VAT			
£83.99	INC.VAT			

#### **SIP 22 Ton Pneumatic** Floor Jack

- · 22 Ton maximum weight capacity
- · 230 555mm lift height range · 115mm screw extension is included
- 9.5CFM maximum air consumption
- 7 to 10bar working air pressure
- · Non-marking durable rubber wheels
- · Compact and low-profile jack design
- Air-line hook and air control valve
- Handle lock and release control Solid and durable construction





# **SIP 1 Ton Heavy-Duty Transmission Jack with Adaptor**

#### · Heavy-duty base

- · 1258 2145mm lifting height
- · Spring-loaded release valve







#### **SIP 500KG Transmission Jack**

- 1175 1995mm lifting height
- · Heavy-duty hydraulic cylinder
- · Oversized foot pedal for easy lifting
- Knurled air release valve



#### SIP 500KG 'Quick-Lift' Heavy-Duty **Transmission Jack**

- Quick-Lift feature single stroke foot pedal quickly raises cradle to the transmission lifting point
- Heavy-duty base · 1250 - 2040mm lifting height
- Spring-loaded release valve Heavy-duty wheels





Item No	03667	03656	03658	03660
MODEL	SIP 4 Ton Bottle Jack	SIP 8 Ton Bottle Jack	SIP 12 Ton Bottle Jack	SIP 20 Ton Bottle Jack
LIFTING HEIGHT	183 - 354mm	205 - 400mm	210 - 415mm	242 - 470mm
SCREW EXTENSION	60mm	60mm	60mm	60mm
WEIGHT	3.2kg	5.4kg	7.2kg	11kg
EX. VAT	£24.99	£35.99	£44.99	£69.99
INC. VAT	£29.99	£43.19	£53.99	£83.99

#### SIP 3 Ton & 6 Ton Jack Stands

- Lifting height 3 Ton: 310 450mm / 6 Ton: 395 605mm
- · Ratchet action for quick adjustment
- · Large feet to spread load

**SIP 24 Litre** 

**Air Receiver** 

compressed air

£79.99

£95.99

EX.VAT

A convenient and portable supply of

Ideal for when it is not possible to

use an air compressor - just load the receiver and take it with you



#### SIP 6 Ton, 1 Metre Axle Stands

- · Lifting height: 540 935mm
- Supplied in pairs
- Pin-type support column



#### £407.99

- SIP 20 Gallon (90Ltr) Parts Washer · 25w (230v) motor · Self-latching lid with fusible link for safety
- · Flexible metal nozzle for precise solvent coverage & filter included



#### **SIP Parts** Washer **Solvent** 10ltr

· Ideal for use with SIP Parts Washer

#### **SIP Car Creeper**

**SIP Sandblast Cabinet** 

Convenient table top design

230v (13A) supply 7CFM av. air consumption One piece seamless construction Quick and efficient sandblasting, quickly removes rust, paint and other unwanted debris from metal or wood surfaces Automatic air shut-off

- Durable oil-resistant vinyl cover
- · Solid rectangular frame for added strength
- · Fully padded back and adjustable angle head rest
- 6 heavy-duty swivel castors for optimum manoeuvrability

£129.99

EX.VAT

\_ \_

13A 230v

**SIP Universal Utility** 

Designed to support components when working under a vehicle

· Fold-up pedal for easier storage Slim design ideal for working in tight

**Support Stand** 

spaces · Capacity: 680kg

· Min height: 1365mm · Max height: 2015mm

£129.99

FX.VAT

· Weight: 17.5kg







#### TBAD OBSESSION View it in Action at... www.youtube.com/user/badobsessionmsport



#### **SIP 12 Ton Hydraulic Pipe Bender**

- Floor-standing pipe bender with heavy-duty steel chassis
- High-quality 12 Ton hydraulic ram
- Suitable for bending pipe from Ø ½" up to Ø 2"
- Supplied with six formers for added versatility
- Former sizes ½", ¾", 1", 1¼",
- · External return springs

£159.99 EX.VAT

£191.99



SIP 750lbs **Engine Stand** 

- Professional heavy-duty engine stand
- 750lbs capacity
- 360° rotating head to allow access to all parts of the engine
- Fully adjustable
- mounting arms
- · 1x heavy-duty castor and 2x wheels for ease of movement



#### **SIP Advanced Hydraulic Oil**



£7.99 360° ROTATING HEAD f959

#### **SIP 10 Ton Auto Body Repair Kit**

- · Comprehensive kit specifically designed for auto body straightening and alignment
- · 700bar pump working pressure
- · 520mm max. ram length
- · Polished hydraulic ram and cylinder to reduce abrasion
- Built-in safety valve















£299.99 EX.VAT



#### **Engine Leveller**

PERFECT

- · Ideal for car, van, truck and marine engines/ gearboxes up to 680kg
- · Fine screw adjustment levels off centre loads quickly & easily
- Chains supplied
- · Can be used with most cranes





**SIP 1 Tonne Chain Block** (for 03849) Chain block assembly with manual chain lift

· Safe working load - 1 Tonne

Item No: 03849

£599.99 EX.VAT

£719.99

- Head room- 317mm Load chain diameter: 6mm
- Max. hook capacity Ø: 40mm

· Weight: 12kg



(for 03849) Sturdy manual 'push-pull beam trolley. Suitable for "I" section and RSJ beams.

SIP 1 Tonne Beam Trolley

- 4x heavy-duty bearing mounted wheels
- Fitted with wheel guards
- Capacity: 1 Tonne
- Min. "I" beam width: 64mm Max. "I" beam width: 140mm
- · Weight: 13kg





TO PLACE AN ORDER: (III) WWW.Sip-group.com

#### SIP SHOP PRESSES

# SIP BENCH AND FLOOR SHOP PRESSES

Ideal for removal or installation of bearings, universal joints, pulleys, wrist pins and various other press jobs.

03650

Perfect for bending, bonding and straightening.

- Rugged steel frames
- Adjustable workbeds
- Glycerine-filled manometers







					ASSEMBLED	ASSEMBLED	ASSEMBLED
Item No	03650	03651	03689	03695	03691	03696	03686
MODEL	SIP 10 Ton Bench Press	SIP 12 Ton Shop Press	SIP 20 Ton Shop Press	SIP 30 Ton Shop Press	SIP 45 Ton Shop Press	SIP 75 Ton Shop Press	SIP 100 Ton Shop Press
CAPACITY	10 TON	12 TON	20 TON	30 TON	45 TON	75 TON	100 TON
RAM STROKE	180mm	180mm	185mm	150mm	190mm	250mm	300mm
WORK RANGE	0 - 340mm	0 - 918mm	29.5 - 989.5mm	151 - 1031mm	159 - 859mm	160 - 880mm	93 - 993mm
PRESS TYPE	Bench	Floor	Floor	Floor	Floor	Floor	Floor
OPERATION	Manual	Manual	Manual	Pneumatically-assisted	Pneumatically-assisted	Pneumatically-assisted	Pneumatically-assisted
EX. VAT	£299.99	£399.99	£549.99	£1299.99	£1999.99	£3599.99	£4999.99
INC. VAT	£359.99	£479.99	£659.99	£1559.99	£2399.99	£4319.99	£5999.99





## **SIP 100 TON Shop Press**

Heavy-duty 100 ton capacity for industrial applications.

Ideal for bending thicker materials and assembling & pressing larger machinery components.

Foot-operated press to free both hands for precise workpiece positioning.

#### **HIGH CAPACITY FORCE**



# SIP Hydraulic Spring Compressor

Designed with a compact but heavy-duty frame for garages and workshops where floor space is limited.

In comparison to manual compressors, this compressor offers higher efficiency and simpler, safer use thanks to fast one-man operation.

- 1000kg (2204lb) capacity
- 480mm max. working length
- 325mm ram travel
- Use with 4" (101mm) 10" (254mm) spring size

1000KG CAPACITY

4" - 10" SPRING SIZE

**£209.99** EXWAT £251.99 INC.VAT

#### SIP Professional Heavy-Duty Air-Operated Coil Spring Compressor

- 2400kg maximum compression
- 5 10bar twin pneumatic rams
- Safety cage inter-lock switch for maximum safety
- Patented coil spring claw designs
- Movable foot plate for positioning
- Retention cable for holding spring
- Steel carabiners for locking cable
- Ideal for cars, SUVs and vans



SUITABLE FOR LARGER SPRINGS ARS, SUVs & VANS ETC.

PATENTED DESIGN









#### SIP Professional Coil Spring Compressor Universal Top Plate

No need for multiple claws or clamps for different vehicles. With this attachment you can compress almost any coil spring!

Optional for use with 03661





#### SIP INVERTER INDUCTION HEATERS

 $Perfect for \ releasing \ seized \ fixings, \ components \ and \ parts \ from \ vehicles. \ Also \ suitable \ for \ a \ variety \ of \ manufacturing \ and \ heavy-duty \ processes.$ 

Easy to control and highly efficient, our new range safely reaches temperatures of up to 1000°C in 30 seconds and offer greater levels of safety compared to oxy-acetylene methods.

Features including liquid cooled induction cable and torch maximise product life and ensure user safety.



Item No	01156	01157	01158
MODEL	SIP 1500W INDUCTION HEATER KIT	SIP 3700W INDUCTION HEATER	SIP 10000W Induction Heater
INPUT SUPPLY	230v (13A)	230v (16A)	400v 3-Phase
INDUCTION POWER	1.5kW	3.7kW	10kW
POWER STEPS	Fixed	Infinitely Variable	Multi-level
HEAT RANGE	800°C (maximum)	1000°C (maximum)	1000°C (maximum)
INDUCTION CABLE LENGTH	850mm	2mtr	5mtr
POWER CABLE LENGTH	3mtr	3mtr	5mtr
COOLING SYSTEM	Fan Cooled Torch	Liquid Cooled Torch, Induction Cable & Inverter Unit	Liquid Cooled Torch & Induction Cable
COOLANT TANK CAPACITY	n/a	2.5ltr	10ltr
INVERTER VENTILATION	Cooling Fan	Twin Cooling Fans	Six Cooling Fans
EX. VAT	£649.99	£2499.99	£6299.99
INC. VAT	£779 99	£2999 99	£7559 99

#### SIP INDUCTION HEATER CONSUMABLES















FX.VAT

EX.VAT

INTERCHANGEABLE COILS AND PADS

H102-00931	H102-00339				птод	-00942
Item No	FOR ITEM: 01156 (1500w)			EX	. VAT	INC. VAT
HY02-00931	Induction Flexi Coil - 800mm			£34	.99	£41.99
HY02-00936	Induction Coil Straight - 19/220mm			£21	.99	£26.39
HY02-00939	Induction Coil Straight - 26/220mm			£24	.99	£29.99
HY02-00942	Induction Coil Straight - 45/220mm			£25	.99	£31.19

Item No	FOR ITEM: 01157 (3700w)	EX. VAT	INC. VAT
HY02-00943	Pad Coil Holder Extender	£66.99	£80.39
HY02-00944	Pad Coil Inclined	£279.99	£335.99
HY02-00945	Pad Coil Flat	£279.99	£335.99



#### **SIP 80 LITRE GRAVITY OIL DRAINER**

- Collect waste oil from vehicle gearbox or engine
- · 80ltr tank capacity
- 0.7 1bar (10 15psi) ejection pressure
- 40° 60°C working temperature (for engine oil)
- 20ltr collect tray capacity
- Oil reservoir level indicator tube
- 1195 1810mm height adjustable range
- · Wheel and castor-mounted







#### **SIP 80 LITRE SUCTION / GRAVITY OIL DRAINER**

- Collect waste oil from vehicle gearbox or engine
- · 80ltr tank capacity
- 6 10bar (87 145psi) suction pressure (extraction)

**6X SUCTION TUBES** 

- 0.7 1bar (10 15psi) ejection pressure
- 40° 60°C working temperature (for engine oil)
- · 20ltr collector tray capacity
- Oil reservoir level indicator tube
- 1190 1810mm height adjustable range
- · Wheel and castor-mounted







#### **SIP 80 LITRE SUCTION / GRAVITY OIL DRAINER** WITH INSPECTION CHAMBER

- Collect waste oil from vehicle gearbox or engine
- · 80ltr tank capacity
- 11ltr Perspex inspection chamber
- 6 10bar (87 145psi) suction pressure (extraction)
- 0.7 1bar (10 15psi) ejection pressure
- 40° 60°C working temperature (for engine oil)
- 20ltr collector tray capacity
- 1500 1810mm height



TO PLACE AN ORDER: 🌑 www.sip-group.com

# **New Extended Range of Diesel Fuel Transfer Pumps**

Boost the efficiency of onsite fuelling and maintain accurate records of diesel usage throughout your facility. Using a compact design, SIP's range of diesel fuel pumps easily install onto an existing storage unit for convenient dispensing using either 12v, 24v or 230v power supplies.

## PORTABLE DESIGN FOR EASY FUEL TRANSFER

#### 06801 & 06803

- Powerful 12v or 24v DC motor options, with copper-wound armatures for optimum performance
- · Compact and lightweight design for
- strength and durability
- self-priming
- Built-in bypass valve for start and stop operation



#### **PORTABLE & WALL MOUNTABLE DESIGN**

#### 06805 & 06807

- Powerful 12v DC (06805) or 230v AC (06807) motor options, with copper-wound armatures for optimum performance
- Compact design with easy wall-mountable bracket
- Accurate flow meter with 4 digit subtotal and 8 digit grand total display
- Supplied with non-return valve to aid self-priming
- 2mtr suction hose, 4mtr delivery hose







ITEM No.	06801	06803	06805	06807
MODEL	SIP 12v Diesel Transfer Pump	SIP 24v Diesel Transfer Pump	SIP 12v Diesel Transfer Pump with Fuel Meter	SIP 230v Diesel Transfer Pump with Fuel Meter
INPUT VOLTAGE	12v DC	24v DC	12v DC	230v AC
MOTOR POWER	160w	160w	160w	550w
MAX. PUMPING HEAD	10mtr	10mtr	10mtr	15mtr
MAX. FLOW RATE	40ltr/min	40ltr/min	40ltr/min	60ltr/min
SPEED	3200rpm	3200rpm	3200rpm	2850rpm
MAX. WORKING PRESSURE	15psi (1bar)	15psi (1bar)	15psi (1bar)	22psi (1.5bar)
CONNECTION	3/4" BSP	3/4" BSP	3/4" BSP	1" BSP
SUCTION HOSE LENGTH	2mtr	2mtr	2mtr	2mtr
DELIVERY HOSE LENGTH	4mtr	4mtr	4mtr	4mtr
WEIGHT	7.15kg	7.10kg	12.50kg	16.90kg
EX. VAT	£199.99	£199.99	£229.99	£249.99
INC. VAT	£239.99	£239.99	£275.99	£299.99

#### **SIP STARTMASTER P300 STARTER CHARGER**


- 230v (13A) input supply
- 12v charging voltage
- · 150A max. boost rate
- 150Ah max. battery capacity
- 20A max. charging current
- 2 different charge rate settings
- Ideal for workshops and garages











· Short circuit/overload protections

 Reverse polarity protection - BOOST START - JUMP START YOUR CAR










#### **SIP STARTMASTER P440 STARTER CHARGER**

- 230v (13A) input supply
- 12v/24v charging voltages
- 220A max. boost rate
- 180Ah max. battery capacity
- 33A max. charging current
  Ideal for workshops and garages
- · Clear and easy-to-read ammeter
- Short circuit / overload protections
- 2 different charge rate settings







£199.99 EX.VAT £239,99

#### SIP PROFESSIONAL STARTMASTERS

Wheel-mounted professional battery starter/chargers, suitable for professional-grade applications and tradespeople.

Tough, wheel-mounted steel case for added durability. Supplied with heavy-duty charge leads

BOOST START - JUMP START YOUR CAR

and crocodile clips.





£503.99







ITEM No.	05534	05536	05537	05538	05539
MODEL	SIP STARTMASTER PW520	SIP STARTMASTER PW600	SIP STARTMASTER PW760	SIP STARTMASTER PWT1000	SIP STARTMASTER PWT1400
INPUT SUPPLY	230v 50Hz	230v 50Hz	230v 50Hz	230v 50Hz	230v 50Hz
BATTERY VOLTAGE	12/24v	12/24v	12/24v	12/24v	12/24v
FUNCTIONS		3 Charge Settings & Boost		6 Charge Set	tings & Boost
	JUMP START				
START INPUT	5.8kW	6.3kW	8.5kW	11.2kW	15.2kW
RECOMMENDED PLUG (not supplied)	230v (32A)	230v (32A)	230v (32A)	230v (63A)	230v (63A)
MAX. START CURRENT (fully discharged battery)	260A	300A	380A	500A	700A
			CHARGING		
RECOMMENDED PLUG (not supplied)	230v (13A)	230v (13A)	230v (13A)	230v (13A)	230v (13A)
MAX. CHARGING CURRENT	42A (12v) / 21A (24v)	45A (12v) / 22.5A (24v)	57A (12v) / 28.5A (24v)	68A (12v) / 34A (24v)	90A (12v) / 45A (24v)
MAX. BATTERY CAPACITY	200Ah	280Ah	340Ah	370Ah	400Ah
CHARGE USAGE					
EX. VAT	£319.99	£349.99	£419.99	£539.99	£699.99

# SIP CHARGESTAR D15 & D40 DIGITAL BATTERY CHARGERS

Powerful and portable digital battery chargers, designed for charging all types of lead acid batteries. Featuring an intelligent microprocessor with automatic charging cycles, this range makes battery charging easier, faster and safer.

- COMPATIBLE ALL LEAD ACID CALCIUM START STOP
  - Designed for both 12v & 24v Lead Acid batteries
  - Battery type auto-detect intelligently recognises 12v or 24v versions
  - Powerful and portable solutions, suitable for car and commercial vehicles
  - Features microprocessor controlled automatic charging cycles
  - Built-in safety & protection features to maximise user safety







ITEM No.	03506	03556
MODEL	SIP CHARGESTAR D15	SIP CHARGESTAR D40
INPUT SUPPLY	220-240v AC, 50-60Hz, 220w MAX.	220-240v AC, 50-60Hz, 750w MAX.
CHARGING VOLTAGE	12v	12v/24v
MAX. CHARGING CURRENT	15A	40A (@12v) / 20A (@24v)
CHARGING STEPS	6	8
BATTERY TYPE AUTO DETECT	x	✓
INTELLIGENT MICROPROCESSOR	✓	✓
ALTERNATOR TEST FUNCTION	x	✓
RECONDITIONED MODE	✓	✓
REVERSE POLARITY PROTECTION	✓	✓
IP RATING	20	20
USAGE		
EX. VAT	£69.99	£139.99



# SIP STARTMASTER DIGITAL STARTER/CHARGERS



Powerful bench-top and wheel mounted digital starter chargers, designed for charging and boosting both Lead Acid and Lithium-Ion batteries types.

- Low 1v voltage detection improves likelihood of recovering batteries unwilling to power
- Automatically diagnoses battery condition and voltage before beginning a charging cycle
- Battery type auto-detect intelligently recognises 12v or 24v versions
- Features microprocessor controlled automatic charging cycles



ITEM No.	03584	03585	03586	03587	
MODEL	SIP STARTMASTER DSC200B	SIP STARTMASTER DSC250B	SIP STARTMASTER DSC350B	SIP STARTMASTER DSC600B	
INPUT SUPPLY	230v 50Hz	230v 50Hz	230v 50Hz	230v 50Hz	
BATTERY VOLTAGE	6v/12v/24v	12v/24v	12v/24v	12v/24v	
FUNCTIONS		10 Stage Charging	j, Boost & Support		
		JUMP	START		
START VOLTAGE	>1V	> 1V	> 1V	> 1V	
START INPUT (5sec)	20A (4.5kW)	26A (6kW)	32A (7.5kW)	44A (10kW)	
RECOMMENDED PLUG (not supplied)	230v (32A)	230v (32A)	230v (32A)	230v (63A)	
MAX. START CURRENT	200A	280A 400A		620A	
		CHAF	RGING		
BATTERY TYPES	All 6v/12v/24v Lead-acid 12v 4-cell Lithium-Ion LiFeP04	All 12v/24v Lead-acid 12v 4-cell Lithium-lon LiFeP04	All 12v/24v Lead-acid 12v 4-cell Lithium-Ion LiFeP04	All 12v/24v Lead-acid 12v 4-cell Lithium-Ion LiFeP04	
CHARGING INPUT CONTINUOUS	4A (1000W)	4A (1000W)	5A (1400W)	8A (2000W)	
RECOMMENDED PLUG (not supplied)	230v (13A)	230v (13A)	230v (13A)	230v (13A)	
CHARGING CURRENT	5A (6v) / 10A (12v) / 10A (24v)	5A - 15A (12v & 24v)	5A - 20A (12v & 24v)	10A - 30A (12v & 24v)	
BOOST CHARGING CURRENT (5min max.)	25A (6v) / 25A (12v) / 20A (24v)	25A	35A	50A	
BATTERY CAPACITY	350Ah	350Ah	350Ah	550Ah	
CHARGE USAGE					
EX. VAT	£189.99	£299.99	£349.99	£499.99	
INC. VAT	£22799	£359.99	£419 99	£599 99	





#### **SIP CHARGESTAR 2DV Multi-Stage Charger**

- 230v (13A) input supply
- 40w power
- 6v / 12v charging voltages
- 2A max. rated voltage
- 1.2 14Ah @ 6v / 1.2Ah 100Ah 12v
- 7-stage charging cycle
- IP65 rating
- · 3x adaptor leads
- · Reverse polarity protection















- 230v (13A) input supply

£59.99

- 12v / 24v dual charging voltage
- 85Ah (05530 P24) / 110Ah (05531 P32) max. rated battery capacity
  2 powerful charging rate settings

EX.VAT

- 8.5A rated output / 12.5A max. rated output (05530 P24) 11A rated output / 16A max. rated output (05531 - P32)

03981

- Heavy-duty charge leads and clips
- Reliable reverse polarity protection
- · Integrated ammeter for clear levels
- · Perfect for garages and workshops











13A 230v



Item No: 0553 £129.99 EX.VAT £155.99

START STOP



#### SIP Barcode Scanner

· Plugs into SIP Battery Tester T11

ALL LEAD ACID

Scan barcodes to print them directly to receipts

+ - + - + - + - AGM GEL WET VALA





#### SIP ADVANCED BATTERY CHARGERS

#### **GX ADVANCED BATTERY CHARGERS**

The GX is the ultimate battery charging, support and diagnostic tool. Combine intelligent charging, maintenance, supply, reconditioning and testing into one simple process with these easy-to-use wall-mountable Advanced Battery Chargers.

#### **CHARGER FEATURES**

MULTI-STEP MICROPROCESSOR CONTROLLED CHARGING

AUTOMATIC MAINTENANCE MODE

CAN-BUS COMPATIBLE (EXCEPT 03574)

RECONDITIONED MODE

SUPPLY MODE

TEST MODE

LEAD MODE

LITHIUM MODE

EXTENDS BATTERY LIFE

SPARK PROTECTED

ENERGY EFFICIENT



DIGITAL INTERFACE CLEAR AND EASY-TO-USE



+ - + - + - VILA











EASY-TO-USE & WALL-MOUNTABLE





ITEM No.	03572	03573	03574
MODEL	Advanced Battery Charger GX5	Advanced Battery Charger GX10	Advanced Battery Charger GX15
VOLTAGE	12v	12v	12/24v
AMPS	5A	10A	15A
CHARGING STEPS	8	10	10
INPUT VOLTAGE V/Hz	110-240v @ 50-60Hz	230v @ 50-60Hz	230v @ 50-60Hz
CABLE LENGTH	180cm	200cm	200cm
Can-Bus COMPATIBLE	✓	✓	x
RECONDITIONED MODE	✓	✓	✓
ACCESSORIES	Quick connector, clamps, eyelets, 12V DC car adaptor	Quick connector, clamps, eyelets, 12V DC car adaptor	Quick connector, clamps, eyelets
IP RATING	65	65	20
USAGE	200 and		
USAGE			
EX. VAT	£59.99	£129.99	£179.99
INC. VAT	£71.99	£155.99	£215.99

#### SIP 12V PROFESSIONAL AGM BOOSTER PACKS

#### **AGM** (ABSORBENT GLASS MAT) **BOOSTER PACKS**

#### **ADVANTAGES:**

- Purpose-designed & manufactured batteries: high cranking rate
- Robust ABS casing: shockproof
- Quality leads & clamps: increased performance
- · Proven technology: reliability

- Reverse polarity alarm: audible alert for workshop environments
- 12V DC power take-off: powers devices direct from the booster



#### **SIP Rescue Pac 1600**

- Rechargeable AGM portable rescue pack for boost starting cars

• 12v DC portable power supply - power devices direct from the booster

- · LED charge rate indication
- · Rugged, durable design
- 12 month warranty on maintained batteries only



#### SIP Pro Boosters 2513 & 3100





- Rechargeable AGM portable professional booster for boost starting cars
- 12v DC portable power supply power devices direct from the booster

- Copper-cored cables and heavy-duty clamps for increased performance

· LED charge rate indication

· Robust ABS casing durable and shockproof

• Supplied with mains charger (07165)

 Supplied with mains <u>FAST</u> charger (07172 & 07173)

12 month warranty on maintained batteries only





II EM NO.	03330	UTITZ	0/1/3
MODEL	SIP Rescue Pac 1600 12v	SIP Pro Booster 2513 12v	SIP Pro Booster 3100 12v
BOOST PEAK RATE	1600A	2500A	3100A
CRANKING/START RATE	700A	1000A	1170A
BATTERY VOLTAGE	12v	12v	12v
BATTERY CAPACITY	True 22Ah	True 22Ah	True 25Ah
OUTPUT SOCKET	12v DC	12v DC	12v DC
PROTECTION	-	Reverse polarity	Reverse polarity
FREQUENT USAGE WITH			
EX. VAT	£179.99	£319.99	£379.99
INC. VAT	£215.99	£383.99	£455.99



#### SIP 12/24V PROFESSIONAL AGM BOOSTER PACKS

#### **SIP Rescue Pac 3000**

- Rechargeable AGM portable rescue pack for boost starting cars & trucks
- 2x 12v DC portable power supply power devices direct from the booster
- · LED charge rate indication
- · Rugged, durable design
- · Heavy-duty leads and clamps and rear storage hooks





#### **SIP Pro Boosters 5024, 6200 & 6400**

- Rechargeable AGM portable professional booster for boost starting cars & trucks
- 12v DC portable power supply power devices direct from the booster
- Copper-cored cables and heavy-duty clamps for increased performance
- · Digital voltmeter

07192














· Safety fuse protection

· Robust ABS casing

- Extendible handle and wheels (07178)

- Supplied with mains <u>FAST</u> charger



ITEM No.	03937	07192	07174	07178
MODEL	<b>SIP Rescue Pac</b> <b>3000</b> 12v/24v	<b>SIP Pro Booster</b> <b>5024</b> 12v/24v	SIP Pro Booster 6200 12v/24v	<b>SIP Pro Booster</b> <b>6400</b> 12v/24v
BOOST PEAK RATE	3000A (12v) / 1500A (24v)	5000A (12v) / 2500A (24v)	6200A (12v) / 3100A (24v)	6400A (12v) / 3200A (24v)
CRANKING/START RATE	CRANKING/START RATE 1200A (12v) / 600A (24v)		1880A (12v) / 940A (24v)	3050A (12v) / 1525A (24v)
INTERNAL BATTERY VOLTAGE 12v / 24v		12v / 24v	12v / 24v	12v / 24v
BATTERY CAPACITY	BATTERY CAPACITY True 2x 22Ah		True 2x 25Ah	True 2x 33Ah
OUTPUT SOCKET	2x 12v DC	12v DC	12v DC	12v DC
PROTECTION	Reverse polarity alarm & indication	Reverse polarity alarm & indication	Reverse polarity alarm & indication	Reverse polarity alarm & indication
FREQUENT USAGE WITH				
EX. VAT	£309.99	£829.99	£1069.99	£1199.99
INC. VAT	£371.99	£995.99	£1283.99	£1439.99

#### **HYBRID** (AGM/CAPACITOR) **BOOSTER PACKS**

#### **ADVANTAGES:**

- Hybrid Capacitor / AGM battery design:
   Increased cranking duration via AGM battery high current capacitor boost
- Lighter weight: compared to normal AGM packs (9 13kg)
- Longer AGM battery life: capacitors provide engine crank - AGM battery charges capacitors
- Reverse polarity alarm
- 12V DC power take-off powers devices direct from the booster



#### **SIP SC Pro Hybrid Boosters 3 & 5**

- Hybrid Design; Increased cranking duration via AGM battery & high current capacitor boost
- 12v DC portable power supply power devices direct from the booster
- · LED charge rate indication
- · Heavy-duty cables & clamps
- Lightweight & compact design
- Supplied with fully automatic charger







ITEM No.	07130	07132
MODEL	SIP SC Pro Booster Hybrid 3 12v	SIP SC Pro Booster Hybrid 5 12v
BOOST PEAK RATE	3500A (12v)	3600A (12v)
CRANKING/START RATE	1200A (12v)	1400A (12v)
CAPACITORS	6x 600F Ultra-capacitors	6x 600F Ultra-capacitors
BATTERY CAPACITY	True 15Ah*	True 22Ah*
OUTPUT SOCKET	12v DC	12v DC
PROTECTION	Safety Fuse	Safety Fuse
WEIGHT	9.5kg	13.6kg
FREQUENT USAGE WITH		
EX. VAT	£349.99	£449.99
INC. VAT	£419.99	£539.99

<sup>\*12</sup> month warranty on AGM battery only

# **CAPACITOR** (ULTRA-CAPACITOR) **HAND-HELD BOOSTER PACKS** advantages:

- Lightweight capacitor energy cell

· No internal battery: maintenance-free

· Ready for use in as little as 140 seconds



# SIP 600A, 1000A & 1600A Capacitor Boosters

- Boost-start small and large engines, including cars, vans, tractors and machinery.
- Uses a lightweight, compact energy cell which offers reliable performance without the weight of a typical battery booster or the need to jump-start from another vehicle battery.
- Easy to use and maintenance-free, they are ready to boost in around two minutes.



ITEM No.	07001	07003	07005
MODEL	SIP 600A 12v Capacitor Booster	SIP 1600A 12v Capacitor Booster	
BOOST PEAK RATE	600A	1000A	1600A
CRANKING/START RATE	300A You Tube	500A You Tube	800A You Tube
INPUT	> 6v DC	> 6v DC	> 6v DC
OUTPUT	> 6v DC	12v Engine Start	12v Engine Start
CAPACITOR CHARGE TIME (based on 70Ah battery)	60sec SCAN HERE	90sec SCAN HERE	140sec SCAN HERE
WEIGHT	0.68kg	1kg	1.75kg
FREQUENT USAGE WITH			
EX. VAT	£99.99	£139.99	£179.99
INC. VAT	£119.99	£167.99	£215,99

#### **CAPACITOR (ULTRA-CAPACITOR) PRO BOOSTER PACKS**

#### **ADVANTAGES:**

- · High current superconductor design
- · No internal battery: maintenance-free
- Fast recharge: 15 seconds from a running vehicle
- · Unlimited shelf life

- · High quality leads & clamps: for increased performance
- Long product lifespan: over 1 million life cycles
- Lightweight: range from 4 to 20kg



#### **SIP SC Pro Boosters 4000 & 8000** (12v)

- Rechargeable capacitor professional booster high current superconductor design suitable for boosting cars and small vans
- · LED charge rate indication
- ON/OFF switch and built-in safety fuse on positive clamp
- · Heavy-duty cables & clamps
- · Lightweight & compact design - Supplied with fully automatic charger











#### **SIP SC Pro Boosters 18000 & 18002XP** (12/24v)

- Rechargeable capacitor professional booster high current, superconductor design suitable for boosting cars and HGV's
- Digital voltmeter

- ON/OFF switch and built-in safety fuse Heavy-duty cables & clamps

 Lightweight & compact design - Supplied with fully automatic charger

· Extendible handle and wheels (07106)













ITEM No.	07101	07103	07107	07106
MODEL	SIP SC Pro Booster 4000 12v	SIP SC Pro Booster 8000 12v	<b>SIP SC Pro Booster</b> <b>18000</b> 12v/24v	SIP SC Pro Booster 18002XP 12v/24v
BOOST PEAK RATE	4000A	8000A	18000A (12v) / 9000A (24v)	18000A (12v) / 9000A (24v)
CRANKING/START RATE	1200A	1400A	4400A (12v) / 3400A (24v)	4400A (12v) / 3400A (24v)
CAPACITORS	12x 600F Ultra-capacitors	18x 800F Ultra-capacitors	10x 3400F Ultra-capacitors	10x 3400F Ultra-capacitors
PROTECTION	Reverse polarity alarm & indication	Reverse polarity alarm & indication	Reverse polarity alarm & indication	Reverse polarity alarm & indication
WEIGHT	3.8kg	5kg	14.7kg	20.2kg
FREQUENT USAGE WITH		6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6		
EX. VAT	£449.99	£579.99	£1149.99	£1249.99
INC. VAT	£539.99	£695.99	£1379.99	£1499.99

#### SIP INDOOR & OUTDOOR ELECTRIC UNIVERSAL HEATERS



Item No	MODEL	INPUT	HEAT SETTINGS	HEATING OUTPUT	FEATURES	WEIGHT	EX. VAT	INC. VAT
09585	SIP Halogen Univeral Heater	230v (13A)	1	2kW (6,820 BTU/hr)	Wall / Stand Mount	1.7kg	£59.99	£71.99
09586	SIP Halogen Universal Heater with Remote Control	230v (13A)	2	1kW (3,412 BTU/hr) 2kW (6,820 BTU/hr)	Wall / Stand Mount	1.7kg	£79.99	£95.99
09589	SIP Halogen Universal Heater Stand	For us	e with Heaters 09585	r	£29.99	£35.99		
09585P	SIP Halogen Universal Heater + Stand				£79.99	£95.99		
09586P	SIP Halogen Universal Heater with remote + Stand						£99.99	£119.99
09587	SIP Hanging Universal Heater with Remote Control	230v (13A)	1	1.5kW (5,118BTU/hr)	Hanging	2.26kg	£89.99	£107.99
09588	SIP Free-Standing Universal Heater	230v (13A)	1	2kW (6,820BTU/hr)	Floor Standing Carbon Fibre Element	4kg	£139.99	£167.99









Ideal for garages, workshops and on-site use

Compact, lightweight & portable







1	Item No	MODEL	FUEL	BATTERY	HEAT OUTPUT	HEATING AREA	FUEL USAGE	RUNTIME*	EX. VAT	INC. VAT
1	09269	SIP FIREBALL 515 Cordless	Propane	18v DC 5.2Ah	51,182 BTU/hr (15kW)	345m³ (12,181ft³)	1.09kg/hr	8hrs	£189.99	£227.99
	09279	SIP FIREBALL 1050 Cordless	Propane	18v DC 5.2Ah	102,387 BTU/hr (30kW)	500m³ (17,401ft³)	2.18kg/hr	6hrs	£229.99	£275.99

**18V LITHIUM BATTERY INCLUDED** 

\*based on a single charge

# SPARE

#### **SIP 18V 5.2Ah Lithium Battery Pack**

For use with 09267, 09269 & 09279 Fireball Cordless Propane Heaters



Item No: PW25	5-00013
£83.99	EX.VAT
£100.79	INC.VAT

## SIP ELECTRIC PROPANE **SPACE HEATERS**





LIGHTWEIGHT WITH CARRY HANDLE HIGHLY PORTABLE

INTEGRATED FRONT SAFETY GRILLE OPERATOR SAFETY IN MIND

HEAVY-DUTY POWDER-COATED FINISH FOR DURABILITY AND LONGER LIFE

IGNITER FOR RAPID STARTING

**GAS VALVE** 

REGULATOR & HOSE INCLUDED NO ADDED EXPENSE!



Item No	MODEL	FUEL	INPUT	HEAT OUTPUT	HEATING AREA	FUEL USAGE	WEIGHT	EX. VAT	INC. VAT
09287	SIP FIREBALL 342	Propane	230v (13A)	34,121 BTU/hr (10kW)	230m³ (8,122ft³)	0.73kg/hr	3.8kg	£109.99	£131.99
09288	SIP FIREBALL 512	Propane	230v (13A)	51,182 BTU/hr (15kW)	345m³ (12,181ft³)	1.09kg/hr	3.8kg	£124.99	£149.99
09289	SIP FIREBALL 1030	Propane	230v (13A)	102,364 BTU/hr (30kW)	690m³ (24,367ft³)	2.18kg/hr	5.8kg	£174.99	£209.99
09291	SIP FIREBALL 1706	Propane	230v (13A)	170,607 BTU/hr (50kW)	1145m³ (40,435ft³)	3.63kg/hr	7kg	£217.99	£261.59









STAINLESS

Lightweight & portable carry handle - highly portable, ideal for site work, garages and medium-sized workshops Variable output for efficient gas burning - cost saving!

OPTIONAL WHEEL KIT & HANDLE AVAILABLE (09285): allows for multiple units to be stacked; see below for price For use with: 09274, 09275 & 09276 OPTIONAL WHEEL KIT & HANDLE AVAILABLE (09286): allows for multiple units to be stacked; see below for price

09278: WHEEL KIT & HANDLE INCLUDED

HEAVY-DUTY CORROSION-RESISTANT STAINLESS STEEL CASING; DURABLE AND LONGER LIFE

FREE-STANDING LEGS FOR STABILITY

INTEGRATED FRONT SAFETY GRILLE OPERATOR SAFETY IN MIND

IGNITER FOR RAPID STARTING

CARRY HANDLE; EASY PORTABILITY

**VARIABLE OUTPUT CONTROLLED BY** REGULATOR FOR EFFICIENT GAS BURNING





J



Item No	MODEL	FUEL	INPUT	HEAT OUTPUT	HEATING AREA	FUEL USAGE	WEIGHT	EX. VAT	INC. VAT
09274	SIP FIREBALL 1071DV	Propane	230v / 110v	51,787 - 107,000 BTU/hr (15.2 - 31.4kW)	718m³ (25,355ft³)	1 - 2kg/hr	13.1kg	£329.99	£395.99
09275	SIP FIREBALL 1602DV	Propane	230v / 110v	74,202 - 160,000 BTU/hr (21.7 - 46.9kW)	1074m³ (37,927ft³)	1.45 - 2.98kg/hr	14.7kg	£399.99	£479.99
09276	SIP FIREBALL 2261DV	Propane	230v / 110v	106,995 - 226,000 BTU/hr (31.4 - 66.2kW)	1517m³ (53,572ft³)	2.1 - 4.27kg/hr	17.2kg	£499.99	£599.99
09277	SIP FIREBALL 2901DV	Propane	230v / 110v	130,277 - 290,000 BTU/hr (38.2 - 85kW)	1946m³ (68,722ft³)	2.5 - 5.28kg/hr	19.2kg	£549.99	£659.99
09278	SIP FIREBALL 3711DV	Propane	230v / 110v	158,767 - 371,000 BTU/hr (46.5 - 108.7kW)	2490m³ (87,934ft³)	3.09 - 6.89kg/hr	28.5kg	£799.99	£959.99
09285	<b>09285 SIP FIREBALL WHEEL KIT</b> For use with 09274, 09275 & 09276					£64.99	£77.99		
09286	SIP FIREBALL WHEEL KIT	•	For use with 0927	77				£69.99	£83.99

## **SIP FIREBALL RADIANT PROPANE HEATERS**

Compact and portable infrared heating solutions designed to heat work spaces quickly and effectively. No mains supply needed.

- Push-button Piezo ignition system ensures safe, reliable and easy start-up
- Adjustable gas flow control for optimising heat output (09314 & 09316)
- Tip-over and flame out cut off safety device for added protection
- Easy to move around the work area and store between use
- Regulator & hose included

**IDEAL FOR HEATING WORKSHOPS & GARAGE SPACES** 







Item No	MODEL	FUEL	HEAT OUTPUT	FUEL USAGE	HOSE LENGTH	WHEEL KIT	LOW NOISE	EX. VAT	INC. VAT
09314	SIP FIREBALL RP15 RADIANT	Propane	15,000 BTU/hr (4.7kW)	0.34kg/hr	1.5mtr	-	-	£69.99	£83.99
09315	SIP FIREBALL RP35 RADIANT	Propane	35,000 BTU/hr (10.25kW)	0.74kg/hr	2mtr	✓	✓	£169.99	£203.99
09316	SIP FIREBALL RP125 RADIANT	Propane	125,000 BTU/hr (36.6kW)	2.60kg/hr	3mtr	✓	✓	£259.99	£311.99







Compact and lightweight - ideal for small workshops, garages and offices



HEAT OUTPUT SETTING CONTROL

THERMOSTATICALLY-CONTROLLED; AUTOMATIC CUT OFF; ENERGY-SAVING

HEAVY-DUTY POWDER-COATED FINISH FOR DURABILITY AND LONGER LIFE

INTEGRATED LEGS FOR STABILITY

INTEGRATED CARRY HANDLE; EASY PORTABILITY

PTC ELEMENT (POSITIVE THERMAL COEFFICIENT); FOR SAFER TEMPERATURE CONTROL



Item No	MODEL	INPUT	HEAT OUTPUT	HEAT SETTINGS	TILT ADJUST	WEIGHT	EX. VAT	INC. VAT
09128	SIP FIREBALL Turbofan 2000	230v (13A)	6,820 BTU/hr (2kW)	Fan / 1000w / 2000w	✓	1.7kg	£43.59	£52.31
09215	SIP FIREBALL Turbofan 3001	230v (13A)	9,556 BTU/hr (2.8kW)	Fan / 1400w / 2800w	✓	3.4kg	£69.99	£83.99

09293

THERMOSTATICALLY-CONTROLLED; AUTOMATIC CUT OFF; ENERGY-SAVING

HEAT OUTPUT SETTING CONTROL

INTEGRATED LEGS & CARRY HANDLE; EASY PORTABILITY

ROBUST COILED HEATING ELEMENT

HEAVY-DUTY POWDER-COATED FINISH FOR DURABILITY AND LONGER LIFE







Ideal for garages & medium-sized workshops

09220

THERMOSTATICALLY-CONTROLLED; AUTOMATIC CUT OFF; ENERGY-SAVING

HEAT OUTPUT SETTING CONTROL

INTEGRATED CARRY HANDLE; EASY PORTABILITY

PTC ELEMENT (POSITIVE THERMAL COEFFICIENT); FOR SAFER TEMPERATURE CONTROL

INTEGRATED LEGS FOR STABILITY





09293

THERMOSTATICALLY-CONTROLLED; AUTOMATIC CUT OFF; ENERGY-SAVING

HEAT OUTPUT SETTING CONTROL

INTEGRATED LEGS & CARRY HANDLE; EASY PORTABILITY

ROBUST COILED HEATING ELEMENT

HEAVY-DUTY POWDER-COATED FINISH FOR DURABILITY AND LONGER LIFE



Item No	MODEL	INPUT	HEAT OUTPUT	HEAT SETTINGS	TILT ADJUST	WEIGHT	EX. VAT	INC. VAT
09220	SIP FIREBALL Turbofan 5000	400v - 3ph (16A)	17,064 BTU/hr (5kW)	Fan / 3300w / 5000w	✓	4.3kg	£109.99	£131.99
09299	SIP FIREBALL Turbofan 9001	400v - 3ph (16A)	30,706 BTU/hr (9kW)	Fan / 4500w / 9000w	✓	11.4kg	£184.99	£221.99
09298	SIP FIREBALL Turbofan 15000	400v - 3ph (32A)	51,193 BTU/hr (15kW)	Fan / 5000w / 10,000w / 15,000w	х	14.5kg	£309.99	£371.99

# SIP FIREBALL DIESEL/PARAFFIN & KEROSENE SPACE HEATERS

Built with heavy-duty components to ensure long product life and easy-to-use smart design features

- Powerful heating capacity for effective coverage
- Integrated thermostat delivers flexible temperature control
- Carry handle and wheel mounted options available
- Ideal for heating workshops, garage spaces and warehouse areas











#### ► SIP XD50F, XD75F

COMPACT FLOOR STANDING DESIGN WITH CARRY HANDLE FOR PORTABILITY
POWERFUL AIR PUMP FOR EFFICIENT FUEL TRANSFER
HEAVY-DUTY POWDER-COATED FINISH FOR ADDED DURABILITY
IDEAL FOR HEATING MEDIUM-SIZED WORKSHOP & GARAGE SPACES







FASY-TO-READ FUEL GAUGE



#### **► SIP XD75, XD100**

RUGGED FULL-FRAME DESIGN FOR ADDED PROTECTION
FITTED WITH HEAVY-DUTY PNEUMATIC TYRES FOR OUTSTANDING MOBILITY
POWERFUL AIR PUMP FOR EFFICIENT FUEL TRANSFER
AIR PRESSURE GAUGE INDICATES CONSTANT FUEL SUPPLY
HEAVY-DUTY POWDER-COATED FINISH FOR ADDED DURABILITY

**IDEAL FOR HEATING MEDIUM-SIZED WORKSHOP & GARAGE SPACES** 













Item No	MODEL	FUEL	INPUT	HEAT OUTPUT	HEATING AREA	FUEL USAGE	FUEL TANK	WEIGHT	EX. VAT	INC. VAT
09590	SIP FIREBALL XD50F	Diesel/Paraffin/Kerosene	230v	50,000 BTU/hr (15kW)	350m³ (12,360ft³)	1.4ltr/hr	18ltr	16.6kg	£259.99	£311.99
09591	SIP FIREBALL XD75F	Diesel/Paraffin/Kerosene	230v	75,000 BTU/hr (22kW)	530m³ (18,717ft³)	1.9ltr/hr	18ltr	16.6kg	£279.99	£335.99
09592	SIP FIREBALL XD75	Diesel/Paraffin/Kerosene	230v	75,000 BTU/hr (22kW)	530m³ (18,717ft³)	1.9ltr/hr	26ltr	19.7kg	£299.99	£359.99
09593	SIP FIREBALL XD100	Diesel/Paraffin/Kerosene	230v	100,000 BTU/hr (30kW)	700m³ (24,720ft³)	2.8ltr/hr	26ltr	19.7kg	£369.99	£443.99

#### ► SIP XD140, XD175, XD215

RUGGED FULL-FRAME DESIGN FOR ADDED PROTECTION
FITTED WITH HEAVY-DUTY PNEUMATIC TYRES FOR OUTSTANDING MOBILITY
POWERFUL AIR PUMP FOR EFFICIENT FUEL TRANSFER

AIR PRESSURE GAUGE INDICATES CONSTANT FUEL SUPPLY

REMOTE SENSOR FOR ACCURATE TARGET TEMPERATURE SETTING

HEAVY-DUTY POWDER-COATED FINISH FOR ADDED DURABILITY

IDEAL FOR HEATING LARGE-SIZED WORKSHOPS, GARAGE SPACES & WAREHOUSE AREAS



REMOTE TARGET TEMPERATURE SENSOR (ITEM NO: 09595 - 09598)



# ► SIP XD275, XD350

RUGGED FULL-FRAME DESIGN FOR ADDED PROTECTION

FITTED WITH HEAVY-DUTY PNEUMATIC TYRES

FOR OUTSTANDING MOBILITY

POWERFUL DANFOSS GEAR PUMP FOR EFFICIENT FUEL TRANSFER

REMOTE SENSOR

FOR ACCURATE TARGET TEMPERATURE SETTING

EXTERNAL FUEL FILTER

FOR EASY MAINTENANCE & SERVICING

HEAVY-DUTY POWDER-COATED FINISH

FOR ADDED DURABILITY

IDEAL FOR HEATING LARGE-SIZED WORKSHOPS, GARAGE SPACES & WAREHOUSE AREAS



HEAVY-DUTY DANFOSS GEAR PUMP (ITEM NO: 09597 & 09598)



EXTERNAL FUEL FILTER (ITEM NO: 09597 & 09598)











Item No	MODEL	FUEL	INPUT	HEAT OUTPUT	HEATING AREA	FUEL USAGE	FUEL TANK	WEIGHT	EX. VAT	INC. VAT
09594	SIP FIREBALL XD140	Diesel/Paraffin/Kerosene	230v	140,000 BTU/hr (41kW)	1060m³ (37,434ft³)	3.8ltr/hr	65ltr	28.7kg	£399.99	£479.99
09595	SIP FIREBALL XD175	Diesel/Paraffin/Kerosene	230v	175,000 BTU/hr (51kW)	1230m³ (43,437ft³)	4.8ltr/hr	65ltr	28.7kg	£449.99	£539.99
09596	SIP FIREBALL XD215	Diesel/Paraffin/Kerosene	230v	215,000 BTU/hr (63kW)	1500m³ (52,972ft³)	5.7ltr/hr	65ltr	28.7kg	£499.99	£599.99
09597	SIP FIREBALL XD275 Gear Pump	Diesel/Paraffin/Kerosene	230v	275,000 BTU/hr (80kW)	1930m³ (68,157ft³)	7.5ltr/hr	80ltr	38.8kg	£679.99	£815.99
09598	SIP FIREBALL XD350 Gear Pump	Diesel/Paraffin/Kerosene	230v	350,000 BTU/hr (105kW)	2460m³ (86,874ft³)	9.5ltr/hr	80ltr	38.8kg	£779.99	£935.99

DANFOSS FUEL PUMP INSTALLED

#### SIP PROFESSIONAL DIESEL/PARAFFIN/KEROSENE HEATERS





FUEL INPUT HEAT OUTPUT HEATING AREA FUEL USAGE FUEL TANK WEIGHT EX. VAT MODEL £539.99 **SIP FIREBALL P660S** Diesel/Paraffin 230v (13A) 73,110 BTU/hr (21.4kW) 461m3 (16,400ft3) 2.1ltr/hr 17ltr 20kg £449.99 09043 **SIP FIREBALL P1280S** Diesel/Paraffin 230v (13A) 131,512 BTU/hr (38.5kW) 900m3 (31,143ft3) 3.81ltr/hr 42ltr 30kg £669.99 £803.99 164,850 BTU/hr (49kW) **SIP FIREBALL P1645S** Diesel/Paraffin 230v (13A) 1154m³ (41,214ft³) 4.81ltr/hr 42ltr 39kg £799.99 £959.99





#### SIP DIESEL/PARAFFIN/KEROSENE INFRARED HEATERS





Highly portable, ideal for garages and medium-sized workshops

INFRARED HEATING ELEMENTS; DIRECT HEATING OF PEOPLE & OBJECTS FOR EFFICIENT ENERGY USE

HEAVY-DUTY POWDER-COATED FINISH FOR DURABILITY AND LONGER LIFE 5 LEVELS SAFETY FUNCTION: TIP-OVER SENSOR, OVERHEATING PREVENTION SENSOR, FLAME DETECTOR, AIR PRESSURE DETECTOR, MOTOR THERMAL PROTECTOR





Item No	MODEL	FUEL	INPUT	HEAT OUTPUT	FUEL USAGE	FUEL TANK	EX. VAT	INC. VAT
09311	SIP FIREBALL 74XRDT Infrared	Diesel/Paraffin	230v (13A)	70,000 BTU/hr (20kW)	1.4ltr/hr	12ltr	£449.99	£539.99
09312	SIP FIREBALL 1822 Infrared	Diesel/Paraffin	230v (13A)	120,000 BTU/hr (35.2kW)	3.44ltr/hr	40ltr	£999.99	£1199.99

RUGGED STEEL FUEL TANK

HANDLE & WHEEL-MOUNTED FOR EASY MOVEMENT



Item No	MODEL	FUEL	INPUT	HEAT OUTPUT	FUEL USAGE	FUEL TANK	EX. VAT	INC. VAT
09296	SIP FIREBALL 1830 Infrared	Diesel/Paraffin	230v (13A)	88,294 BTU/hr (25.8kW)	2.04ltr/hr	43ltr	£1139.99	£1367.99
09156	SIP FIREBALL 1850 Infrared	Diesel/Paraffin	230v (13A)	155,737 BTU/hr (45kW)	3.6ltr/hr	65ltr	£1689.99	£2027.99



Built from quality materials with user-friendly features without

compromising TIGREN equipment's no-nonsense approach and affordability.

AIR COMPRESSORS

# DIRECT-DRIVE

TIGREN V50DD (04387) / V100DD (04388) 3hp Direct-Drive Oil-Lubricated Compressors

- 2-cylinder V-configuration splash oil-lubricated pump
- **Ø** High CFM output
- Wheel-mounted for easy manoeuvrability and positioning



Item No:	Input Supply	Motor Power	Receiver Size	Piston Displacement	Max. Air Pressure	EX. VAT	INC. VAT
04387	230v (13A)	2.2kW (3hp)	50ltr	13CFM (368ltr/min)	116psi (8bar)	£249.99	£299.99
04388	230v (13A)	2.2kW (3hp)	100ltr	13CFM (368ltr/min)	116psi (8bar)	£299.99	£359.99



# **AIR COMPRESSORS**

# **BELT-DRIVE**

#### TIGREN 100ltr (04396) / 150ltr (04391) / 200ltr (04394) 3hp Belt-Drive Compressor

A true workhorse built with a heavy-duty pump and brushless induction motor with 14CFM of powerful piston displacement, and a range of other durable features that make for an extended lifespan.

🧭 No-nonsense belt-driven compressor 🧭 Heavy-duty 2-cylinder splash oil-lubricated pump 🧭 Heavy-duty induction motor for longer life and performance



Item No:	Input Supply	Wheel Mounted	Motor Power	Receiver Size	Piston Displacement	Max. Air Pressure	EX. VAT	INC. VAT
04396	230v (13A)	<b>√</b>	2.2kW (3hp)	100ltr	14CFM (396ltr/min)	150psi (10bar)	£399.99	£479.99
04391	230v (13A)	<b>√</b>	2.2kW (3hp)	150ltr	14CFM (396ltr/min)	150psi (10bar)	£489.99	£587.99
04394	230v (13A)	<b>√</b>	2.2kW (3hp)	200ltr	14CFM (396ltr/min)	150psi (10bar)	£569.99	£683.99

# **BELT-DRIVE TANDEM**

#### ITEM NO: 04386

#### TIGREN 270LTR TANDEM 2x 3HP BELT-DRIVEN AIR COMPRESSOR

The ultimate no-nonsense workshop compressor, built with robust double pumps and motor units for unrivalled performance. Ideal for workshops where high air demand is required and only a 230v supply is available.

- **⊘** No-nonsense workhorse belt-driven compressor
- 2x heavy-duty 2-cylinder splash oil-lubricated pumps
- ✓ 2 heavy-duty induction motors for long life and performance
- Twin cylinder compression for increased air production

Don't forget your SIP Anti-Vibration Mounts (see page 102)

# MOST AIR POSSIBLE FROM 1 PHASE SUPPLY

Tandem: offering continued operation in the event that a single pump or motor should fail. Perfect for garage or workshop environments where consistent and uninterrupted compressed air production is essential.



Input Supply	Motor Power	Receiver Size	Piston Displacement	Max. Air Pressure	EX. VAT	INC. VAT
230v (32A)	6hp (2x 3hp)	270ltr	HIGH 25CFM (708ltr/min) from 1 Phase	145psi (10bar)	£1,399.99	£1,679.99



# **WELDING EQUIPMENT**

# **ARC WELDERS**

# TIGREN TGN140MMA (08200) / TGN180MMA (08201) ARC Inverter Welders

- Objective Digital display for easy power setting
- 3mtr electrode and Earth leads for flexible welding
- Lightweight and compact design for simple portability
- Accessories included





Item No:	Input Supply	Output Current	Duty Cycle	Welding Thickness	EX. VAT	INC. VAT
08200	230v (13A)	20A - 140A	140A @ 20%	1.5mm - 7mm	£89.99	£107.99
08201	230v (16A)	20A - 180A	180A @ 15%	1.5mm - 8mm	£129.99	£155.99

## 



Item No:	Input Supply	Output Current	Duty Cycle	Wire Spool Size	EX. VAT	INC. VAT
08202	230v (13A)	15A - 120A (MIG) 15A - 70A (MMA/TIG)	120A @ 15% (MIG) 70A @ 15% (MMA/TIG)	Solid & Flux; up to 0.7kg	£179.99	£215.99
08203	230v (13A)	30A - 140A (MIG) 30A - 120A (MMA/TIG)	130A @ 30% (MIG) 120A @ 30% (MMA/TIG)	Solid & Flux; up to 5kg	£289.99	£347.99

## TIG WELDER

#### ITEM NO: 08204

#### **TIGREN TGN200TIG DC TIG Inverter Welder**

- 2-in-1 machine with HF TIG and MMA/ARC processes
- Integrated IGBT inverter technology platform
- Lightweight and compact
- Comes with torch, welding leads and face shield

		119	
Output Current	Duty Cycle	EX. VAT	INC. VAT
10A - 180A (TIG) / 10A - 160A (MMA)	180A @ 15% (TIG) / 160A @ 15% (MMA)	£229.99	£275.99
	V 11 (33)		

### **WELDING HEADSHIELD**

**Input Supply** 

230v (13A)

#### ITEM NO: 02801

Item No:

08204

#### **TIGREN Electronic Welding Headshield**

- **⊘** 92.5mm x 42.5mm LCD large viewing area **⊘** Adjustable control; DIN 9 13 variable
- High-quality automatic electronic welding
- Adjustable control; DIN 9 13 variable internal control
- **Ø** Lightweight and compact design



Viewing Area	Welding Shade	Light-Dark
92.5 x 42.5mm	DIN 9-13 variable internal control	3/10,000sec (0.00003s)
		_

EX. VAT	INC. VAT
£29.99	£35.99
	EAU VIII

# **WORKSHOP EQUIPMENT**

# OIL DRAINERS

#### ITEM NO: 08207 TIGREN 50ltr Gravity Oil Drainer

- 50ltr reservoir tank
- Waste oil level indicator
- **Ø** Pneumatic waste oil discharge function

#### ITEM NO: 08208

#### TIGREN 70ltr Suction Oil Drainer

- 70ltr reservoir tank
- Waste oil level indicator
- Pneumatic suction function with 5 extraction tubes
- Pneumatic waste oil discharge



Item No:	Tank Capacity	Discharge Pressure	Extraction Pressure	Min. Adj. Height	Max. Adj. Height	EX. VAT	INC. VAT
08207	50ltr	22psi (1.5bar)	n/a	1030mm	1475mm	£139.99	£167.99
08208	70ltr	22psi (1.5bar)	116psi (8bar) 145psi (10bar)	1040mm	1500mm	£249.99	£299.99

# **CEMENT MIXERS**



Item No:	Input Supply	Motor Power	Drum	EX. VAT	INC. VAT
08212	230v	220w @ S6 30%	63ltr	£169.99	£203.99
08211	230v	550w @ S6 30%	115ltr	£199.99	£239.99


## SAWS

#### ITEM NO: 08210

#### **TIGREN 12" Contractor Saw**

A powerful saw with versatile 0° to 45° tilting and large worktable size to help provide accurate cutting in a range of applications, manufactured from heavy-duty coated steel with tough powder-coated legs, plus wheels for positioning. Perfect for tradespeople, contractors and home enthusiasts.

- ♂ 0°- 45° tilting with cutting up to 83mm @ 0°and 58mm @ 45°
- Extendable worktable up to 1600mm x 550mm for versatility





230v (13A)	@ S6 4	40% 5mins 58mm @ 45°		6 40% 5mins		m 24T
Standard Table Size		E Ta	xtended able Size	EX. VAT	INC. VAT	
800 x 550mm		160	0 x 550mm	£299.99	£359.99	

83mm @ 0º

Ø315 x Ø30mm

2200w

#### ITEM NO: 08209 TIGREN 16" Log Saw

A powerful saw designed to cut and sever logs quickly and effortlessly via 2-handed cutting with anti-kickback device for the highest operator safety, plus durability through a high-quality powder-coated steel frame. Perfect for the home user and DIY usage.

- Severs logs up to Ø 140mm and cuts 300mm to 1000mm lengths
- 2-handed safety cutting with spring-assisted anti-kickback device
- **TCT BLADE INCLUDED**



Input Supply	Motor Power	Cutting Capacity	Blade Size	EX. VAT	INC. VAT
230v (13A)	2200w @ S2 15mins	Ø 140-300mm 1000mm (L)	Ø405 x Ø30mm 32T	£279.99	£335.99

# SIP PILLAR DRILLS PAGES 30-31









 $\bigcirc$  in

Gelders Hall Road, Shepshed, Loughborough, Leicestershire LE12 9NH. UK

SIP (INDUSTRIAL PRODUCTS) LIMITED

 $X \triangleright$ 











**VISIT: WWW.SIP-GROUP.COM FOR FULL DETAILS**