

@B__

Page 1 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 13.12.2018 / 0006 Replacing version dated / version: 29.07.2016 / 0005 Valid from: 13.12.2018 PDF print date: 13.12.2018 Hand wash paste 10 L Art.: 132238

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Hand wash paste 10 L Art.: 132238

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Cosmetic preparation Skin cleaning Sector of use [SU]: SU 4 - Manufacture of food products SU20 - Health services SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen) Uses advised against: No information available at present.

1.3 Details of the supplier of the safety data sheet

Albert Berner Deutschland GmbH, Bernerstrasse 4, 74653 Künzelsau, Germany Phone:+49 79 40 12 10, Fax:+49 79 40 12 13 00 info@berner.de, www.berner.de

Details of the supplier of the safety data sheet see section 16 of this safety data sheet.

Qualified person's e-mail address: Productsafety.Chemicals@berner-group.com Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number Emergency information services / official advisory body:

Telephone number of the company in case of emergencies: +49 (0) 221 80260 889 (09:00 – 17:00)

SECTION 2: Hazards identification



Page 2 of 19

(GB)

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 13.12.2018 / 0006 Replacing version dated / version: 29.07.2016 / 0005 Valid from: 13.12.2018 PDF print date: 13.12.2018 Hand wash paste 10 L Art.: 132238

2.1 Classification of the substance or mixture Classification according to Regulation (EC) 1272/2008 (CLP) Cosmetics regulations are to be applied.

2.2 Label elements Labeling according to Regulation (EC) 1272/2008 (CLP)

Not applicable

Cosmetics regulations are to be applied.

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %). The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %). May produce an allergic reaction.

SECTION 3: Composition/information on ingredients

3.1 Substance

n.a.

3.2 Mixture	
Sulfuric acid, mono-C12-18-alkyl esters, sodium salts	Substance with specific conc. limit(s) acc. to REACh-registration
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP	273-257-1
CAS	68955-19-1
content %	10-<20
Classification according to Regulation (EC) 1272/2008 (CLP)	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
Wood flour	Substance for which an EU exposure limit value applies.
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP	
CAS	
content %	10-20
Classification according to Regulation (EC) 1272/2008 (CLP)	
(R)-p-mentha-1,8-diene	
Registration number (REACH)	
Index	



Page 3 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 13.12.2018 / 0006 Replacing version dated / version: 29.07.2016 / 0005 Valid from: 13.12.2018 PDF print date: 13.12.2018 Hand wash paste 10 L Art.: 132238

	22
EINECS, ELINCS, NLP	227-813-5
CAS	5989-27-5
content %	0,1-<0,25
Classification according to Regulation (EC)	Flam. Liq. 3, H226
1272/2008 (CLP)	Skin Irrit. 2, H315
	Skin Sens. 1, H317
	Aquatic Acute 1, H400 (M=1)
	Aquatic Chronic 1, H410 (M=1)

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16. The substances named in this section are given with their actual, appropriate classification! For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

(GB)

Not required.

Skin contact Wash in water.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Give copious water to drink - consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed n.c.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Adapt to the nature and extent of fire.

Water jet spray/foam/CO2/dry extinguisher

Unsuitable extinguishing media

None known

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:



@B__

Page 4 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 13.12.2018 / 0006 Replacing version dated / version: 29.07.2016 / 0005 Valid from: 13.12.2018 PDF print date: 13.12.2018 Hand wash paste 10 L Art.: 132238

Oxides of carbon Oxides of sulphur Oxides of nitrogen Oxides of phosphorus Toxic gases **5.3 Advice for firefighters** In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire Full protection, if necessary.

Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

No special measures required. Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Do not pour down the drain undiluted.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

Flush residue using copious water.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Avoid contact with eyes.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

Store at room temperature.

7.3 Specific end use(s)

No information available at present.



Page 5 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 13.12.2018 / 0006 Replacing version dated / version: 29.07.2016 / 0005 Valid from: 13.12.2018 PDF print date: 13.12.2018 Hand wash paste 10 L Art.: 132238

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

œ

Chemical Name	Wood flour			Content %:10-20
WEL-TWA: 5 mg/m3 (sof and hardwood dust) (WEL- mg/m3 (8) (Hardwood dust until 17 January 2023] (EU)	TWA), 2 s) [3 mg/m3	WEL-STEL:		
Monitoring procedures:	-			
BMGV:			Other information: dust), Sen, Carc ((WEL-TWA)	`

Area of application	Exposure route / Environmental compartment	Effect on health	Descrip tor	Value	Unit	Note
	Environment - freshwater		PNEC	0,098	mg/l	
	Environment - marine		PNEC	0,009 8	mg/l	
	Environment - sporadic (intermittent) release		PNEC	0,15	mg/l	
	Environment - sewage treatment plant		PNEC	6,8	mg/l	
	Environment - sediment, freshwater		PNEC	3,45	mg/kg	
	Environment - sediment, marine		PNEC	0,345	mg/kg	
	Environment - soil		PNEC	0,631	mg/kg	
Consumer	Human - dermal	Long term, systemic effects	DNEL	2440	mg/kg bw/d	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	85	mg/m3	
Consumer	Human - oral	Long term, systemic effects	DNEL	24	mg/kg bw/d	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	4060	mg/kg bw/d	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	285	mg/m3	

(R)-p-mentha-1,8-diene



Page 6 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 13.12.2018 / 0006 Replacing version dated / version: 29.07.2016 / 0005 Valid from: 13.12.2018 PDF print date: 13.12.2018 Hand wash paste 10 L Art.: 132238

Area of application	Exposure route / Environmental compartment	Effect on health	Descrip tor	Value	Unit	Note
	Environment - freshwater		PNEC	5,4	µg/I	
	Environment - marine		PNEC	0,54	µg/l	
	Environment - sewage treatment plant		PNEC	1,8	mg/l	
	Environment - sediment, freshwater		PNEC	1,32	mg/kg dw	
	Environment - sediment, marine		PNEC	0,13	mg/kg dw	
	Environment - soil		PNEC	0,262	mg/kg dw	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	8,33	mg/m3	
Consumer	Human - oral	Long term, systemic effects	DNEL	4,76	mg/kg bw/day	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	33,3	mg/m3	

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).
(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage. ** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

8.2 Exposure controls

GB)

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. BS EN 14042.

BS EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.



Page 7 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 13.12.2018 / 0006 Replacing version dated / version: 29.07.2016 / 0005 Valid from: 13.12.2018 PDF print date: 13.12.2018 Hand wash paste 10 L Art.: 132238

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection: Normally not necessary.

GB)

Skin protection - Hand protection: Normally not necessary.

Skin protection - Other: Normally not necessary.

Respiratory protection: Normally not necessary.

Thermal hazards: Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state:	Paste, Liquid
Colour:	Beige
Odour:	Fruity, Orange
Odour threshold:	Not determined
pH-value:	6,5
Melting point/freezing point:	0 °C
Initial boiling point and boiling range:	100 °C
Flash point:	101 °C
Evaporation rate:	n.a.
Flammability (solid, gas):	Not flammable
Lower explosive limit:	n.a.
Upper explosive limit:	n.a.
Vapour pressure:	23 hPa
Vapour density (air = 1):	n.a.
Density:	0,8 g/cm3
Bulk density:	n.a.
-	



Page 8 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 13.12.2018 / 0006 Replacing version dated / version: 29.07.2016 / 0005 Valid from: 13.12.2018 PDF print date: 13.12.2018 Hand wash paste 10 L Art.: 132238

Solubility(ies): Water solubility: Partition coefficient (n-octanol/water): Auto-ignition temperature: Decomposition temperature: Viscosity: Explosive properties: Oxidising properties: **9.2 Other information** Miscibility: Fat solubility / solvent: Conductivity:

Surface tension:

Solvents content:

GB

No Not determined Not determined n.a. No Not determined Not determined Not determined Not determined 0,3 %

Not determined

Soluble

n.a.

SECTION 10: Stability and reactivity

10.1 Reactivity
Not to be expected
10.2 Chemical stability
Stable with proper storage and handling.
10.3 Possibility of hazardous reactions
No dangerous reactions are known.
10.4 Conditions to avoid
None known
10.5 Incompatible materials
None known
10.6 Hazardous decomposition products
See also section 5.2
No decomposition when used as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects Possibly more information on health effects, see Section 2.1 (classification). Hand wash paste 10 L Art.: 132238 Toxicity / effect Endpoi Value Unit Test method Notes Organism nt Acute toxicity, by oral n.d.a. route: Acute toxicity, by n.d.a. dermal route: Acute toxicity, by n.d.a. inhalation: Skin n.d.a. corrosion/irritation: Serious eye n.d.a. damage/irritation:



Page 9 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 13.12.2018 / 0006 Replacing version dated / version: 29.07.2016 / 0005 Valid from: 13.12.2018 PDF print date: 13.12.2018 Hand wash paste 10 L Art.: 132238

B

Respiratory or skin	n.d.a.
sensitisation:	
Germ cell mutagenicity:	n.d.a.
Carcinogenicity:	n.d.a.
Reproductive toxicity:	n.d.a.
Specific target organ	n.d.a.
toxicity - single	
exposure (STOT-SE):	
Specific target organ	n.d.a.
toxicity - repeated	
exposure (STOT-RE):	
Aspiration hazard:	n.d.a.
Symptoms:	n.d.a.

Sulfuric acid, mono-C1	2-18-alky	l esters, se	odium salts	5		
Toxicity / effect	Endpoi nt	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>2000	mg/kg	Rat		
Acute toxicity, by dermal route:	LD50	>2000	mg/kg	Rabbit		Expert judgement
Skin corrosion/irritation:					OECD 404 (Acute Dermal Irritation/Corrosio n)	Irritant
Serious eye damage/irritation:					OECD 405 (Acute Eye Irritation/Corrosio n)	Eye Dam. 1
Respiratory or skin sensitisation:					OECD 406 (Skin Sensitisation)	Not sensitizising
Germ cell mutagenicity:					OECD 471 (Bacterial Reverse Mutation Test)	Negative

(R)-p-mentha-1,8-die Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>5000	mg/kg	Rat	OECD 401 (Acute Oral Toxicity)	
Acute toxicity, by dermal route:	LD50	>5000	mg/kg	Rabbit	OECD 402 (Acute Dermal Toxicity)	
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal Irritation/Corrosio n)	Not irritant
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye Irritation/Corrosio n)	Not irritant



Page 10 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 13.12.2018 / 0006 Replacing version dated / version: 29.07.2016 / 0005 Valid from: 13.12.2018 PDF print date: 13.12.2018 Hand wash paste 10 L Art.: 132238

B

Respiratory or skin	Mouse	OECD 429 (Skin	Yes (skin
sensitisation:		Sensitisation -	contact)
		Local Lymph	
		Node Assay)	
Germ cell mutagenicity:			Negative
Reproductive toxicity:			Negative
Symptoms:			diarrhoea,
			rash,
			itching,
			gastrointesti
			nal
			disturbances
			, mucous
			membrane
			irritation,
			nausea and
			vomiting.

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

Hand wash paste 10 L							
Art.: 132238							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:							n.d.a.
12.1. Toxicity to daphnia:							n.d.a.
12.1. Toxicity to algae:							n.d.a.
12.2. Persistence and degradability:							n.d.a.
12.3. Bioaccumulative potential:							n.d.a.
12.4. Mobility in soil:							n.d.a.
12.5. Results of PBT and vPvB							n.d.a.
assessment 12.6. Other adverse effects:							n.d.a.



Page 11 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 13.12.2018 / 0006 Replacing version dated / version: 29.07.2016 / 0005 Valid from: 13.12.2018 PDF print date: 13.12.2018 Hand wash paste 10 L Art.: 132238

B

Other information:	AOX			Does not
				contain any
				organically
				bound
				halogens
				which can
				contribute
				to the AOX
				value in
				waste
				water.

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to	NOEC/NOE		<1,35	mg/l	Pimephales		
fish:	L		7		promelas		
12.1. Toxicity to fish:	LC50	96h	17	mg/l		84/449/EEC C.1	
12.1. Toxicity to fish:	NOEC/NOE L	34d	0,35	mg/l	Pimephales promelas	OECD 210 (Fish, Early- Life Stage Toxicity Test)	Analogous conclusion
12.1. Toxicity to daphnia:	NOEC/NOE		<0,41 9	mg/l	Ceriodaphnia spec.	_	
12.1. Toxicity to daphnia:	EC50	48h	15	mg/l	Daphnia magna	84/449/EEC C.2	
12.1. Toxicity to algae:	ErC50	72h	20	mg/l		84/449/EEC C.3	
12.1. Toxicity to algae:	NOEC/NOE L		3	mg/l	Desmodesmu s subspicatus	84/449/EEC C.3	
12.2. Persistence and degradability:		28d	93	%		Regulation (EC) 440/2008 C.4-C (DETERMINAT ION OF 'READY' BIODEGRADA BILITY - CO2 EVOLUTION TEST)	Readily biodegradak e
12.3. Bioaccumulative potential:	Log Pow		-2,1			OECD 107 (Partition Coefficient (n- octanol/water) - Shake Flask Method)	
Toxicity to bacteria:	ECO		>10 - 100	mg/l	Pseudomonas putida		



Page 12 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 13.12.2018 / 0006 Replacing version dated / version: 29.07.2016 / 0005 Valid from: 13.12.2018 PDF print date: 13.12.2018 Hand wash paste 10 L Art.: 132238

B

Toxicity to	EC50	3h	680	mg/l	activated	Regulation
bacteria:					sludge	(EČ)
						440/2008
						C.11
						(BIODEGRAD
						ATION -
						ACTIVATED
						SLUDGE
						RESPIRATION
						INHIBITION)

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance
12.1. Toxicity to fish:	LC50	96h	0,70	mg/l	Pimephales promelas	OECD 203 (Fish, Acute Toxicity Test)	Substance
12.1. Toxicity to daphnia:	EC50	48h	0,307	mg/l	Daphnia magna STRAUS	OECD 202 (Daphnia sp. Acute Immobilisatio n Test)	
12.1. Toxicity to algae:	EC50	72h	0,32	mg/l	Pseudokirchn eriella subcapitata	OECD 201 (Alga, Growth Inhibition Test)	
12.2. Persistence and degradability:		28d	92	%		OECD 301 D (Ready Biodegradabili ty - Closed Bottle Test)	
12.2. Persistence and degradability:		28d	80	%		OECD 301 D (Ready Biodegradabili ty - Closed Bottle Test)	Readily biodegradat e
12.3. Bioaccumulative potential:	Log Pow		4,23				
Toxicity to bacteria:	EC50	3h	209	mg/l	activated sludge	OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation))	



Page 13 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 13.12.2018 / 0006 Replacing version dated / version: 29.07.2016 / 0005 Valid from: 13.12.2018 PDF print date: 13.12.2018 Hand wash paste 10 L Art.: 132238

GB)

SECTION 13: Disposal considerations

13.1 Waste treatment methods For the substance / mixture / residual amounts EC disposal code no.: The waste codes are recommendations based on the scheduled use of this product. Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU) 07 06 01 aqueous washing liquids and mother liquors Recommendation: Sewage disposal shall be discouraged. Pay attention to local and national official regulations. E.g. dispose at suitable refuse site. E.g. suitable incineration plant. For contaminated packing material Pay attention to local and national official regulations. 15 01 01 paper and cardboard packaging 15 01 02 plastic packaging Empty container completely. Uncontaminated packaging can be recycled. Recommended cleaner: Water **SECTION 14: Transport information**

General statements	
14.1. UN number:	n.a.
Transport by road/by rail (ADR/RID)	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	n.a.
14.4. Packing group:	n.a.
Classification code:	n.a.
LQ:	n.a.
14.5. Environmental hazards:	Not applicable
Tunnel restriction code:	
Transport by sea (IMDG-code)	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	n.a.
14.4. Packing group:	n.a.
Marine Pollutant:	n.a
14.5. Environmental hazards:	Not applicable
Transport by air (IATA)	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	n.a.
14.4. Packing group:	n.a.
14.5. Environmental hazards:	Not applicable
14.6. Special precautions for user	
Unless specified otherwise, general measures for safe	transport must be followed.



Page 14 of 19

(GB)

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 13.12.2018 / 0006 Replacing version dated / version: 29.07.2016 / 0005 Valid from: 13.12.2018 PDF print date: 13.12.2018 Hand wash paste 10 L Art.: 132238

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

Comply with national regulations/laws governing maternity protection (national implementation of the Directive 92/85/EEC)! General hygiene measures for the handling of chemicals are applicable.

50

Directive 2010/75/EU (VOC):

2,4 g/l

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections:

8

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP): Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3). H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Skin Irrit. — Skin irritation Eye Dam. — Serious eye damage Aquatic Chronic — Hazardous to the aquatic environment - chronic Flam. Liq. — Flammable liquid Skin Sens. — Skin sensitization Aquatic Acute — Hazardous to the aquatic environment - acute



Page 15 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 13.12.2018 / 0006 Replacing version dated / version: 29.07.2016 / 0005 Valid from: 13.12.2018 PDF print date: 13.12.2018 Hand wash paste 10 L Art.: 132238

Albert Berner Deutschland GmbH Bernerstrasse 4 D - 74653 Künzelsau Tel +49 79 40 12 10 Fax +49 79 40 12 13 00 info@berner.de www.berner.de

GB)

Montagetechnik Berner AG Kägenstraße 8 CH - 4153 Reinach / Bl. 1 Tel +41 61 71 59 222 Fax +41 61 71 59 333 berner-ag@berner-ag.ch www.berner-ag.ch

Berner Kft. Gubacsi út 6/b H - 1097 Budapest Tel +36 (1) 347 1059 Fax +36 (1) 347 1045 info@berner.hu www.berner.hu

Berner spol. s r.o. Jinonická 80 CZ - 158 00 Praha 5 Tel +420 225 390 666 Fax +420 225 390 660 berner@berner.cz www.berner.cz

Albert Berner UAB Kalvarijø 29B, LT09313, Vilnius, Lithuania Tel +370-52104355 Fax +370-52350020 info@berner.lt Berner Gesellschaft m.b.H. Industriezeile 36 A - 5280 Braunau / Inn Tel +43 77 22 800 508 Fax +43 77 22 800 184 berner@berner.co.at www.berner.co.at

Berner A/S Stenholm 2 DK - 9400 Nørresundby Tel +45 99 36 15 00 Fax +45 98 19 24 14 info@berner.dk www.berner.dk

Frimann-Berner AS Holmaveien 25 N - 1339 Vøyenenga Tel +47 66 76 55 80 Fax +47 66 76 55 81 info@berner.no www.berner.no

Berner,S.A. Av. Amália Rodrigues,3510 Manique de Baixo P - 2785-738 Săo Domingos de Rana Tel ++351 21 448 90 60 Fax ++351 21 448 90 69 marketing.pt@berner.pt www.berner.pt

Berner SK Berner s r.o. Jesenského 1 SK - 962 12 Detva Tel (+421) 45 5410 245 Fax (+421) 45 5410 255 berner@berner.sk www.berner.sk Berner Belgien NV/SA Bernerstraat 1 B - 3620 Lanaken Tel +31 45 533 93 133(8.00h-16.00h) Tel +31 6 290 27 464 (16.00h-8.00h) Fax +31 455 33 92 43 info@berner.be www.berner.be

Berner Montaje y Fijación, S.L. P.I. "La Rosa VI" C/Albert Berner, 2 E - 18330 Chauchina-Granada-España Tel +34 90 21 03 504 Fax +34 90 21 13 190 berner-spain@berner.es www.berner.es

Berner Succ. Luxembourg 105, Rue des Bruyères L - 1274 Howald Tel +31 45 533 93 133 (8.00h-16.00h) Tel +31 6 290 27 464 (16.00h-8.00h) Fax +31 455 33 92 43 info@berner.lu www.berner.lu

Berner Polska Sp. z o.o. Ul. Puszkarska 7J 30-644 Kraków Tel +48 12 297 62 40 Fax +48 12 297 62 02 office@berner.pl www.berner.pl

Albert Berner Montageteknik AB Elektravägen 53 S - 126 30 Hägersten Tel +46 85 78 77 800 Fax +46 85 78 77 805 info@berner.se www.berner.se



Page 16 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 13.12.2018 / 0006 Replacing version dated / version: 29.07.2016 / 0005 Valid from: 13.12.2018 PDF print date: 13.12.2018 Hand wash paste 10 L Art.: 132238

Berner Pultti Oy Volttikatu 6 FI - 70700 Kuopio Tel +358-207-590 220 Fax +358-207-590 221 kuopio@berner-pultti.com www.berner-pultti.com

GB

Berner Endüstrivel Ürünler Sanayi ve Ticaret A.Ţ. Ferhatpaţa Mah. G 7 Sok. 31/2 TR - 34858 Kartal-Samandýra / ÝSTANBUL Tel +90 (0) 216-4713077 Fax +90 (0) 216-4719625 info@berner.com.tr www.berner.com.tr

Berner Produkten b.v. Vogelzankweg 175 NL - 6374 AC Landgraaf +31 45 53 39 133 (8.00h-16.00h) +31 6 290 27 464 (16.00h-8.00h) info@berner.nl www.berner.nl

Mitras d.o.o Brdnikova ulica 34e SL-1000 Ljubljana Tel +386-1-256-62-46 Fax +386-1-256-62-45 mitras@siol.com

Berner S.p.A. Via dell 'Elettronica 15 I - 37139 Verona Tel +39 04 58 67 01 11 Fax +39 04 58 67 01 34 info@berner.it www.berner.it

Berner s.a.r.l. ZI Les Manteaux F - 89331 Saint-Julien-du-Sault Cedex Tel +33 38 69 94 400 Fax +33 38 69 94 444 contact@berner.fr www.berner.fr

BERNER d.o.o CPM Savěca Śanci Troovaćka 2 HR - 10000 Zagreb Tel +38512 499 470 Fax +38512 499 480 e-mail: safetydata-hr@berner.co.at

Albert Berner srl Str. Vrancei Nr. 51 - 55 RO - 310315 Arad Tel +40 257 212291 Fax +40 257 250460 office@berner-romania.ro www.berner-romania.ro

Albert Berner SIA Liliju 20, Marupe, Mārupes novads, LV-2167, Latvija Tel +37167840007 Fax +371678440008 info@berner.lv

(c) COPYRIGHT 1987 - 2050 ALL **RÍGHTS RESERVED**

Any abbreviations and acronyms used in this document:

AC **Article Categories** acc., acc. to according, according to ACGIH American Conference of Governmental Industrial Hygienists ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOEL Acceptable Operator Exposure Level AOX Adsorbable organic halogen compounds approximately approx. Art., Art. no. Article number ATE Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP) BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAUA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)

BCF Bioconcentration factor



(GB) Page 17 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 13.12.2018 / 0006 Replacing version dated / version: 29.07.2016 / 0005 Valid from: 13.12.2018 PDF print date: 13.12.2018 Hand wash paste 10 L Art.: 132238 BGV Berufsgenossenschaftliche Vorschrift (= Accident Prevention Regulation) Butylhydroxytoluol (= 2,6-Di-t-butyl-4-methyl-phenol) BHT BMGV Biological monitoring guidance value (EH40, UK) BOD Biochemical oxygen demand BSEF Bromine Science and Environmental Forum bw body weight CAS **Chemical Abstracts Service** CEC Coordinating European Council for the Development of Performance Tests for Fuels, Lubricants and Other Fluids CESIOComité Européen des Agents de Surface et de leurs Intermédiaires Organiques CIPAC Collaborative International Pesticides Analytical Council CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures) CMR carcinogenic, mutagenic, reproductive toxic COD Chemical oxygen demand CTFA Cosmetic, Toiletry, and Fragrance Association DMEL Derived Minimum Effect Level DNEL Derived No Effect Level DOC Dissolved organic carbon DT50 Dwell Time - 50% reduction of start concentration DVS Deutscher Verband für Schweißen und verwandte Verfahren e.V. (= German Association for Welding and Allied Processes) dw dry weight e.g. for example (abbreviation of Latin 'exempli gratia'), for instance EC European Community ECHA European Chemicals Agency EEA European Economic Area EEC European Economic Community European Inventory of Existing Commercial Chemical Substances EINECS ELINCS European List of Notified Chemical Substances ΕN **European Norms** FPA United States Environmental Protection Agency (United States of America) ERC Environmental Release Categories ES Exposure scenario etc. et cetera EU European Union EWC European Waste Catalogue Fax number Fax. gen. general GHS Globally Harmonized System of Classification and Labelling of Chemicals GWP Global warming potential HET-CAM Hen's Egg Test - Chorionallantoic Membrane HGWP Halocarbon Global Warming Potential IARC International Agency for Research on Cancer IATA International Air Transport Association IBC Intermediate Bulk Container IBC (Code) International Bulk Chemical (Code) Inhibitory concentration IC. IMDG-code International Maritime Code for Dangerous Goods incl. including, inclusive IUCLID International Uniform ChemicaL Information Database lethal concentration LC

LC50 lethal concentration 50 percent kill



GB Page 18 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 13.12.2018 / 0006 Replacing version dated / version: 29.07.2016 / 0005 Valid from: 13.12.2018 PDF print date: 13.12.2018 Hand wash paste 10 L Art.: 132238 LCLo lowest published lethal concentration LD Lethal Dose of a chemical LD50 Lethal Dose, 50% kill LDLo Lethal Dose Low LOAELLowest Observed Adverse Effect Level LOEC Lowest Observed Effect Concentration LOEL Lowest Observed Effect Level LQ Limited Quantities MARPOL International Convention for the Prevention of Marine Pollution from Ships n.a. not applicable n.av. not available n.c. not checked n.d.a. no data available NIOSH National Institute of Occupational Safety and Health (United States of America) No Observed Adverse Effective Concentration NOAEC No Observed Adverse Effect Level NOAFI NOEC No Observed Effect Concentration NOEL No Observed Effect Level ODP Ozone Depletion Potential OECD Organisation for Economic Co-operation and Development organic org. polycyclic aromatic hydrocarbon PAH PBT persistent, bioaccumulative and toxic PC Chemical product category PE Polyethylene PNEC Predicted No Effect Concentration POCP Photochemical ozone creation potential ppm parts per million **PROC** Process category PTFE Polytetrafluorethylene REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals) 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. **REACH-IT List-No.** or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= RID Regulation concerning the International Carriage of Dangerous Goods by Rail) SADT Self-Accelerating Decomposition Temperature SAR Structure Activity Relationship SU Sector of use SVHC Substances of Very High Concern Tel. Telephone ThOD Theoretical oxygen demand TOC Total organic carbon TRGS Technische Regeln für Gefahrstoffe (=Technical Regulations for Hazardous Substances) **UN RTDG** United Nations Recommendations on the Transport of Dangerous Goods Verordnung über brennbare Flüssigkeiten (= Regulation for flammable liquids (Austria)) VbF VOC Volatile organic compounds vPvB very persistent and very bioaccumulative WEL-TWA, WEL-STEL WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period), WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period) (EH40, UK). WHO World Health Organization



Page 19 of 19 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 13.12.2018 / 0006 Replacing version dated / version: 29.07.2016 / 0005 Valid from: 13.12.2018 PDF print date: 13.12.2018 Hand wash paste 10 L Art.: 132238

wwt wet weight

œ

The statements made here should describe the product with regard to the necessary safety precautions - they are

not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.