

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

SCREW LOCKER TIGHT

Revision date: 30/12/2022
Version: 1.1
Replaces version: 1.0
Language: en-GB
Date of print: 7/6/2023

Page: 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: SCREW LOCKER TIGHT

This safety data sheet pertains to the following products:

243190 = SCREW LOCKER TIGHT 243191 = SCREW LOCKER TIGHT

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Adhesive, sealant.

Reserved for industrial and professional use.

1.3 Details of the supplier of the safety data sheet

Company name: Berner Produkten b.v. Street/POB-No.: Vogelzankweg 175
Postal Code, city: 6374 AC Landgraaf

Netherlands

 www.
 www.berner.nl

 E-mail:
 info@berner.nl

 Telephone:
 +31 45 53 39 133

Department responsible for information:

E-mail: Productsafety.Chemicals@berner-group.com

1.4 Emergency telephone number

Berner Trading Holding GmbH: +49 (0)221 80260889 (9:00 - 17:00)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

This mixture is classified as not hazardous.

Additional information Frequently or prolonged contact with skin may cause dermal irritation.

2.2 Label elements

Labelling (CLP)

Hazard statements: not applicable
Precautionary statements: not applicable

Special labelling

EUH210 Safety data sheet available on request.

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

No data available



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

SCREW LOCKER TIGHT

Revision date: 30/12/2022
Version: 1.1
Replaces version: 1.0
Language: en-GB
Date of print: 7/6/2023

Page: 2 of 8

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: Mixture of the substance mentioned below with non-hazardous additions:

Hazardous ingredients:

Identifiers	Designation Classification	Content
EC No. 201-254-7 CAS 80-15-9	alpha, alpha-dimethylbenzyl hydroperoxide; cumene hydroperoxide	< 1 %
	Org. Perox. E; H242. Acute Tox. 4; H302. Acute Tox. 4; H312. Acute Tox. 3; H331. Skin Corr. 1B; H314. STOT RE 2; H373. Aquatic Chronic 2; H411. Specific concentration limits (SCL):	
	Skin Corr. 1B; H314: C ≥ 10 % / Skin Irrit. 2; H315: 3 % ≤ C < 10 % / Eye Dam. 1; H31 < 10 % / Eye Irrit. 2; H319: 1 % ≤ C < 3 % / STOT SE 3; H335: C < 10 %	8: 3 % ≤ C

Full text of H- and EUH-statements: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Take off contaminated clothing and wash it before reuse.

In case of inhalation: Remove person to fresh air and keep comfortable for breathing. In the event of discomfort seek

medical treatment.

Following skin contact: Immediately clean with water and soap followed by thorough rinsing. In case of skin reactions,

consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart.

Remove contact lenses, if present and easy to do. Continue rinsing. Subsequently consult an

ophthalmologist.

After swallowing: Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an

unconscious person. Do not induce vomiting. Consult physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

No data available

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Water spray jet, dry extinguishing powder, carbon dioxide, foam.

Extinguishing media which must not be used for safety reasons:

Full water jet

5.2 Special hazards arising from the substance or mixture

May form dangerous gases and vapours in case of fire. Danger of formation of toxic pyrolysis products.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

SCREW LOCKER TIGHT

Revision date: 30/12/2022 Version: 1.1 Replaces version: 1.0 Language: en-GB Date of print: 7/6/2023

3 of 8

Page:

Additional information:

Hazchem-Code: -

Use fine water spray to cool endangered containers.

Do not allow water used to extinguish fire to enter drains, ground or waterways.

Fire residuals and contaminated extinguishing water must be disposed of in accordance with

the regulations of the local authorities.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing mist/vapours/spray. Avoid contact with the substance.

If possible, eliminate leakage. Provide adequate ventilation.

Wear appropriate protective equipment.

Take off contaminated clothing and wash it before reuse. Keep unprotected people away.

6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.

If necessary notify appropriate authorities.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding

agents) and place in closed containers for disposal.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Additional information: Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Pro

Provide adequate ventilation, and local exhaust as needed. Avoid breathing mist/vapours/spray.

Do not get in eyes, on skin, or on clothing. Wear appropriate protective equipment.

Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

Take off contaminated clothing and wash it before reuse. Have eye wash bottle or eye rinse ready at work place.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place. Keep container dry. Keep only in the original container.

Protect from heat and direct sunlight.

Store containers in upright position. Keep in a cool place.

Recommended storage temperature: 5 - 25 °C

Hints on joint storage: Keep away from food, drink and animal feedingstuffs.

Do not store together with: acids, Alkalis, reducing agents and oxidizing agents.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information: Contains no substances with occupational exposure limit values.



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

SCREW LOCKER TIGHT

Revision date: 30/12/2022
Version: 1.1
Replaces version: 1.0
Language: en-GB
Date of print: 7/6/2023

Page: 4 of 8

8.2 Exposure controls

Provide adequate ventilation, and local exhaust as needed.

Personal protection equipment

Occupational exposure controls

Respiratory protection: Respiratory protection must be worn whenever the WEL levels have been exceeded. In case of

inadequate ventilation wear respiratory protection.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.

Hand protection: Protective gloves according to EN 374.

Glove material: Fluororubber (Viton) (> 0.4 mm)

Breakthrough time: > 480 min

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Tightly sealed goggles according to BS EN ISO 16321-1:2022.

Body protection: Wear suitable protective clothing.

General protection and hygiene measures:

Odour threshold

Avoid breathing mist/vapours/spray. Do not get in eyes, on skin, or on clothing.

Take off contaminated clothing and wash it before reuse.

Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

Have eye wash bottle or eye rinse ready at work place.

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Physical state at 20 °C and 101.3 kPa: liquid

Form: Viscous Colour: green Characteristic No data available

pH: No data available

Melting point/freezing point: No data available

Initial boiling point and boiling range: No data available

Flash point/flash point range: > 93 °C

Evaporation rate: No data available Flammability: No data available Explosion limits: No data available Vapour pressure: No data available Vapour density: No data available Density: at 20 °C: 1.05 g/mL Practically insoluble Water solubility: Partition coefficient: n-octanol/water: No data available No data available Auto-ignition temperature: No data available Decomposition temperature: Viscosity, kinematic: No data available Explosive properties: No data available Oxidizing characteristics: No data available

9.2 Other information

Additional information: No data available



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

SCREW LOCKER TIGHT

Revision date: 30/12/2022 Version: 1.1 Replaces version: 1.0 Language: en-GB Date of print: 7/6/2023

Page: 5 of 8

SECTION 10: Stability and reactivity

10.1 Reactivity

Refer to subsection "Possilbility of hazardous reactions".

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Reacts with acids, Alkalis, reducing agents and oxidizing agents.

10.4 Conditions to avoid

Keep away from heat sources, sparks and open flames. Protect from direct sunlight.

10.5 Incompatible materials

acids, Alkalis, oxidizing agents, reducing agent.

10.6 Hazardous decomposition products

No decomposition when used properly.

Thermal decomposition: No data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Toxicological effects:

The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met

Skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data.

Specific target organ toxicity (repeated exposure): Based on available data, the classification

criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

Other information: Information about alpha, alpha-dimethylbenzyl hydroperoxide; cumene hydroperoxide:

LD50 Rat, oral: 382 mg/kg (IUCLID)

LC50 Rat, inhalative: 220 ppm/4h (IUCLID)



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

SCREW LOCKER TIGHT

Revision date: 30/12/2022
Version: 1.1
Replaces version: 1.0
Language: en-GB
Date of print: 7/6/2023

Page: 6 of 8

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Information about alpha, alpha-dimethylbenzyl hydroperoxide; cumene hydroperoxide:

Fish toxicity: LC50 Oncorhynchus mykiss: 3.9 mg/L/96h

Daphnia toxicity: EC50 Daphnia magna (Big water flea): 7 mg/L/24h

12.2 Persistence and degradability

Further details: No data available

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 08 04 10 = waste adhesives and sealants other than those mentioned in 08 04 09

Recommendation: Dispose of waste according to applicable legislation.

Do not empty into drains.

Package

Waste key number: 15 01 02 = Plastic packaging
Recommendation: 15 01 04 = metallic packaging

Dispose of waste according to applicable legislation. Handle contaminated packages in the

same way as the substance itself. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number

ADR/RID, IMDG, IATA-DGR: not applicable

14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR: Not restricted

14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR: not applicable

14.4 Packing group

ADR/RID, IMDG, IATA-DGR: not applicable



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

SCREW LOCKER TIGHT

Revision date: 30/12/2022
Version: 1.1
Replaces version: 1.0
Language: en-GB
Date of print: 7/6/2023

Page: 7 of 8

14.5 Environmental hazards

Marine pollutant:

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Great Britain

Hazchem-Code:

No data available

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Further information

Wording of the H-phrases under paragraph 2 and 3:

H242 = Heating may cause a fire.

H302 = Harmful if swallowed.

H312 = Harmful in contact with skin.

H314 = Causes severe skin burns and eye damage.

H331 = Toxic if inhaled.

H373 = May cause damage to organs through prolonged or repeated exposure.

H411 = Toxic to aquatic life with long lasting effects.

EUH210 = Safety data sheet available on request.



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

SCREW LOCKER TIGHT

Revision date: 30/12/2022 Version: 1.1 Replaces version: 1.0 Language: en-GB 7/6/2023 Date of print:

Page: 8 of 8

Abbreviations and acronyms:

Acute Tox.: Acute toxicity

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

Aquatic Chronic: Hazardous to the aquatic environment - chronic

AS/NZS: Australian Standards/New Zealand Standards

CAS: Chemical Abstracts Service CFR: Code of Federal Regulations

CLP: Classification, Labelling and Packaging

DMEL: Derived minimal effect level DNEL: Derived no-effect level EC: European Community EC50: Effective Concentration 50%

EN: European Standard EQ: Excepted quantities Eye Dam.: Eye damage Eye Irrit.: Eye irritation

IATA: International Air Transport Association

IATA-DGR: International Air Transport Association – Dangerous Goods Regulations

IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IMDG Code: International Maritime Dangerous Goods Code

IUCLID: International Uniform Chemical Information Database

LC50: Median lethal concentration

LD50: Lethal dose 50%

MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships

OEL: Occupational Exposure Limit Value

Org. Perox.: Organic peroxide
OSHA: Occupational Safety and Health Administration

PBT: Persistent, bioaccumulative and toxic PNEC: Predicted no-effect concentration

RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail

Skin Corr.: Skin corrosion Skin Irrit.: Skin irritation

STOT RE: Specific target organ toxicity - repeated exposure STOT SE: Specific target organ toxicity - single exposure TLV: Threshold Limit Value

TRGS: Technical Rules for Hazardous Substances vPvB: Very persistent and very bioaccumulative

WEL: Workplace Exposure Limit

Reason of change: General revision Date of first version: 23/11/2021

Department issuing data sheet

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.