

according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Butane gas

Revision date: 23/3/2023 Version: 2.2 Replaces version: 2.1 Language: en-GB Date of print: 7/6/2023

Page: 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Butane gas

This safety data sheet pertains to the following products:

414186 = Butane gas

UFI: NN20-76N0-H106-C7HH

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: auxiliaries. Fuel gases.

Reserved for industrial and professional use.

1.3 Details of the supplier of the safety data sheet

Company name: Berner Produkten b.v.
Street/POB-No.: Vogelzankweg 175
Postal Code, city: 6374 AC Landgraaf

Netherlands

 www.berner.nl

 E-mail:
 info@berner.nl

 Telephone:
 +31 45 53 39 133

Department responsible for information:

E-mail: Productsafety.Chemicals@berner-group.com

1.4 Emergency telephone number

Poisons information service:

National Poisons Information Service (Birmingham Unit): 844 892 0111

Transport:

CONSULTANK Lutz Harder GmbH (Contract Qualisys/Berner) Telephone: +49 (178) 4337434 (from USA: 01149 178 4337434)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Aerosol 1; H222; H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

2.2 Label elements

Labelling (CLP)



Signal word: Danger

Hazard statements: H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

Precautionary statements: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Butane gas

Revision date: 23/3/2023 Version: 2.2 Replaces version: 2.1 Language: en-GB Date of print: 7/6/2023

Page

2 of 9

2.3 Other hazards

Potentially explosive mixtures may form if adequate ventilation is not provided. Inhaling can lead to irritations of the respiratory tract and mucous membrane. Higher doses may lead to a narcotic effect.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

This mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% (w/w) or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: Hydrocarbon gas mixture.

Hazardous ingredients:

Identifiers	Designation Classification	Content
REACH 01-2119474691-32-xxxx EC No. 203-448-7 CAS 106-97-8	n-Butane Flam. Gas 1; H220. Press. Gas (Comp.); H280.	75 - 100 %
REACH 01-2119486944-21-xxxx EC No. 200-827-9 CAS 74-98-6	Propane Flam. Gas 1; H220. Press. Gas (Comp.); H280.	10 - 25 %
REACH 01-2119485395-27-xxxx EC No. 200-857-2 CAS 75-28-5	Isobutane Flam. Gas 1; H220. Press. Gas (Comp.); H280.	2.5 - 10 %

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: IF exposed or concerned: Get medical advice/attention. First aider: Pay attention to self-protection!

In case of inhalation: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for

breathing

In the event of persistent symptoms seek medical treatment.

Following skin contact: Take off contaminated clothing.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart.

Remove contact lenses, if present and easy to do. Continue rinsing.

After swallowing: Do not induce vomiting. Rinse mouth and seek medical attention immediately.

4.2 Most important symptoms and effects, both acute and delayed

Inhaling can lead to irritations of the respiratory tract and mucous membrane. Higher doses may lead to a narcotic effect.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Butane gas

Revision date: 23/3/2023 Version: 2.2 Replaces version: 2.1 Language: en-GB Date of print: 7/6/2023

Page: 3 of 9

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Water spray jet, water mist, alcohol resistant foam, Extinguishing powder, carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Full water jet

5.2 Special hazards arising from the substance or mixture

Extremely flammable aerosol. Pressurised container: May burst if heated. Furthermore, there may develop: Carbon monoxide and carbon dioxide.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.

Additional information:

Hazchem-Code: -

Heating will lead to pressure increase: Danger of bursting and explosion. Use fine water spray to cool endangered containers.

Move undamaged containers from immediate hazard area if it can be done safely.

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

Do not allow fire water to penetrate into surface or ground water.

Fire residuals and contaminated extinguishing water must be disposed of in accordance with

the regulations of the local authorities.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe spray. Avoid contact with the substance.

In case of leakage, eliminate all ignition sources. Provide adequate ventilation.

Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse. Keep unprotected people away.

Cordon off downwind area at risk and warn inhabitants.

6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains. Danger of explosion! In case of release, notify competent authorities.

6.3 Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

Thoroughly clean surrounding area. Do not remove residual product with water and detergent. In case of greater quantities: Collect mechanically (use only explosion-proof equipment when pumping out).

6.4 Reference to other sections

Refer additionally to section 8 and 13.



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Butane gas

Revision date: 23/3/2023 Version: 2.2 Replaces version: 2.1 Language: en-GB Date of print: 7/6/2023

Page: 4 of 9

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling:

Provide adequate ventilation, and local exhaust as needed. Do not breathe spray. Do not get in

eyes, on skin, or on clothing. Wear appropriate protective equipment.

Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

Take off contaminated clothing and wash it before reuse. When handling large quantities, supply emergency spray.

Precautions against fire and explosion:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Do not pierce or burn, even after use.

Do not spray on an open flame or other ignition source. When handling larger quantities, take

precautionary measures against electrostatic charging.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place.

Keep container dry. Keep only in the original container. Store containers in upright position. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Keep in a cool

place

Hints on joint storage: Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Туре	Limit value
106-97-8	n-Butane	Great Britain: WEL-STEL Great Britain: WEL-TWA	1810 mg/m³; 750 ppm 1450 mg/m³; 600 ppm

8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

Personal protection equipment

Occupational exposure controls

Respiratory protection: In case of inadequate ventilation wear respiratory protection. Respiratory protection must be

worn whenever the WEL levels have been exceeded.

Recommendation: Use combination filter type A2/P2 according to EN 14387. The filter class must be suitable for the maximum contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration

is exceeded, self-contained breathing apparatus must be used.

Hand protection: Protective gloves according to EN 374.

Glove material: Nitrile rubber - Layer thickness: >= 0.5 mm.

Breakthrough time: > 480 min.

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Tightly sealed goggles according to BS EN ISO 16321-1:2022.

Body protection: Flame retardant, antistatic and chemical resistant protective clothing.



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Butane gas

Revision date: 23/3/2023 Version: 2.2 Replaces version: 2.1 Language: en-GB Date of print: 7/6/2023

Page: 5 of 9

General protection and hygiene measures:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Do not pierce or burn, even after use. Do not spray on an open flame or other ignition source.

Do not breathe spray. Do not get in eyes, on skin, or on clothing.

When using do not eat or drink.

Contaminated work clothing should not be allowed out of the workplace.

Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse.

When handling large quantities, supply emergency spray.

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Physical state at 20 °C and 101.3 kPa: liquid

Form: Aerosol

Odour: Characteristic
Odour threshold: No data available

pH: No data available
Melting point/freezing point: No data available

Initial boiling point and boiling range: $-44.5\,^{\circ}\text{C}$ Flash point/flash point range: $-97\,^{\circ}\text{C}$

Evaporation rate: No data available

Flammability: Extremely flammable aerosol.

Explosion limits: LEL (Lower Explosion Limit): 1.50 Vol-% (n-Butane)

UEL (Upper Explosive Limit): 10.90 Vol-% (Propane)

Vapour pressure: at 20 °C: 8300 hPa (Propane)

Vapour density:

Density:

No data available
at 20 °C: 0.57 g/cm³

Water solubility:

Not/slightly miscible

Partition coefficient: n-octanol/water:

No data available

Auto-ignition temperature:

Not self-igniting

Decomposition temperature:

No data available

Viscosity, kinematic:

No data available

Explosive properties: Product is not explosive. Vapours can form explosive mixtures with air.

Oxidizing characteristics:

No data available

9.2 Other information

Ignition temperature: 365 °C (n-Butane)

SECTION 10: Stability and reactivity

10.1 Reactivity

Extremely flammable aerosol.

Vapours can form explosive mixtures with air.

10.2 Chemical stability

Stable under recommended storage conditions.



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Butane gas

 Revision date:
 23/3/2023

 Version:
 2.2

 Replaces version:
 2.1

 Language:
 en-GB

 Date of print:
 7/6/2023

Page: 6 of 9

10.3 Possibility of hazardous reactions

Pressurised container: May burst if heated.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Do not spray on an open flame or other ignition source.

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

No decomposition when used properly.

Thermal decomposition: No data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Toxicological effects:

The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitisation to the respiratory tract: Based on available data, the classification criteria are not

Skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Further details: No data available

12.2 Persistence and degradability

Further details: Product is not readily biodegradable.



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Butane gas

Revision date: 23/3/2023 Version: 2.2 Replaces version: 2.1 Language: en-GB Date of print: 7/6/2023

Page: 7 of 9

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 16 05 04* = Gases in pressure containers (including halons) containing hazardous

substances/Aerosol

* = Evidence for disposal must be provided.

Recommendation: Do not pierce or burn, even after use.

Special waste. Dispose of waste according to applicable legislation.

Do not dispose of with household waste.

Package

Waste key number: 15 01 04 = metallic packaging

Recommendation: Dispose of waste according to applicable legislation.

Empty carefully and completely, if possible. Handle empty containers with care. Incineration

may cause explosion.

SECTION 14: Transport information

14.1 UN number

ADR/RID, IMDG, IATA-DGR: UN 1950

14.2 UN proper shipping name

ADR/RID, IMDG: UN 1950, AEROSOLS

IATA-DGR: UN 1950, AEROSOLS, FLAMMABLE

14.3 Transport hazard class(es)

ADR/RID: Class 2, Code: 5F
IMDG: Class 2.1, Subrisk -

IATA-DGR: Class 2.1

14.4 Packing group

ADR/RID, IATA-DGR: not applicable

IMDG:

14.5 Environmental hazards

Marine pollutant: nc





according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Butane gas

Revision date: 23/3/2023 Version: 2.2 Replaces version: 2.1 Language: en-GB Date of print: 7/6/2023

Page: 8 of 9

14.6 Special precautions for user

Land transport (ADR/RID)

Warning board: RID: Kemmler-number 23, UN number UN 1950

Hazard label: 2.1

Special Provisions: 190 327 344 625

Limited quantities: 1 L EQ: E0

Package - Instructions: P207 LP200
Package - Special Provisions: PP87 RR6 L2

Special provisions for packing together: MP9
Tunnel restriction code: D

Sea transport (IMDG)

EmS: F-D, S-U

Special Provisions: 63 190 277 327 344 381 959

Limited quantities: 1000 mL Excepted quantities: E0

Package - Instructions: P207, LP200
Package - Provisions: PP87, L2

IBC - Instructions:

IBC - Provisions:

Tank instructions - IMO:

Tank instructions - UN:

Tank instructions - Provisions:

Stowage and handling: SW1 SW22
Segregation: SG69
Properties and observations: Segregation group: none

Air transport (IATA)

Hazard label: Flamm. gas

Excepted Quantity Code: E0

Passenger and Cargo Aircraft: Ltd.Qty.:

Pack.Instr. Y203 - Max. Net Qty/Pkg. 30 kg G

Passenger and Cargo Aircraft:

Pack.Instr. 203 - Max. Net Qty/Pkg. 75 kg

Cargo Aircraft only:

Pack.Instr. 203 - Max. Net Qty/Pkg. 150 kg

Special Provisions: A145 A167 A802

Emergency Response Guide-Code (ERG): 10L

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Great Britain

Hazchem-Code:

No data available

National regulations - EC member states

Further regulations, limitations and legal requirements:

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

[Seveso-III-Directive]

Physical hazards: Code P3a, Quantity threshold 150 000 kg / 500 000 kg

Use restriction according to REACH annex XVII, no.: 3, 40

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

[Seveso-III-Directive]: P3a



according to Regulation (EC) No 1907/2006, as retained and amended in UK law [UK REACH]

Butane gas

Revision date: 23/3/2023 Version: 2.2 Replaces version 2.1 Language: en-GB Date of print: 7/6/2023

9 of 9

Page:

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Further information

Wording of the H-phrases under paragraph 2 and 3:

H220 = Extremely flammable gas. H222 = Extremely flammable aerosol.

H229 = Pressurised container: May burst if heated.

H280 = Contains gas under pressure; may explode if heated.

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

Aerosol: Aerosol

AS/NZS: Australian Standards/New Zealand Standards

CAS: Chemical Abstracts Service CFR: Code of Federal Regulations CLP: Classification, Labelling and Packaging DMEL: Derived minimal effect level

DNEL: Derived no-effect level EC: European Community EN: European Standard EQ: Excepted quantities EU: European Union Flam. Gas: Flammable gases

IATA: International Air Transport Association

IATA-DGR: International Air Transport Association – Dangerous Goods Regulations

IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IMDG Code: International Maritime Dangerous Goods Code

LEL: Lower Explosion Limit

MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships

OEL: Occupational Exposure Limit Value

OSHA: Occupational Safety and Health Administration

PBT: Persistent, bioaccumulative and toxic PNEC: Predicted no-effect concentration Press. Gas: Gases under pressure

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail

TLV: Threshold Limit Value

TRGS: Technical Rules for Hazardous Substances **UN: United Nations**

vPvB: Very persistent and very bioaccumulative WEL: Workplace Exposure Limit

Reason of change: Changes in section 3: Additional advice

Date of first version: 30/9/2021

Department issuing data sheet

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.